



**Department of
Job and Family Services**

**Minimum Data Set (2.0)
Frequency Report
Calendar Year Trends
2002-2010**

Date Prepared: June 2011

Prepared By: Ohio Health Plans
Bureau of Long-Term Supports and Services
Disability and Aging Section

MDS Frequency Statistics

The *MDS Frequency Report* summarizes the percentage of responses in each category for most items in the Minimum Data Set (MDS) database. The report uses the total number of MDS assessments completed (all assessments listed in Section A8) for each calendar year covered. The assessments selected are a snapshot of the residents in nursing facilities at the end of the quarter and reflect those records used to determine the direct care portion of the total rate. The data provides demographic, clinical profiles, and trends of the nursing facility population in Ohio.

October 1, 2010 version 3.0 of the MDS was implemented by CMS. This report covers MDS 2.0 data through June 30, 2010 since it was the last quarter available that solely used MDS 2.0 data.

The MDS elements displayed are used in the calculation of either Resource Utilization Groups (RUGS - used in determining resource utilization groups), Resident Assessment Protocols (RAPs - used to further identify and evaluate the resident's strengths, problems, and needs), or Quality Measures/Indicators (QMs/QIs - used to point out potential problem areas in care). The frequencies are based on the most recent MDS assessments for all nursing facility residents in the state. Assessments are completed on admission and quarterly thereafter, annually, and when a significant change in a resident's clinical status occurs. Residents whose next quarterly or next comprehensive assessment is overdue are excluded from these tables.

Responses on the MDS were summarized and tabulated for each quarter and then compiled for each calendar year. The percentages shown are based on the number of responses for each item divided by the total number of responses for that item. Some items are not required for all assessments (e.g. demographic information on the face sheet is only submitted with initial admission assessments). These items have a single asterisk (*) next to them. Therefore, percentages are calculated using the total number of valid responses for each item, rather than the total number of residents with assessments.

Some questions on the MDS are mutually exclusive, and therefore, require a yes or no response. For these questions, it is expected that the percentage of yes or no responses will total 100 percent when added together. Other MDS questions may result in more than one valid response. For instance, Section K5 asks for information about the nutritional approaches that were used in the last seven days. The instructions state to check all responses that apply. For these types of questions, it is not expected that the percentages will add up to a meaningful value. These questions are identified in this report by the statement "more than one item may be checked per resident" appearing in the bottom left hand corner of the page.

Items with historical response rates of nearly 100 percent changed starting in 2002. Beginning with the June 2002 reporting quarter, many items not used in the calculation of RUGs were no longer required on Medicare PPS assessments. As a result, some items with historical response rates of nearly 100 percent have lower response rates beginning with CY2002. Items that impact RUGIII grouping are denoted with a double asterisk (**). A few new items were added to the NF Frequency Report in 2003 in sections AA, P, and T, including the reason for assessment and minutes of therapy both delivered and expected. Beginning July 1, 2005, providers were given the option of completing a shorter version of the MDS (Medicare PPS Assessment Form (MPAF)) for quarterly review assessments, which resulted in a drop in the response rates of some sections and items that are not included in the MPAF. Items impacted by the MPAF are denoted with a footnote.

MINIMUM DATA SET (MDS) — VERSION 2.0
FOR NURSING HOME RESIDENT ASSESSMENT AND CARE SCREENING

BASIC ASSESSMENT TRACKING FORM

SECTION AA. IDENTIFICATION INFORMATION

1.	RESIDENT NAME[Ⓢ]	a. (First)	b. (Middle Initial)	c. (Last)	d. (Jr/Sr)	
		1. Male				2. Female
		Month		Day		Year
		1. American Indian/Alaskan Native 2. Asian/Pacific Islander 3. Black, not of Hispanic origin 4. Hispanic 5. White, not of Hispanic origin				
2.	GENDER[Ⓢ]	1. Male				2. Female
		a. Social Security Number b. Medicare number (or comparable railroad insurance number) [C in 1 st box if non med. no.]				
3.	BIRTHDATE[Ⓢ]	Month		Day		Year
		a. Social Security Number b. Medicare number (or comparable railroad insurance number) [C in 1 st box if non med. no.]				
4.	RACE[Ⓢ] AND ETHNICITY	1. American Indian/Alaskan Native				4. Hispanic
		2. Asian/Pacific Islander				5. White, not of Hispanic origin
5.	SOCIAL SECURITY AND MEDICARE NUMBERS[Ⓢ] [C in 1 st box if non med. no.]	a. Social Security Number				
		b. Medicare number (or comparable railroad insurance number)				
6.	FACILITY PROVIDER NO[Ⓢ]	a. State No.				
		b. Federal No.				
7.	MEDICAID NO. ("N" if pending, "N" if not a Medicaid recipient)[Ⓢ]					
8.	REASONS FOR ASSESSMENT	[Note—Other codes do not apply to this form]				
		a. Primary reason for assessment 1. Admission assessment (required by day 14) 2. Annual assessment 3. Significant change in status assessment 4. Significant correction of prior full assessment 5. Quarterly review assessment 10. Significant correction of prior quarterly assessment 0. NONE OF ABOVE b. Codes for assessments required for Medicare PPS or the State 1. Medicare 5 day assessment 2. Medicare 30 day assessment 3. Medicare 60 day assessment 4. Medicare 90 day assessment 5. Medicare readmission/return assessment 6. Other state required assessment 7. Medicare 14 day assessment 8. Other Medicare required assessment				

9. Signatures of Persons who Completed a Portion of the Accompanying Assessment or Tracking Form

I certify that the accompanying information accurately reflects resident assessment or tracking information for this resident and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that residents receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil, and/or administrative penalties for submitting false information. I also certify that I am authorized to submit this information by this facility on its behalf.

Signature and Title	Sections	Date
a.		
b.		
c.		
d.		
e.		
f.		
g.		
h.		
i.		
j.		
k.		
l.		

GENERAL INSTRUCTIONS

Complete this information for submission with all full and quarterly assessments (Admission, Annual, Significant Change, State or Medicare required assessments, or Quarterly Reviews, etc.)

Ⓢ = Key items for computerized resident tracking

[] = When box blank, must enter number or letter. [a.] = When letter in box, check if condition applies

MINIMUM DATA SET (MDS) — VERSION 2.0 FOR NURSING HOME RESIDENT ASSESSMENT AND CARE SCREENING

BACKGROUND (FACE SHEET) INFORMATION AT ADMISSION

SECTION AB. DEMOGRAPHIC INFORMATION

1.	DATE OF ENTRY	Date the stay began. Note — Does not include readmission if record was closed at time of temporary discharge to hospital, etc. In such cases, use prior admission date <div style="text-align: center;"> <input type="text"/> <input type="text"/> — <input type="text"/> <input type="text"/> — <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> Month Day Year </div>
2.	ADMITTED FROM (AT ENTRY)	1. Private home/apt. with no home health services 2. Private home/apt. with home health services 3. Board and care/assisted living/group home 4. Nursing home 5. Acute care hospital 6. Psychiatric hospital, MR/DD facility 7. Rehabilitation hospital 8. Other
3.	LIVED ALONE (PRIOR TO ENTRY)	0. No 1. Yes 2. In other facility
4.	ZIP CODE OF PRIOR PRIMARY RESIDENCE	<input type="text"/>
5.	RESIDENTIAL HISTORY 5 YEARS PRIOR TO ENTRY	(Check all settings resident lived in during 5 years prior to date of entry given in item AB1 above) Prior stay at this nursing home Stay in other nursing home Other residential facility—board and care home, assisted living, group home MH/psychiatric setting MR/DD setting NONE OF ABOVE
6.	LIFETIME OCCUPATION(S) [Put "r" between two occupations]	<input type="text"/>
7.	EDUCATION (Highest Level Completed)	1. No schooling 2. 8th grade/less 3. 9-11 grades 4. High school 5. Technical or trade school 6. Some college 7. Bachelor's degree 8. Graduate degree
8.	LANGUAGE	(Code for correct response) a. Primary Language 0. English 1. Spanish 2. French 3. Other b. If other, specify <input type="text"/>
9.	MENTAL HEALTH HISTORY	Does resident's RECORD indicate any history of mental retardation, mental illness, or developmental disability problem? 0. No 1. Yes
10.	CONDITIONS RELATED TO MR/DD STATUS	(Check all conditions that are related to MR/DD status that were manifested before age 22, and are likely to continue indefinitely) Not applicable—no MR/DD (Skip to AB11) MR/DD with organic condition Down's syndrome Autism Epilepsy Other organic condition related to MR/DD MR/DD with no organic condition
11.	DATE BACKGROUND INFORMATION COMPLETED	<div style="text-align: center;"> <input type="text"/> <input type="text"/> — <input type="text"/> <input type="text"/> — <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> Month Day Year </div>

SECTION AC. CUSTOMARY ROUTINE

1. CUSTOMARY ROUTINE (In year prior to DATE OF ENTRY to this nursing home, or year last in community if now being admitted from another nursing home)	(Check all that apply. If all information UNKNOWN, check last box only) CYCLE OF DAILY EVENTS Stays up late at night (e.g., after 9 pm) a. Naps regularly during day (at least 1 hour) b. Goes out 1+ days a week c. Stays busy with hobbies, reading, or fixed daily routine d. Spends most of time alone or watching TV e. Moves independently indoors (with appliances, if used) f. Use of tobacco products at least daily g. NONE OF ABOVE h. EATING PATTERNS Distinct food preferences i. Eats between meals all or most days j. Use of alcoholic beverage(s) at least weekly k. NONE OF ABOVE l. ADL PATTERNS In bedclothes much of day m. Wakens to toilet all or most nights n. Has irregular bowel movement pattern o. Showers for bathing p. Bathing in PM q. NONE OF ABOVE r. INVOLVEMENT PATTERNS Daily contact with relatives/close friends s. Usually attends church, temple, synagogue (etc.) t. Finds strength in faith u. Daily animal companion/presence v. Involved in group activities w. NONE OF ABOVE x. UNKNOWN—Resident/family unable to provide information y.
--	---

SECTION AD. FACE SHEET SIGNATURES

SIGNATURES OF PERSONS COMPLETING FACE SHEET:		
a. Signature of RN Assessment Coordinator		Date
I certify that the accompanying information accurately reflects resident assessment or tracking information for this resident and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that residents receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil, and/or administrative penalties for submitting false information. I also certify that I am authorized to submit this information by this facility on its behalf.		
Signature and Title	Sections	Date
b.		
c.		
d.		
e.		
f.		
g.		

SECTION D. VISION PATTERNS

1. VISION	(Ability to see in adequate light and with glasses if used) 0. ADEQUATE —sees fine detail, including regular print in newspapers/books 1. IMPAIRED —sees large print, but not regular print in newspapers/books 2. MODERATELY IMPAIRED —limited vision; not able to see newspaper headlines, but can identify objects 3. HIGHLY IMPAIRED —object identification in question, but eyes appear to follow objects 4. SEVERELY IMPAIRED —no vision or sees only light, colors, or shapes; eyes do not appear to follow objects	
2. VISUAL LIMITATIONS/DIFFICULTIES	Side vision problems—decreased peripheral vision (e.g., leaves food on one side of tray, difficulty traveling, bumps into people and objects, misjudges placement of chair when seating self) Experiences any of following: sees halos or rings around lights; sees flashes of light; sees "curtains" over eyes NONE OF ABOVE	a. b. c.
3. VISUAL APPLIANCES	Glasses, contact lenses; magnifying glass 0. No 1. Yes	

SECTION E. MOOD AND BEHAVIOR PATTERNS

1. INDICATORS OF DEPRESSION, ANXIETY, SAD MOOD	(Code for indicators observed in last 30 days, irrespective of the assumed cause) 0. Indicator not exhibited in last 30 days 1. Indicator of this type exhibited up to five days a week 2. Indicator of this type exhibited daily or almost daily (6, 7 days a week) VERBAL EXPRESSIONS OF DISTRESS a. Resident made negative statements—e.g., "Nothing matters; Would rather be dead; What's the use; Regrets having lived so long; Let me die" b. Repetitive questions—e.g., "Where do I go; What do I do?" c. Repetitive verbalizations—e.g., calling out for help, ("God help me") d. Persistent anger with self or others—e.g., easily annoyed, anger at placement in nursing home; anger at care received e. Self deprecation—e.g., "I am nothing; I am of no use to anyone" f. Expressions of what appear to be unrealistic fears—e.g., fear of being abandoned, left alone, being with others g. Recurrent statements that something terrible is about to happen—e.g., believes he or she is about to die, have a heart attack h. Repetitive health complaints—e.g., persistently seeks medical attention, obsessive concern with body functions i. Repetitive anxious complaints/concerns (non-health related) e.g., persistently seeks attention/reassurance regarding schedules, meals, laundry, clothing, relationship issues SLEEP-CYCLE ISSUES j. Unpleasant mood in morning k. Insomnia/change in usual sleep pattern SAD, APATHETIC, ANXIOUS APPEARANCE l. Sad, pained, worried facial expressions—e.g., furrowed brows m. Crying, tearfulness n. Repetitive physical movements—e.g., pacing, hand wringing, restlessness, fidgeting, picking LOSS OF INTEREST o. Withdrawal from activities of interest—e.g., no interest in long standing activities or being with family/friends p. Reduced social interaction	
2. MOOD PERSISTENCE	One or more indicators of depressed, sad or anxious mood were not easily altered by attempts to "cheer up", console, or reassure the resident over last 7 days 0. No mood indicators 1. Indicators present, easily altered 2. Indicators present, not easily altered	
3. CHANGE IN MOOD	Resident's mood status has changed as compared to status of 90 days ago (or since last assessment if less than 90 days) 0. No change 1. Improved 2. Deteriorated	
4. BEHAVIORAL SYMPTOMS	(A) Behavioral symptom frequency in last 7 days 0. Behavior not exhibited in last 7 days 1. Behavior of this type occurred 1 to 3 days in last 7 days 2. Behavior of this type occurred 4 to 6 days, but less than daily 3. Behavior of this type occurred daily (B) Behavioral symptom alterability in last 7 days 0. Behavior not present OR behavior was easily altered 1. Behavior was not easily altered a. WANDERING (moved with no rational purpose, seemingly oblivious to needs or safety) b. VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were threatened, screamed at, cursed at) c. PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were hit, shoved, scratched, sexually abused) d. SOCIALLY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS (made disruptive sounds, noisiness, screaming, self-abusive acts, sexual behavior or disrobing in public, smeared/threw food/feces, hoarding, rummaged through others' belongings) e. RESISTS CARE (resisted taking medications/ injections, ADL assistance, or eating)	(A) (B)

5. CHANGE IN BEHAVIORAL SYMPTOMS	Resident's behavior status has changed as compared to status of 90 days ago (or since last assessment if less than 90 days) 0. No change 1. Improved 2. Deteriorated	
---	---	--

SECTION F. PSYCHOSOCIAL WELL-BEING

1. SENSE OF INITIATIVE/ INVOLVEMENT	At ease interacting with others At ease doing planned or structured activities At ease doing self-initiated activities Establishes own goals Pursues involvement in life of facility (e.g., makes/keeps friends; involved in group activities; responds positively to new activities; assists at religious services) Accepts invitations into most group activities NONE OF ABOVE	a. b. c. d. e. f. g.
2. UNSETTLED RELATIONSHIPS	Covert/open conflict with or repeated criticism of staff Unhappy with roommate Unhappy with residents other than roommate Openly expresses conflict/anger with family/friends Absence of personal contact with family/friends Recent loss of close family member/friend Does not adjust easily to change in routines NONE OF ABOVE	a. b. c. d. e. f. g. h.
3. PAST ROLES	Strong identification with past roles and life status Expresses sadness/anger/empty feeling over lost roles/status Resident perceives that daily routine (customary routine, activities) is very different from prior pattern in the community NONE OF ABOVE	a. b. c. d.

SECTION G. PHYSICAL FUNCTIONING AND STRUCTURAL PROBLEMS

1. (A) ADL SELF-PERFORMANCE —(Code for resident's PERFORMANCE OVER ALL SHIFTS during last 7 days—Not including setup)	0. INDEPENDENT —No help or oversight —OR— Help/oversight provided only 1 or 2 times during last 7 days 1. SUPERVISION —Oversight, encouragement or cueing provided 3 or more times during last 7 days —OR— Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days 2. LIMITED ASSISTANCE —Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times —OR—More help provided only 1 or 2 times during last 7 days 3. EXTENSIVE ASSISTANCE —While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: —Weight-bearing support — Full staff performance during part (but not all) of last 7 days 4. TOTAL DEPENDENCE —Full staff performance of activity during entire 7 days 8. ACTIVITY DID NOT OCCUR during entire 7 days	(A) (B)
(B) ADL SUPPORT PROVIDED —(Code for MOST SUPPORT PROVIDED OVER ALL SHIFTS during last 7 days; code regardless of resident's self-performance classification)	0. No setup or physical help from staff 1. Setup help only 2. One person physical assist 3. Two+ persons physical assist 8. ADL activity itself did not occur during entire 7 days	SELF-PERF SUPPORT
a. BED MOBILITY	How resident moves to and from lying position, turns side to side, and positions body while in bed	
b. TRANSFER	How resident moves between surfaces—to/from: bed, chair, wheelchair, standing position (EXCLUDE to/from bath/toilet)	
c. WALK IN ROOM	How resident walks between locations in his/her room	
d. WALK IN CORRIDOR	How resident walks in corridor on unit	
e. LOCOMOTION ON UNIT	How resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair	
f. LOCOMOTION OFF UNIT	How resident moves to and returns from off unit locations (e.g., areas set aside for dining, activities, or treatments). If facility has only one floor, how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair	
g. DRESSING	How resident puts on, fastens, and takes off all items of street clothing, including donning/removing prosthesis	
h. EATING	How resident eats and drinks (regardless of skill), includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)	
i. TOILET USE	How resident uses the toilet room (or commode, bedpan, urinal); transfer on/off toilet, cleanses, changes pad, manages ostomy or catheter, adjusts clothes	
j. PERSONAL HYGIENE	How resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face, hands, and perineum (EXCLUDE baths and showers)	

Resident _____

Numeric Identifier _____

SECTION M. SKIN CONDITION

2.	PAIN SYMPTOMS	(Code the highest level of pain present in the last 7 days)	
	a. FREQUENCY with which resident complains or shows evidence of pain		b. INTENSITY of pain
	0. No pain (skip to J4)		1. Mild pain
	1. Pain less than daily		2. Moderate pain
	2. Pain daily		3. Times when pain is horrible or excruciating
3.	PAIN SITE	(If pain present, check all sites that apply in last 7 days)	
	Back pain	a.	Incisional pain
	Bone pain	b.	Joint pain (other than hip)
	Chest pain while doing usual activities	c.	Soft tissue pain (e.g., lesion, muscle)
	Headache	d.	Stomach pain
	Hip pain	e.	Other
4.	ACCIDENTS	(Check all that apply)	
	Fell in past 30 days	a.	Hip fracture in last 180 days
	Fell in past 31-180 days	b.	Other fracture in last 180 days
			NONE OF ABOVE
5.	STABILITY OF CONDITIONS	Conditions/diseases make resident's cognitive, ADL, mood or behavior patterns unstable—(fluctuating, precarious, or deteriorating)	a.
	Resident experiencing an acute episode or a flare-up of a recurrent or chronic problem		b.
	End-stage disease, 6 or fewer months to live		c.
	NONE OF ABOVE		d.

1.	ULCERS	(Record the number of ulcers at each ulcer stage—regardless of cause. If none present at a stage, record "0" (zero). Code all that apply during last 7 days. Code 9 = 9 or more.) [Requires full body exam.]	Number at Stage
	(Due to any cause)		
	a. Stage 1. A persistent area of skin redness (without a break in the skin) that does not disappear when pressure is relieved.		
	b. Stage 2. A partial thickness loss of skin layers that presents clinically as an abrasion, blister, or shallow crater.		
	c. Stage 3. A full thickness of skin is lost, exposing the subcutaneous tissues - presents as a deep crater with or without undermining adjacent tissue.		
	d. Stage 4. A full thickness of skin and subcutaneous tissue is lost, exposing muscle or bone.		
2.	TYPE OF ULCER	(For each type of ulcer, code for the highest stage in the last 7 days using scale in item M1—i.e., 0=none; stages 1, 2, 3, 4)	
	a. Pressure ulcer—any lesion caused by pressure resulting in damage of underlying tissue		
	b. Stasis ulcer—open lesion caused by poor circulation in the lower extremities		
3.	HISTORY OF RESOLVED ULCERS	Resident had an ulcer that was resolved or cured in LAST 90 DAYS	
		0. No 1. Yes	
4.	OTHER SKIN PROBLEMS OR LESIONS PRESENT	(Check all that apply during last 7 days)	
	Abrasions, bruises		a.
	Burns (second or third degree)		b.
	Open lesions other than ulcers, rashes, cuts (e.g., cancer lesions)		c.
	Rashes—e.g., intertrigo, eczema, drug rash, heat rash, herpes zoster		d.
	Skin desensitized to pain or pressure		e.
	Skin tears or cuts (other than surgery)		f.
	Surgical wounds		g.
	NONE OF ABOVE		h.
5.	SKIN TREATMENTS	(Check all that apply during last 7 days)	
	Pressure relieving device(s) for chair		a.
	Pressure relieving device(s) for bed		b.
	Turning/repositioning program		c.
	Nutrition or hydration intervention to manage skin problems		d.
	Ulcer care		e.
	Surgical wound care		f.
	Application of dressings (with or without topical medications) other than to feet		g.
	Application of ointments/medications (other than to feet)		h.
	Other preventative or protective skin care (other than to feet)		i.
	NONE OF ABOVE		j.
6.	FOOT PROBLEMS AND CARE	(Check all that apply during last 7 days)	
	Resident has one or more foot problems—e.g., corns, callouses, bunions, hammer toes, overlapping toes, pain, structural problems		a.
	Infection of the foot—e.g., cellulitis, purulent drainage		b.
	Open lesions on the foot		c.
	Nails/calluses trimmed during last 90 days		d.
	Received preventative or protective foot care (e.g., used special shoes, inserts, pads, toe separators)		e.
	Application of dressings (with or without topical medications)		f.
	NONE OF ABOVE		g.

SECTION K. ORAL/NUTRITIONAL STATUS

1.	ORAL PROBLEMS	Chewing problem	a.
	Swallowing problem		b.
	Mouth pain		c.
	NONE OF ABOVE		d.
2.	HEIGHT AND WEIGHT	Record (a.) height in inches and (b.) weight in pounds. Base weight on most recent measure in last 30 days; measure weight consistently in accord with standard facility practice—e.g., in a.m. after voiding, before meal, with shoes off, and in nightclothes	
		a. HT (in.)	b. WT (lb.)
3.	WEIGHT CHANGE	a. Weight loss—5 % or more in last 30 days; or 10 % or more in last 180 days	
		0. No 1. Yes	
	b. Weight gain—5 % or more in last 30 days; or 10 % or more in last 180 days		
		0. No 1. Yes	
4.	NUTRITIONAL PROBLEMS	Complains about the taste of many foods	a.
	Regular or repetitive complaints of hunger	b.	Leaves 25% or more of food uneaten at most meals
			NONE OF ABOVE
5.	NUTRITIONAL APPROACHES	(Check all that apply in last 7 days)	
	Parenteral/IV	a.	Dietary supplement between meals
	Feeding tube	b.	Plate guard, stabilized built-up utensil, etc.
	Mechanically altered diet	c.	On a planned weight change program
	Syringe (oral feeding)	d.	NONE OF ABOVE
	Therapeutic diet	e.	
6.	PARENTERAL OR ENTERAL INTAKE	(Skip to Section L if neither 5a nor 5b is checked)	
	a. Code the proportion of total calories the resident received through parenteral or tube feedings in the last 7 days		
	0. None 3. 51% to 75%		
	1. 1% to 25% 4. 76% to 100%		
	2. 26% to 50%		
	b. Code the average fluid intake per day by IV or tube in last 7 days		
	0. None 3. 1001 to 1500 cc/day		
	1. 1 to 500 cc/day 4. 1501 to 2000 cc/day		
	2. 501 to 1000 cc/day 5. 2001 or more cc/day		

SECTION N. ACTIVITY PURSUIT PATTERNS

1.	TIME AWAKE	(Check appropriate time periods over last 7 days)	
	Resident awake all or most of time (i.e., naps no more than one hour per time period) in the:		
	Morning	a.	Evening
	Afternoon	b.	NONE OF ABOVE
(If resident is comatose, skip to Section O)			
2.	AVERAGE TIME INVOLVED IN ACTIVITIES	(When awake and not receiving treatments or ADL care)	
	0. Most—more than 2/3 of time	2. Little—less than 1/3 of time	
	1. Some—from 1/3 to 2/3 of time	3. None	
3.	PREFERRED ACTIVITY SETTINGS	(Check all settings in which activities are preferred)	
	Own room	a.	
	Day/activity room	b.	Outside facility
	Inside NH/off unit	c.	NONE OF ABOVE
4.	GENERAL ACTIVITY PREFERENCES (adapted to resident's current abilities)	(Check all PREFERENCES whether or not activity is currently available to resident)	
	Cards/other games	a.	Trips/shopping
	Crafts/arts	b.	Walking/wheeling outdoors
	Exercise/sports	c.	Watching TV
	Music	d.	Gardening or plants
	Reading/writing	e.	Talking or conversing
	Spiritual/religious activities	f.	Helping others
			NONE OF ABOVE

SECTION L. ORAL/DENTAL STATUS

1.	ORAL STATUS AND DISEASE PREVENTION	Debris (soft, easily movable substances) present in mouth prior to going to bed at night	a.
	Has dentures or removable bridge		b.
	Some/all natural teeth lost—does not have or does not use dentures (or partial plates)		c.
	Broken, loose, or carious teeth		d.
	Inflamed gums (gingiva); swollen or bleeding gums; oral abscesses; ulcers or rashes		e.
	Daily cleaning of teeth/dentures or daily mouth care—by resident or staff		f.
	NONE OF ABOVE		g.

Resident _____

Numeric Identifier _____

5. PREFERS CHANGE IN DAILY ROUTINE	Code for resident preferences in daily routines 0. No change 1. Slight change 2. Major change		
	a. Type of activities in which resident is currently involved		
	b. Extent of resident involvement in activities		

4. DEVICES AND RESTRAINTS	(Use the following codes for last 7 days.) 0. Not used		
	1. Used less than daily		
	2. Used daily		
	Bed rails		
	a. — Full bed rails on all open sides of bed b. — Other types of side rails used (e.g., half rail, one side) c. Trunk restraint d. Limb restraint e. Chair prevents rising		
5. HOSPITAL STAY(S)	Record number of times resident was admitted to hospital with an overnight stay in last 90 days (or since last assessment if less than 90 days). (Enter 0 if no hospital admissions)		
6. EMERGENCY ROOM (ER) VISIT(S)	Record number of times resident visited ER without an overnight stay in last 90 days (or since last assessment if less than 90 days). (Enter 0 if no ER visits)		
7. PHYSICIAN VISITS	In the LAST 14 DAYS (or since admission if less than 14 days in facility) how many days has the physician (or authorized assistant or practitioner) examined the resident? (Enter 0 if none)		
8. PHYSICIAN ORDERS	In the LAST 14 DAYS (or since admission if less than 14 days in facility) how many days has the physician (or authorized assistant or practitioner) changed the resident's orders? Do not include order renewals without change. (Enter 0 if none)		
9. ABNORMAL LAB VALUES	Has the resident had any abnormal lab values during the last 90 days (or since admission)? 0. No 1. Yes		

SECTION O. MEDICATIONS

1. NUMBER OF MEDICATIONS	(Record the number of different medications used in the last 7 days, enter "0" if none used)		
2. NEW MEDICATIONS	(Resident currently receiving medications that were initiated during the last 90 days) 0. No 1. Yes		
3. INJECTIONS	(Record the number of DAYS injections of any type received during the last 7 days, enter "0" if none used)		
4. DAYS RECEIVED THE FOLLOWING MEDICATION	(Record the number of DAYS during last 7 days; enter "0" if not used. Note—enter "1" for long-acting meds used less than weekly)		
	a. Antipsychotic		d. Hypnotic
	b. Anti-anxiety		e. Diuretic
	c. Antidepressant		

SECTION P. SPECIAL TREATMENTS AND PROCEDURES

1. SPECIAL TREATMENTS, PROCEDURES, AND PROGRAMS	a. SPECIAL CARE—Check treatments or programs received during the last 14 days		
	TREATMENTS		
	Chemotherapy		Ventilator or respirator
	Dialysis	a.	PROGRAMS
	IV medication	b.	Alcohol/drug treatment program
	Intake/output	c.	
	Monitoring acute medical condition	d.	Alzheimer's/dementia special care unit
	Ostomy care	e.	Hospice care
	Oxygen therapy	f.	Pediatric unit
	Radiation	g.	Respite care
Suctioning	h.	Training in skills required to return to the community (e.g., taking medications, house work, shopping, transportation, ADLs)	
Tracheostomy care	i.		
Transfusions	j.		
	k.	NONE OF ABOVE	
	b. THERAPIES - Record the number of days and total minutes each of the following therapies was administered (for at least 15 minutes a day) in the last 7 calendar days (Enter 0 if none or less than 15 min. daily) [Note—count only post admission therapies]		
	(A) = # of days administered for 15 minutes or more	DAYS (A)	MIN (B)
	(B) = total # of minutes provided in last 7 days		
	a. Speech - language pathology and audiology services		
	b. Occupational therapy		
	c. Physical therapy		
	d. Respiratory therapy		
	e. Psychological therapy (by any licensed mental health professional)		
2. INTERVENTION PROGRAMS FOR MOOD, BEHAVIOR, COGNITIVE LOSS	(Check all interventions or strategies used in last 7 days—no matter where received)		
	Special behavior symptom evaluation program		
	Evaluation by a licensed mental health specialist in last 90 days		
	Group therapy		
	Resident-specific deliberate changes in the environment to address mood/behavior patterns—e.g., providing bureau in which to rummage		
	Reorientation—e.g., cueing		
NONE OF ABOVE			
3. NURSING REHABILITATION/RESTORATIVE CARE	Record the NUMBER OF DAYS each of the following rehabilitation or restorative techniques or practices was provided to the resident for more than or equal to 15 minutes per day in the last 7 days (Enter 0 if none or less than 15 min. daily)		
	a. Range of motion (passive)		f. Walking
	b. Range of motion (active)		g. Dressing or grooming
	c. Splint or brace assistance		h. Eating or swallowing
	TRAINING AND SKILL PRACTICE IN:		
	d. Bed mobility		i. Amputation/prosthesis care
	e. Transfer		j. Communication
			k. Other

SECTION Q. DISCHARGE POTENTIAL AND OVERALL STATUS

1. DISCHARGE POTENTIAL	a. Resident expresses/indicates preference to return to the community 0. No 1. Yes		
	b. Resident has a support person who is positive towards discharge 0. No 1. Yes		
	c. Stay projected to be of a short duration— discharge projected within 90 days (do not include expected discharge due to death) 0. No 1. Within 30 days 2. Within 31-90 days 3. Discharge status uncertain		
2. OVERALL CHANGE IN CARE NEEDS	Resident's overall self sufficiency has changed significantly as compared to status of 90 days ago (or since last assessment if less than 90 days) 0. No change 1. Improved—receives fewer supports, needs less restrictive level of care 2. Deteriorated—receives more support		

SECTION R. ASSESSMENT INFORMATION

1. PARTICIPATION IN ASSESSMENT	a. Resident:	0. No	1. Yes
	b. Family:	0. No	1. Yes 2. No family
	c. Significant other:	0. No	1. Yes 2. None
2. SIGNATURE OF PERSON COORDINATING THE ASSESSMENT:			
a. Signature of RN Assessment Coordinator (sign on above line)			
b. Date RN Assessment Coordinator signed as complete			
	Month	Day	Year

Resident _____

Numeric identifier _____

SECTION S. STATE OF OHIO SUPPLEMENT

12.	RESIDENT IDENTIFIER CODE	Record alternate resident identifier code if resident does not have a Social Security Number . See Instructions. <i>(If SSN is coded in Section AA5a, leave blank).</i> <table border="1" data-bbox="365 556 714 598"><tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr></table>										

Ohio Nursing Facility Resident Profile
Demographic Information
Section AB

ADMITTED FROM (AT ENTRY) INTO NURSING FACILITY									
AB2 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
PRIVATE HOME/APT. WITH NO HOME HEALTH SERVICES	14.62%	13.88%	12.99%	12.05%	11.11%	9.99%	8.64%	8.02%	7.94%
PRIVATE HOME/APT. WITH HOME HEALTH SERVICES	4.78%	4.53%	4.29%	4.07%	4.05%	3.95%	3.96%	3.94%	3.98%
BOARD AND CARE /ASSISTED LIVING/GROUP HOME	6.62%	6.82%	6.67%	6.15%	5.85%	5.83%	5.44%	5.00%	4.73%
NURSING HOME	16.13%	15.58%	15.24%	14.73%	15.08%	15.25%	14.59%	14.10%	13.69%
ACUTE CARE HOSPITAL	53.04%	54.27%	55.81%	58.37%	59.67%	60.85%	63.08%	64.54%	65.26%
PSYCHIATRIC HOSPITAL, MRDD FACILITY	2.14%	2.19%	2.39%	2.24%	2.08%	2.15%	2.33%	2.46%	2.41%
REHABILITATION HOSPITAL	1.20%	1.23%	1.15%	1.08%	1.04%	0.96%	0.97%	0.90%	0.92%
OTHER	1.47%	1.50%	1.45%	1.30%	1.10%	1.03%	0.99%	1.02%	1.06%
TOTAL REPORTING	35.78%	33.84%	32.96%	33.32%	31.09%	30.32%	26.27%	23.90%	23.70%

LIVED ALONE (PRIOR TO ENTRY) INTO NURSING FACILITY									
AB3 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO	53.35%	53.24%	53.15%	53.25%	53.33%	53.47%	53.34%	53.88%	54.05%
YES	28.08%	28.50%	29.30%	29.94%	30.32%	30.18%	30.73%	30.81%	31.17%
IN OTHER FACILITY	18.58%	18.25%	17.54%	16.82%	16.35%	16.34%	15.93%	15.31%	14.78%
TOTAL REPORTING	35.56%	33.64%	32.75%	33.05%	31.56%	29.91%	25.89%	23.49%	23.23%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.
 ** Item contributes to RUG III grouping.
 Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Demographic Information
Section AB

AB5	RESIDENTIAL HISTORY 5 YEARS PRIOR TO ENTRY								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) PRIOR STAY AT THIS NURSING HOME	15.66%	18.34%	19.15%	20.33%	20.64%	21.52%	22.83%	23.59%	23.76%
b) STAY IN OTHER NURSING HOME	25.83%	25.00%	25.18%	24.18%	23.62%	24.47%	24.02%	23.85%	23.29%
c) OTHER RESIDENTIAL FACILITY BOARD AND CARE HOME, ASSISTED LIVING, GROUP HOME	12.20%	12.01%	12.12%	11.50%	11.15%	11.08%	10.56%	10.16%	9.91%
d) MH / PSYCHIATRIC SETTING	2.87%	2.69%	2.77%	2.36%	2.16%	2.03%	1.95%	2.01%	1.99%
e) MR/DD SETTING	0.46%	0.46%	0.49%	0.45%	0.41%	0.39%	0.36%	0.33%	0.31%
f) NONE OF THE ABOVE	50.83%	50.08%	49.24%	49.94%	50.56%	49.44%	49.36%	49.38%	49.96%
TOTAL REPORTING	39.46%	44.29%	41.56%	50.56%	66.37%	68.87%	70.30%	71.19%	72.87%

AB7 1/	EDUCATION (HIGHEST LEVEL COMPLETED)								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO SCHOOLING	1.34%	1.25%	1.26%	1.29%	1.27%	1.22%	0.93%	0.84%	0.80%
8TH GRADE / LESS	20.40%	18.60%	17.55%	16.35%	14.94%	14.04%	12.39%	11.35%	10.92%
9 - 11 GRADES	18.71%	18.60%	18.61%	18.63%	18.34%	17.45%	17.17%	16.84%	16.07%
HIGH SCHOOL	41.08%	42.39%	43.09%	44.41%	45.74%	47.08%	48.23%	49.15%	49.36%
TECHNICAL OR TRADE SCHOOL	4.38%	4.51%	4.23%	4.18%	4.32%	4.18%	4.33%	4.25%	4.05%
SOME COLLEGE	7.82%	8.12%	8.42%	8.40%	8.63%	8.89%	9.42%	9.48%	10.17%
BACHELORS DEGREE	4.31%	4.45%	4.70%	4.62%	4.64%	4.84%	5.13%	5.47%	5.83%
GRADUATE DEGREE	1.97%	2.09%	2.14%	2.12%	2.13%	2.29%	2.41%	2.60%	2.81%
TOTAL REPORTING	35.45%	33.52%	32.62%	32.87%	31.31%	29.65%	25.56%	23.17%	22.94%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Demographic Information
Section AB

AB8a 1/	PRIMARY LANGUAGE SPOKEN OR UNDERSTOOD								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
ENGLISH	98.37%	98.41%	98.39%	98.40%	98.41%	98.49%	98.79%	98.78%	98.68%
SPANISH	0.36%	0.38%	0.37%	0.40%	0.36%	0.33%	0.36%	0.38%	0.37%
FRENCH	0.03%	0.03%	0.04%	0.02%	0.02%	0.01%	0.01%	0.01%	0.02%
OTHER	1.24%	1.18%	1.20%	1.18%	1.20%	1.17%	0.85%	0.83%	0.92%
TOTAL REPORTING	35.55%	33.63%	32.76%	33.05%	31.55%	29.65%	25.84%	23.46%	23.20%

AB9 1/	MENTAL HEALTH HISTORY								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
RESIDENTS RECORD INDICATES ANY HISTORY OF MENTAL RETARDATION, MENTAL ILLNESS, OR DEVELOPMENTAL DISABILITY PROBLEM	11.64%	11.94%	12.66%	12.58%	12.58%	12.92%	12.99%	13.62%	13.70%
TOTAL REPORTING	35.56%	33.64%	32.76%	33.05%	31.56%	29.91%	25.89%	23.50%	23.23%

AB10 1/	CONDITION RELATED TO MR/DD STATUS THAT WERE MANIFESTED BEFORE AGE 22, AND ARE LIKELY TO CONTINUE								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) NOT APPLICABLE	96.72%	96.66%	96.43%	96.30%	96.19%	96.13%	95.97%	95.81%	95.94%
b) DOWNS SYNDROME	0.25%	0.33%	0.38%	0.36%	0.35%	0.30%	0.25%	0.27%	0.25%
c) AUTISM	0.03%	0.03%	0.03%	0.03%	0.05%	0.05%	0.05%	0.04%	0.03%
d) EPILEPSY	0.29%	0.28%	0.27%	0.29%	0.30%	0.33%	0.25%	0.28%	0.25%
e) OTHER ORGANIC CONDITION	0.91%	0.87%	0.92%	0.91%	0.84%	0.78%	0.66%	0.63%	0.64%
CONDITION	1.81%	1.79%	1.94%	1.98%	1.68%	2.15%	2.09%	2.04%	1.87%
TOTAL REPORTING	35.57%	33.64%	32.76%	33.06%	31.57%	29.95%	25.85%	23.47%	23.23%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Customary Routine
Section AC

Cycle of Daily Events
CHECK ALL THAT APPLY

AC1 a-h 1/	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) STAYS UP LATE AT NIGHT	46.37%	47.06%	48.23%	48.55%	48.85%	49.08%	49.83%	50.06%	50.52%
b) NAPS REGULARLY DURING THE DAY	63.08%	63.20%	63.33%	63.51%	63.64%	63.66%	62.76%	62.33%	62.14%
c) GOES OUT 1+ DAYS A WEEK	44.49%	45.25%	45.79%	45.48%	46.30%	46.47%	47.45%	47.59%	47.85%
d) STAYS BUSY WITH HOBBIES, READING OR FIXED DAILY ROUTINE	50.10%	50.54%	50.81%	51.18%	52.52%	53.52%	53.96%	54.11%	54.46%
e) SPENDS MOST OF TIME ALONE OR WATCHING TV	46.21%	46.17%	46.05%	46.00%	45.92%	44.92%	43.11%	42.77%	41.97%
f) MOVES INDEPENDENTLY INDOORS	71.33%	72.16%	72.54%	72.51%	72.79%	73.08%	73.40%	72.95%	73.41%
g) USE OF TOBACCO PRODUCTS DAILY	11.27%	11.62%	12.19%	12.34%	12.03%	11.38%	11.79%	12.17%	12.00%
h) NONE OF ABOVE	3.12%	2.75%	2.53%	2.58%	2.53%	2.48%	2.64%	2.67%	2.65%

* More than one item may be checked per resident

Eating Patterns
CHECK ALL THAT APPLY

AC1 i-l 1/	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
i) DISTINCT FOOD PREFERENCES	20.33%	19.91%	20.00%	19.35%	18.87%	18.59%	17.88%	17.82%	17.68%
j) EATS BETWEEN MEALS ALL OR MOST DAYS	38.21%	37.54%	38.04%	37.93%	37.97%	37.43%	37.19%	37.07%	36.42%
k) USE OF ALCOHOLIC BEVERAGE(S) AT LEAST WEEKLY	6.01%	6.13%	6.23%	6.17%	6.03%	5.95%	6.21%	6.22%	6.43%
l) NONE OF ABOVE	47.64%	48.12%	47.28%	48.04%	48.54%	49.21%	49.55%	49.51%	49.89%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Customary Routine
Section AC

		ADL Patterns								
		CHECK ALL THAT APPLY								
AC1 m-r 1/		2002	2003	2004	2005	2006	2007	2008	2009	2010
		Percent of Total								
		Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
m) IN BEDCLOTHES MUCH OF DAY		9.64%	9.42%	9.24%	9.05%	9.13%	9.20%	8.29%	8.14%	7.86%
n) WAKENS TO TOILET ALL OR MOST NIGHTS		55.57%	55.20%	54.59%	54.32%	54.46%	54.04%	52.88%	50.92%	50.59%
o) HAS IRREGULAR BOWEL MOVEMENT PATTERN		16.96%	16.53%	16.16%	15.49%	14.88%	14.32%	13.40%	12.93%	12.81%
p) SHOWERS FOR BATHING		49.10%	51.53%	54.00%	56.66%	58.86%	61.06%	63.33%	64.58%	66.22%
q) BATHING IN PM		14.21%	14.37%	14.62%	14.47%	14.26%	14.24%	14.13%	14.55%	14.65%
r) NONE OF ABOVE		18.14%	17.17%	16.39%	15.87%	15.14%	14.23%	13.85%	13.96%	13.53%

* More than one item may be checked per resident

		Involvement Patterns								
		CHECK ALL THAT APPLY								
AC1 s-x 1/		2002	2003	2004	2005	2006	2007	2008	2009	2010
		Percent of Total								
		Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
s) DAILY CONTACT WITH RELATIVES/ CLOSE FRIENDS		76.12%	76.66%	76.63%	76.80%	77.35%	77.46%	78.09%	78.45%	79.15%
t) USUALLY ATTENDS CHURCH, TEMPLE, SYNAGOGUE		32.19%	32.39%	31.83%	30.81%	30.67%	30.76%	30.40%	29.45%	29.26%
u) FINDS STRENGTH WITH FAITH		54.26%	55.32%	55.38%	54.79%	55.84%	56.13%	56.13%	55.32%	56.00%
v) DAILY ANIMAL COMPANION/PRESENCE		14.74%	14.78%	14.68%	14.45%	14.33%	14.22%	14.53%	14.76%	15.07%
w) INVOLVED IN GROUP ACTIVITIES		23.12%	22.49%	21.87%	20.82%	21.19%	21.26%	21.22%	20.82%	20.70%
x) NONE OF ABOVE		10.30%	9.92%	10.14%	10.36%	10.03%	9.70%	9.71%	9.57%	8.99%

* More than one item may be checked per resident

		Unknown								
AC1y 1/		2002	2003	2004	2005	2006	2007	2008	2009	2010
		Percent of Total								
		Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
y) RESIDENT/FAMILY UNABLE TO PROVIDE INFORMATION		2.04%	2.02%	1.98%	2.00%	2.05%	2.15%	2.13%	1.95%	2.14%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Identification Information
Section AA

AA2	Gender								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
MALE	29.06%	29.40%	29.89%	30.37%	30.76%	30.87%	31.41%	31.63%	31.96%
FEMALE	70.94%	70.60%	70.11%	69.63%	69.24%	69.13%	68.59%	68.37%	68.04%
TOTAL REPORTING	100.00%	100.00%	100.00%	100.00%	99.99%	99.98%	99.98%	99.97%	99.96%

AA4	Race / Ethnicity								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
AMERICAN INDIAN/ALASKAN NATIVE	0.10%	0.09%	0.09%	0.14%	0.12%	0.11%	0.07%	0.08%	0.21%
ASIAN/PACIFIC ISLANDER	0.19%	0.20%	0.22%	0.23%	0.25%	0.25%	0.27%	0.25%	0.23%
BLACK, NOT OF HISPANIC ORIGIN	12.56%	12.70%	12.94%	12.97%	13.07%	13.06%	13.14%	13.36%	13.53%
HISPANIC	0.51%	0.56%	0.61%	0.64%	0.65%	0.64%	0.65%	0.66%	0.70%
WHITE, NOT OF HISPANIC ORIGIN	86.63%	86.45%	86.14%	86.02%	85.91%	85.94%	85.87%	85.65%	85.33%
TOTAL REPORTING	99.89%	99.83%	99.85%	99.85%	99.68%	99.64%	99.52%	99.42%	99.32%

¹ /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Identification Information
Section AA

AA8a**	Primary Reason For Assessment								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
ADMISSION		10.69%	10.68%	11.08%	10.85%	10.77%	10.82%	10.72%	11.14%
ANNUAL		13.65%	13.45%	13.38%	13.66%	13.68%	13.49%	13.31%	13.45%
SIGNIFICANT CHANGE		6.64%	6.19%	5.12%	4.08%	3.67%	3.52%	3.66%	3.64%
CORRECTION OF FULL ASSESSMENT		0.01%	0.01%	0.01%	0.00%	0.00%	0.00%	0.00%	0.01%
QUARTERLY		58.61%	58.37%	58.22%	59.13%	59.18%	58.63%	59.00%	58.08%
CORRECTION OF QUARTERLY		0.01%	0.24%	0.29%	0.37%	0.40%	0.42%	0.44%	0.88%
NONE OF ABOVE		10.16%	11.05%	11.89%	11.90%	12.29%	13.11%	12.87%	12.81%
TOTAL REPORTING		100.00%	99.99%	99.99%	100.00%	100.00%	100.00%	100.00%	100.00%

AA8b**	Medicare PSS Assessment Codes								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
5 DAY		27.69%	27.45%	27.54%	26.77%	26.18%	26.43%	26.63%	26.52%
30 DAY		22.40%	23.13%	23.08%	23.99%	24.73%	24.96%	25.64%	25.28%
60 DAY		6.88%	7.45%	7.49%	7.62%	7.75%	7.52%	7.73%	6.72%
90 DAY		4.38%	4.52%	4.48%	3.82%	3.78%	3.38%	3.46%	2.87%
READMISSION/RETURN		3.26%	3.59%	3.78%	3.57%	3.86%	3.83%	3.87%	3.57%
OTHER STATE REQUIRED		0.09%	0.09%	0.06%	0.08%	0.09%	0.13%	0.17%	0.24%
14 DAY		32.05%	30.41%	30.23%	30.73%	30.64%	31.23%	30.36%	30.59%
OTHER MEDICARE REQUIRED		3.24%	3.37%	3.34%	3.43%	2.96%	2.52%	2.14%	4.22%
TOTAL REPORTING		17.12%	18.54%	19.71%	18.47%	18.76%	19.82%	19.37%	19.67%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Identification Information
Section A

A5	MARITAL STATUS								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NEVER MARRIED	14.80%	15.32%	15.80%	16.06%	16.39%	16.56%	16.80%	17.18%	17.56%
MARRIED	18.29%	18.46%	18.71%	18.83%	18.88%	19.09%	19.36%	19.37%	19.44%
WIDOWED	54.41%	53.30%	52.37%	51.62%	51.06%	50.49%	49.59%	48.78%	48.18%
SEPARATED	1.42%	1.42%	1.36%	1.33%	1.21%	1.17%	1.21%	1.17%	1.12%
DIVORCED	11.08%	11.49%	11.77%	12.16%	12.45%	12.69%	13.04%	13.49%	13.69%
TOTAL REPORTING	99.68%	99.68%	99.60%	99.47%	99.29%	99.14%	99.00%	98.85%	98.58%

A7 1/	CURRENT PAYMENT SOURCE FOR NURSING HOME STAY (ALL PAYMENT SOURCES THAT APPLY IN LAST 30 DAYS)								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) MEDICAID PER DIEM	64.87%	67.11%	67.44%	64.90%	58.35%	57.89%	56.68%	57.34%	57.02%
b) MEDICARE PER DIEM	11.97%	10.03%	10.17%	12.78%	17.45%	17.18%	17.38%	16.85%	15.95%
c) MEDICARE ANCILLARY PART A	8.90%	7.73%	7.63%	7.96%	9.83%	8.60%	6.98%	5.89%	4.99%
d) MEDICARE ANCILLARY PART B	16.55%	16.30%	15.77%	14.27%	11.88%	11.06%	10.28%	10.44%	9.49%
e) CHAMPUS PER DIEM	0.02%	0.02%	0.02%	0.01%	0.02%	0.02%	0.02%	0.01%	0.02%
f) VA PER DIEM	0.29%	0.30%	0.32%	0.32%	0.37%	0.35%	0.39%	0.40%	0.46%
g) SELF OR FAMILY PAYS FOR FULL PER DIEM	20.51%	20.09%	19.27%	18.25%	16.54%	15.74%	15.38%	15.50%	16.08%
h) MEDICAID RESIDENT LIABILITY OR MEDICARE CO-PAYMENT	31.10%	31.09%	30.39%	28.49%	24.50%	24.55%	24.18%	24.88%	25.51%
i) PRIVATE INSURANCE PER DIEM	6.86%	6.54%	6.40%	7.29%	10.39%	11.21%	13.10%	13.34%	14.22%
j) OTHER PER DIEM	1.34%	1.48%	1.64%	1.77%	2.08%	2.35%	2.45%	2.46%	2.63%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Identification & Background Information
Section A

RESPONSIBILITY / LEGAL GUARDIAN
(RESPONSIBILITY FOR DECISIONS ABOUT THE RESIDENT)

A9 1/	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) LEGAL GUARDIAN	11.16%	11.60%	11.93%	11.50%	10.02%	9.99%	9.77%	9.74%	9.66%
b) OTHER LEGAL OVERSIGHT	3.05%	2.75%	2.56%	2.19%	1.58%	1.51%	1.29%	1.07%	1.04%
c) DURABLE POWER OF ATTORNEY / HEALTH CARE	41.37%	42.28%	43.33%	42.98%	41.25%	41.41%	40.23%	39.32%	38.56%
d) DURABLE POWER OF ATTORNEY / FINANCIAL	30.28%	30.88%	31.42%	30.71%	28.33%	27.50%	26.43%	25.49%	24.83%
e) FAMILY MEMBER RESPONSIBLE	65.80%	65.73%	64.99%	63.57%	59.06%	58.12%	56.21%	54.34%	53.35%
f) PATIENT RESPONSIBLE FOR SELF	33.97%	34.17%	34.96%	37.13%	40.72%	41.18%	41.49%	41.40%	41.70%
g) NONE OF THE ABOVE	1.46%	1.26%	1.15%	1.25%	1.80%	1.90%	2.81%	3.63%	3.83%

* More than one item may be checked per resident

ADVANCED DIRECTIVES
CHECK ALL THAT APPLY

A10	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) LIVING WILL 1/	34.14%	33.87%	33.67%	32.92%	30.87%	29.85%	28.17%	26.75%	25.75%
b) DO NOT RESUSCITATE 1/	60.09%	60.66%	60.05%	59.46%	59.61%	58.93%	57.35%	55.96%	55.08%
c) DO NOT HOSPITALIZE	3.17%	2.82%	2.65%	2.44%	2.42%	2.25%	2.02%	1.86%	1.74%
d) ORGAN DONATION 1/	0.49%	0.45%	0.42%	0.42%	0.45%	0.45%	0.47%	0.45%	0.53%
e) AUTOPSY REQUEST 1/	0.13%	0.10%	0.08%	0.07%	0.04%	0.04%	0.04%	0.04%	0.02%
f) FEEDING RESTRICTIONS 1/	12.22%	12.20%	11.66%	11.01%	9.25%	8.08%	7.16%	6.57%	5.93%
g) MEDICATION RESTRICTIONS 1/	2.52%	2.61%	2.33%	1.98%	1.56%	1.31%	1.21%	1.17%	1.01%
h) OTHER TREATMENT RESTRICTIONS 1/	6.94%	6.41%	5.61%	5.01%	3.94%	3.48%	3.06%	2.71%	2.33%
i) NONE OF THE ABOVE 1/	30.93%	30.54%	31.12%	33.02%	36.15%	36.60%	38.34%	39.91%	40.49%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Assessment Information
Section R

R1a 1/	Participation in Assessment- RESIDENT								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO	6.26%	6.64%	6.66%	6.09%	6.08%	6.12%	6.50%	6.68%	6.94%
YES	93.74%	93.36%	93.34%	93.91%	93.92%	93.88%	93.50%	93.32%	93.06%
TOTAL REPORTING	93.83%	89.60%	88.70%	55.77%	28.59%	28.12%	27.83%	27.69%	28.32%

R1b 1/	Participation in Assessment- FAMILY								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO	55.41%	55.99%	55.70%	55.72%	53.15%	53.25%	54.28%	54.46%	53.97%
YES	43.28%	42.72%	42.98%	43.07%	45.78%	45.72%	44.68%	44.55%	45.10%
NO FAMILY	1.30%	1.29%	1.33%	1.22%	1.07%	1.03%	1.04%	0.99%	0.93%
TOTAL REPORTING	93.83%	89.60%	88.71%	55.77%	28.59%	28.12%	27.83%	27.69%	28.33%

R1c 1/	Participation in Assessment- SIGNIFICANT OTHER								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO	58.12%	56.93%	55.33%	54.95%	56.25%	57.08%	57.65%	57.23%	55.73%
YES	5.51%	5.48%	5.68%	6.02%	6.83%	6.64%	6.86%	7.13%	7.31%
NONE	36.37%	37.60%	38.99%	39.03%	36.92%	36.28%	35.49%	35.64%	36.96%
TOTAL REPORTING	93.72%	89.45%	88.47%	55.56%	28.51%	28.02%	27.72%	27.60%	23.23%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Cognitive Patterns
Section B

COMATOSE (Persistent vegetative state/ no discernable consciousness)									
B1**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
COMATOSE	0.38%	0.34%	0.32%	0.30%	0.28%	0.27%	0.25%	0.22%	0.20%
TOTAL REPORTING	99.74%	99.75%	99.74%	99.69%	99.61%	99.57%	99.55%	99.55%	99.47%

MEMORY (Recall of what was learned or known)									
B2	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) SHORT TERM MEMORY OK**	23.86%	23.78%	23.88%	24.12%	23.80%	24.21%	24.96%	24.98%	25.40%
b) LONG TERM MEMORY OK	43.46%	44.37%	45.22%	45.92%	46.07%	46.73%	47.97%	48.12%	48.71%

* More than one item may be checked per resident

MEMORY RECALL ABILITY CHECK ALL THAT APPLY (in last 7 days)									
B3	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) CURRENT SEASON	49.19%	50.78%	51.51%	52.87%	53.04%	53.34%	53.82%	53.89%	54.53%
b) LOCATION OF OWN ROOM	60.76%	61.94%	63.03%	64.18%	64.97%	65.55%	66.42%	67.01%	67.37%
c) STAFF NAMES/FACES	70.72%	71.76%	72.40%	73.12%	73.56%	73.83%	74.31%	74.81%	74.60%
d) THAT HE/SHE IS LIVING IN NURSING HOME	62.49%	63.79%	65.00%	66.37%	66.96%	67.49%	68.52%	69.16%	69.65%
e) NONE OF ABOVE	20.84%	19.77%	18.80%	17.84%	17.41%	16.90%	16.16%	15.76%	15.64%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Cognitive Patterns
Section B

B4**	COGNITIVE SKILLS FOR DAILY DECISION MAKING								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDEPENDENT decisions consistent/reasonable	13.83%	13.81%	13.74%	13.86%	13.87%	14.25%	15.03%	14.94%	15.31%
MODIFIED INDEPENDENCE some difficulty in new situations only	20.42%	20.76%	20.62%	20.77%	20.84%	21.25%	21.49%	21.62%	21.76%
MODERATELY IMPAIRED decisions poor; cues / supervision required	47.02%	47.83%	49.45%	50.39%	51.01%	50.91%	50.78%	51.04%	50.99%
SEVERELY IMPAIRED never/rarely made decisions	18.73%	17.61%	16.20%	14.98%	14.29%	13.59%	12.71%	12.36%	11.89%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.40%	99.34%	99.29%	99.30%	99.34%	99.29%

Indicators of Delirium - Periodic Disordered Thinking/Awareness
EASILY DISTRACTED

B5a	EASILY DISTRACTED								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
BEHAVIOR NOT PRESENT	71.41%	71.78%	71.66%	71.70%	71.33%	71.70%	72.29%	72.38%	72.63%
BEHAVIOR PRESENT, NOT OF RECENT ONSET	27.83%	27.56%	27.68%	27.62%	27.97%	27.65%	27.14%	27.10%	26.80%
BEHAVIOR PRESENT, DIFFERENT FROM RESIDENT'S USUAL FUNCTIONING (NEW ONSET OR WORSENING)	0.76%	0.66%	0.67%	0.68%	0.70%	0.65%	0.57%	0.51%	0.55%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.30%	99.32%	99.34%	99.29%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Cognitive Patterns
Section B

Indicators of Delirium - Periodic Disordered Thinking/Awareness
PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS

B5b	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
BEHAVIOR NOT PRESENT	79.42%	80.22%	80.46%	81.01%	81.24%	81.78%	82.75%	83.13%	83.50%
BEHAVIOR PRESENT, NOT OF RECENT ONSET	19.67%	18.98%	18.72%	18.18%	17.96%	17.47%	16.61%	16.25%	15.89%
BEHAVIOR PRESENT, DIFFERENT FROM RESIDENT'S USUAL FUNCTIONING (NEW ONSET OR WORSENING)	0.91%	0.80%	0.82%	0.81%	0.81%	0.75%	0.65%	0.59%	0.58%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.40%	99.34%	99.30%	99.31%	99.34%	99.29%

Indicators of Delirium - Periodic Disordered Thinking/Awareness
PERIODS OF DISORGANIZED SPEECH

B5c	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
BEHAVIOR NOT PRESENT	76.77%	77.43%	77.38%	77.56%	77.33%	77.56%	78.34%	78.31%	78.97%
BEHAVIOR PRESENT, NOT OF RECENT ONSET	22.45%	21.89%	21.93%	21.75%	21.93%	21.76%	21.07%	21.12%	20.47%
BEHAVIOR PRESENT, DIFFERENT FROM RESIDENT'S USUAL FUNCTIONING (NEW ONSET OR WORSENING)	0.77%	0.67%	0.70%	0.69%	0.74%	0.67%	0.59%	0.54%	0.53%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.30%	99.30%	99.34%	99.29%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Cognitive Patterns
Section B

Indicators of Delirium - Periodic Disordered Thinking/Awareness

B5d	PERIODS OF RESTLESSNESS								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
BEHAVIOR NOT PRESENT	72.15%	72.23%	71.98%	72.02%	71.53%	72.18%	73.15%	73.20%	74.05%
BEHAVIOR PRESENT, NOT OF RECENT ONSET	26.70%	26.72%	26.99%	26.86%	27.31%	26.82%	25.96%	25.92%	25.09%
BEHAVIOR PRESENT, DIFFERENT FROM RESIDENT'S USUAL FUNCTIONING (NEW ONSET OR WORSENING)	1.16%	1.05%	1.03%	1.12%	1.16%	1.00%	0.89%	0.87%	0.84%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.35%	99.31%	99.32%	99.34%	99.29%

Indicators of Delirium - Periodic Disordered Thinking/Awareness

B5e	PERIODS OF LETHARGY								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
BEHAVIOR NOT PRESENT	84.97%	85.43%	85.25%	85.24%	85.41%	86.21%	86.67%	87.09%	87.59%
BEHAVIOR PRESENT, NOT OF RECENT ONSET	13.77%	13.41%	13.62%	13.56%	13.50%	12.87%	12.48%	12.18%	11.66%
BEHAVIOR PRESENT, DIFFERENT FROM RESIDENT'S USUAL FUNCTIONING (NEW ONSET OR WORSENING)	1.26%	1.16%	1.13%	1.20%	1.09%	0.92%	0.85%	0.72%	0.73%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.33%	99.34%	99.29%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Cognitive Patterns
Section B

Indicators of Delirium - Periodic Disordered Thinking/Awareness

MENTAL FUNCTION VARIES DURING DAY

B5f	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
BEHAVIOR NOT PRESENT	64.24%	62.99%	61.38%	60.19%	59.44%	59.84%	60.20%	59.82%	60.43%
BEHAVIOR PRESENT, NOT OF RECENT ONSET	34.44%	35.83%	37.42%	38.61%	39.29%	39.10%	38.85%	39.28%	38.61%
BEHAVIOR PRESENT, DIFFERENT FROM RESIDENT'S USUAL FUNCTIONING (NEW ONSET OR WORSENING)	1.32%	1.17%	1.19%	1.19%	1.27%	1.06%	0.95%	0.89%	0.94%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.32%	99.34%	99.29%

CHANGE IN COGNITIVE STATUS

(Compared to 90 days ago)

B6 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO CHANGE	91.69%	92.14%	92.31%	90.92%	88.02%	88.90%	89.42%	89.79%	90.36%
IMPROVED	2.22%	2.05%	1.99%	2.02%	1.76%	1.64%	1.51%	1.42%	1.23%
DETERIORATED	6.10%	5.81%	5.70%	7.06%	10.22%	9.46%	9.07%	8.66%	8.25%
TOTAL REPORTING	93.45%	89.28%	88.39%	55.56%	28.50%	28.01%	27.75%	27.63%	28.28%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Communication/Hearing Patterns
Section C

HEARING-With hearing appliance if used									
C1 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
HEARS ADEQUATELY	62.80%	63.06%	63.63%	64.93%	67.58%	68.47%	69.39%	70.06%	70.54%
MINIMAL DIFFICULTY	23.77%	23.75%	23.64%	22.85%	21.38%	21.05%	20.69%	20.35%	20.01%
HEARS IN SPECIAL SITUATIONS ONLY	11.59%	11.44%	11.02%	10.63%	9.66%	9.14%	8.60%	8.20%	8.15%
HIGHLY IMPAIRED	1.84%	1.75%	1.71%	1.59%	1.38%	1.34%	1.31%	1.23%	1.13%
TOTAL REPORTING	93.46%	89.28%	88.39%	55.56%	28.50%	28.01%	27.73%	27.63%	28.28%

COMMUNICATION DEVICES/TECHNIQUES									
CHECK ALL THAT APPLY (in last 7 days)									
C2 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) HEARING AID PRESENT AND USED	7.68%	7.66%	7.71%	7.78%	7.68%	7.63%	7.78%	7.96%	7.87%
b) HEARING AID, PRESENT AND NOT USED REGULARLY	3.93%	3.85%	3.68%	3.44%	2.97%	2.88%	2.79%	2.74%	2.73%
c) OTHER RECEPTIVE COMM. TECHNIQUES USED	1.19%	1.04%	0.95%	0.87%	0.73%	0.65%	0.58%	0.55%	0.49%
d) NONE OF THE ABOVE	87.51%	87.76%	87.95%	88.19%	88.83%	89.03%	89.05%	88.93%	89.06%
TOTAL REPORTING	93.47%	89.29%	88.41%	55.57%	28.51%	28.04%	27.76%	27.63%	28.28%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Communication/Hearing Patterns
Section C

MODES OF EXPRESSION
CHECK ALL USED BY RESIDENT

C3 1/	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) SPEECH	94.78%	95.05%	95.33%	95.64%	95.83%	96.08%	96.27%	96.41%	96.52%
b) WRITING MESSAGES	0.96%	0.92%	0.97%	0.95%	0.88%	0.91%	0.87%	0.78%	0.79%
c) AMERICAN SIGN LANGUAGE OR BRAILLE	0.22%	0.21%	0.21%	0.20%	0.20%	0.20%	0.17%	0.16%	0.19%
d) SIGNS / GESTURES / SOUNDS	19.04%	17.80%	17.34%	15.93%	13.79%	12.03%	10.64%	9.92%	9.19%
e) COMMUNICATION BOARD	0.67%	0.67%	0.70%	0.70%	0.59%	0.56%	0.57%	0.55%	0.55%
f) OTHER	0.90%	0.81%	0.79%	0.77%	0.96%	1.02%	0.99%	1.05%	1.01%
g) NONE OF THE ABOVE	1.64%	1.61%	1.50%	1.36%	1.33%	1.31%	1.24%	1.25%	1.24%

* More than one item may be checked per resident

MAKING SELF UNDERSTOOD

C4**	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
UNDERSTOOD	47.51%	48.71%	49.56%	50.66%	50.99%	52.08%	53.25%	53.58%	53.94%
USUALLY UNDERSTOOD	25.99%	25.95%	26.14%	26.04%	26.13%	25.87%	25.82%	25.77%	25.72%
SOMETIMES UNDERSTOOD	17.38%	16.89%	16.41%	15.99%	15.78%	15.41%	14.74%	14.58%	14.43%
RARELY / NEVER UNDERSTOOD	9.12%	8.45%	7.88%	7.31%	7.10%	6.64%	6.19%	6.02%	5.86%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.40%	99.33%	99.30%	99.31%	99.34%	99.29%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Communication/Hearing Patterns
Section C

SPEECH CLARITY (In last 7 days)									
C5 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
CLEAR SPEECH	73.69%	74.20%	74.82%	76.12%	78.53%	79.52%	80.48%	80.78%	81.31%
UNCLEAR SPEECH	22.07%	21.80%	21.42%	20.37%	18.18%	17.49%	16.63%	16.44%	15.97%
NO SPEECH	4.24%	4.00%	3.76%	3.51%	3.29%	2.99%	2.89%	2.76%	2.69%
TOTAL REPORTING	93.47%	89.29%	88.40%	55.57%	28.51%	28.03%	27.76%	27.63%	28.28%

ABILITY TO UNDERSTAND OTHERS									
C6	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
UNDERSTANDS	40.36%	41.26%	42.07%	43.01%	43.18%	43.75%	44.67%	44.97%	45.38%
USUALLY UNDERSTANDS	30.50%	30.64%	30.90%	31.13%	31.56%	31.68%	31.88%	31.68%	31.60%
SOMETIMES UNDERSTANDS	21.94%	21.34%	20.51%	19.99%	19.65%	19.39%	18.65%	18.54%	18.27%
RARELY / NEVER UNDERSTANDS	7.20%	6.76%	6.51%	5.87%	5.61%	5.18%	4.81%	4.72%	4.66%
TOTAL REPORTING	99.37%	99.42%	99.42%	99.39%	99.32%	99.28%	99.27%	99.34%	99.29%

CHANGE IN COMMUNICATION/HEARING (Compared to 90 days ago)									
C7 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO CHANGE	94.82%	95.02%	95.09%	94.37%	92.17%	92.85%	93.25%	93.18%	93.24%
IMPROVED	1.08%	1.00%	0.98%	0.96%	0.89%	0.85%	0.81%	0.78%	0.69%
DETERIORATED	4.10%	3.97%	3.94%	4.66%	6.94%	6.30%	5.94%	5.93%	5.90%
TOTAL REPORTING	93.45%	89.28%	88.40%	55.57%	28.51%	28.03%	27.75%	27.63%	28.28%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Vision Patterns
Section D

D1	VISION (with glasses if used)								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
ADEQUATE	53.72%	53.62%	54.85%	57.73%	62.05%	62.96%	64.36%	65.17%	65.70%
IMPAIRED	24.88%	24.97%	24.26%	23.00%	21.31%	20.93%	20.26%	19.33%	18.89%
MODERATELY IMPAIRED	9.70%	9.62%	9.45%	8.85%	7.82%	7.53%	7.03%	7.01%	6.95%
HIGHLY IMPAIRED	9.40%	9.63%	9.40%	8.54%	7.20%	6.97%	6.84%	6.75%	6.78%
SEVERELY IMPAIRED	2.31%	2.15%	2.04%	1.88%	1.63%	1.61%	1.51%	1.44%	1.42%
TOTAL REPORTING	99.36%	99.39%	99.38%	68.72%	42.10%	41.93%	42.46%	42.11%	42.58%

D2 1/	VISUAL LIMITATIONS/DIFFICULTIES								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) SIDE VISION PROBLEMS, DECREASED PERIPHERAL VISION	5.15%	4.96%	4.75%	4.38%	3.80%	3.46%	3.22%	3.19%	3.14%
b) EXPERIENCES HALOS OR RINGS, SEES FLASHES OF LIGHT, SEES CURTAINS OVER EYES	0.68%	0.67%	0.58%	0.57%	0.45%	0.43%	0.33%	0.34%	0.26%
c) NONE OF THE ABOVE	94.34%	94.53%	94.80%	95.17%	95.84%	96.21%	96.52%	96.50%	96.61%
TOTAL REPORTING	93.46%	89.28%	88.40%	55.56%	28.50%	28.03%	27.75%	27.63%	28.28%

D3 1/	VISUAL APPLIANCES								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
GLASSES, CONTACT LENSES, MAGNIFYING GLASS	70.71%	70.80%	70.67%	70.57%	70.28%	69.94%	70.14%	70.26%	70.53%
TOTAL REPORTING	93.47%	89.28%	88.40%	55.57%	28.51%	28.03%	27.75%	27.63%	28.28%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Mood & Behavior Patterns
Section E

Indicators of Depression, Anxiety, Sad Mood
NEGATIVE STATEMENTS

E1a**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDICATOR NOT EXHIBITED IN LAST 30 DAYS	90.89%	90.27%	88.67%	88.09%	87.62%	88.37%	89.29%	89.22%	89.48%
INDICATOR OF THIS TYPE EXHIBITED UP TO FIVE DAYS A WEEK	7.66%	8.25%	9.63%	10.23%	10.63%	10.02%	9.40%	9.49%	9.32%
INDICATOR OF THIS TYPE EXHIBITED DAILY OR ALMOST DAILY	1.45%	1.48%	1.70%	1.68%	1.75%	1.61%	1.31%	1.29%	1.20%
TOTAL REPORTING	99.36%	99.41%	99.42%	99.39%	99.34%	99.30%	99.30%	99.31%	99.27%

Indicators of Depression, Anxiety, Sad Mood
REPETITIVE QUESTIONS

E1b**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDICATOR NOT EXHIBITED IN LAST 30 DAYS	86.12%	85.33%	83.95%	83.38%	82.66%	82.97%	84.01%	83.90%	83.96%
INDICATOR OF THIS TYPE EXHIBITED UP TO FIVE DAYS A WEEK	8.65%	9.68%	10.99%	11.67%	12.41%	12.38%	11.90%	12.15%	12.25%
INDICATOR OF THIS TYPE EXHIBITED DAILY OR ALMOST DAILY	5.23%	4.99%	5.06%	4.95%	4.93%	4.65%	4.08%	3.95%	3.79%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.32%	99.33%	99.27%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Mood & Behavior Patterns
Section E

Indicators of Depression, Anxiety, Sad Mood
REPETITIVE VERBALIZATIONS

E1c**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDICATOR NOT EXHIBITED IN LAST 30 DAYS	86.76%	86.21%	85.17%	85.22%	85.03%	85.24%	85.95%	85.72%	85.80%
INDICATOR OF THIS TYPE EXHIBITED UP TO FIVE DAYS A WEEK	8.39%	9.01%	9.99%	10.16%	10.54%	10.61%	10.48%	10.77%	10.87%
INDICATOR OF THIS TYPE EXHIBITED DAILY OR ALMOST DAILY	4.85%	4.79%	4.84%	4.63%	4.42%	4.15%	3.57%	3.50%	3.33%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.32%	99.33%	99.27%

Indicators of Depression, Anxiety, Sad Mood
PERSISTENT ANGER WITH SELF OR OTHERS

E1d**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDICATOR NOT EXHIBITED IN LAST 30 DAYS	72.36%	71.32%	69.72%	69.25%	68.65%	69.21%	70.34%	70.87%	71.38%
INDICATOR OF THIS TYPE EXHIBITED UP TO FIVE DAYS A WEEK	20.42%	21.83%	23.55%	24.25%	24.97%	24.91%	24.65%	24.40%	24.07%
INDICATOR OF THIS TYPE EXHIBITED DAILY OR ALMOST DAILY	7.21%	6.85%	6.73%	6.49%	6.38%	5.88%	5.01%	4.73%	4.55%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.32%	99.33%	99.27%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Mood & Behavior Patterns
Section E

Indicators of Depression, Anxiety, Sad Mood
SELF DEPRECIATION

E1e**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDICATOR NOT EXHIBITED IN LAST 30 DAYS	96.13%	95.90%	95.50%	95.33%	95.46%	95.81%	96.16%	96.23%	96.32%
INDICATOR OF THIS TYPE EXHIBITED UP TO FIVE DAYS A WEEK	3.36%	3.65%	4.06%	4.24%	4.07%	3.73%	3.50%	3.48%	3.41%
INDICATOR OF THIS TYPE EXHIBITED DAILY OR ALMOST DAILY	0.52%	0.45%	0.44%	0.42%	0.47%	0.46%	0.34%	0.29%	0.27%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.32%	99.33%	99.27%

Indicators of Depression, Anxiety, Sad Mood
EXPRESSIONS OF APPARENTLY UNREALISTIC FEARS

E1f**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDICATOR NOT EXHIBITED IN LAST 30 DAYS	90.71%	90.57%	90.14%	90.31%	90.44%	90.85%	91.47%	91.66%	91.80%
INDICATOR OF THIS TYPE EXHIBITED UP TO FIVE DAYS A WEEK	7.14%	7.43%	7.96%	7.84%	7.87%	7.64%	7.25%	7.09%	7.06%
INDICATOR OF THIS TYPE EXHIBITED DAILY OR ALMOST DAILY	2.15%	2.00%	1.90%	1.84%	1.68%	1.51%	1.28%	1.25%	1.13%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.32%	99.33%	99.27%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Mood & Behavior Patterns
Section E

Indicators of Depression, Anxiety, Sad Mood
RECURRENT STATEMENTS-SOMETHING TERRIBLE IS ABOUT TO HAPPEN

E1g**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDICATOR NOT EXHIBITED IN LAST 30 DAYS	96.84%	96.66%	96.38%	96.30%	96.18%	96.46%	96.84%	96.95%	96.98%
INDICATOR OF THIS TYPE EXHIBITED UP TO FIVE DAYS A WEEK	2.53%	2.73%	3.04%	3.12%	3.26%	3.01%	2.75%	2.67%	2.67%
INDICATOR OF THIS TYPE EXHIBITED DAILY OR ALMOST DAILY	0.63%	0.61%	0.58%	0.58%	0.56%	0.53%	0.41%	0.37%	0.35%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.32%	99.33%	99.27%

Indicators of Depression, Anxiety, Sad Mood
REPETITIVE HEALTH COMPLAINTS

E1h**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDICATOR NOT EXHIBITED IN LAST 30 DAYS	80.57%	78.65%	75.85%	73.94%	72.30%	72.35%	73.28%	72.80%	73.37%
INDICATOR OF THIS TYPE EXHIBITED UP TO FIVE DAYS A WEEK	13.26%	14.93%	17.46%	19.29%	20.68%	20.96%	20.85%	21.53%	21.18%
INDICATOR OF THIS TYPE EXHIBITED DAILY OR ALMOST DAILY	6.17%	6.42%	6.69%	6.77%	7.02%	6.70%	5.87%	5.67%	5.45%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.32%	99.33%	99.27%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Mood & Behavior Patterns
Section E

Indicators of Depression, Anxiety, Sad Mood
REPETITIVE ANXIOUS COMPLAINTS (Not health related)

E1j**	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDICATOR NOT EXHIBITED IN LAST 30 DAYS	74.87%	72.95%	70.44%	68.92%	67.40%	67.64%	68.58%	68.61%	69.02%
INDICATOR OF THIS TYPE EXHIBITED UP TO FIVE DAYS A WEEK	16.99%	18.91%	21.37%	22.92%	24.28%	24.47%	24.39%	24.78%	24.70%
INDICATOR OF THIS TYPE EXHIBITED DAILY OR ALMOST DAILY	8.14%	8.13%	8.18%	8.16%	8.32%	7.89%	7.02%	6.61%	6.28%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.32%	99.33%	99.27%

Indicators of Depression, Anxiety, Sad Mood
UNPLEASANT MOOD IN MORNING

E1j**	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDICATOR NOT EXHIBITED IN LAST 30 DAYS	88.91%	88.77%	88.03%	88.03%	88.12%	88.57%	88.97%	89.30%	89.60%
INDICATOR OF THIS TYPE EXHIBITED UP TO FIVE DAYS A WEEK	8.26%	8.58%	9.40%	9.52%	9.52%	9.28%	9.21%	9.04%	8.87%
INDICATOR OF THIS TYPE EXHIBITED DAILY OR ALMOST DAILY	2.83%	2.65%	2.56%	2.45%	2.36%	2.15%	1.82%	1.66%	1.53%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.32%	99.33%	99.27%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Mood & Behavior Patterns
Section E

Indicators of Depression, Anxiety, Sad Mood
INSOMNIA/CHANGE IN USUAL SLEEPING PATTERNS

E1k**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDICATOR NOT EXHIBITED IN LAST 30 DAYS	88.94%	87.56%	85.33%	84.72%	84.28%	84.36%	84.95%	85.21%	85.31%
INDICATOR OF THIS TYPE EXHIBITED UP TO FIVE DAYS A WEEK	9.26%	10.56%	12.67%	13.28%	13.81%	13.78%	13.43%	13.19%	13.05%
INDICATOR OF THIS TYPE EXHIBITED DAILY OR ALMOST DAILY	1.80%	1.88%	2.00%	2.00%	1.91%	1.85%	1.62%	1.60%	1.64%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.32%	99.33%	99.27%

Indicators of Depression, Anxiety, Sad Mood
SAD, PAINED, WORRIED FACIAL EXPRESSIONS

E1l**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDICATOR NOT EXHIBITED IN LAST 30 DAYS	52.04%	47.94%	43.24%	40.30%	38.10%	38.35%	38.88%	38.71%	38.87%
INDICATOR OF THIS TYPE EXHIBITED UP TO FIVE DAYS A WEEK	29.65%	32.96%	36.30%	38.47%	39.93%	40.88%	42.21%	43.04%	43.72%
INDICATOR OF THIS TYPE EXHIBITED DAILY OR ALMOST DAILY	18.31%	19.09%	20.46%	21.23%	21.97%	20.77%	18.91%	18.24%	17.41%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.32%	99.33%	99.27%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Mood & Behavior Patterns
Section E

Indicators of Depression, Anxiety, Sad Mood
CRYING/TEARFULNESS

E1m**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDICATOR NOT EXHIBITED IN LAST 30 DAYS	87.37%	87.48%	87.55%	87.99%	88.37%	88.80%	89.46%	89.69%	89.90%
INDICATOR OF THIS TYPE EXHIBITED UP TO FIVE DAYS A WEEK	11.07%	11.14%	11.14%	10.78%	10.49%	10.20%	9.67%	9.48%	9.30%
INDICATOR OF THIS TYPE EXHIBITED DAILY OR ALMOST DAILY	1.55%	1.38%	1.32%	1.23%	1.14%	1.00%	0.87%	0.83%	0.79%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.32%	99.33%	99.27%

Indicators of Depression, Anxiety, Sad Mood
REPETITIVE PHYSICAL MOVEMENTS

E1n**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDICATOR NOT EXHIBITED IN LAST 30 DAYS	73.71%	72.39%	70.78%	70.62%	70.28%	71.05%	72.56%	72.77%	73.37%
INDICATOR OF THIS TYPE EXHIBITED UP TO FIVE DAYS A WEEK	14.50%	16.11%	17.85%	18.44%	19.14%	19.06%	18.75%	18.79%	18.64%
INDICATOR OF THIS TYPE EXHIBITED DAILY OR ALMOST DAILY	11.79%	11.50%	11.36%	10.94%	10.59%	9.89%	8.69%	8.44%	8.00%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.32%	99.33%	99.27%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Mood & Behavior Patterns
Section E

Indicators of Depression, Anxiety, Sad Mood
WITHDRAWAL FROM ACTIVITIES OF INTEREST

E1o**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDICATOR NOT EXHIBITED IN LAST 30 DAYS	88.56%	88.17%	86.79%	86.17%	86.44%	87.18%	87.93%	88.26%	88.84%
INDICATOR OF THIS TYPE EXHIBITED UP TO FIVE DAYS A WEEK	7.36%	7.78%	8.78%	9.43%	9.39%	8.97%	8.56%	8.46%	8.11%
INDICATOR OF THIS TYPE EXHIBITED DAILY OR ALMOST DAILY	4.08%	4.05%	4.42%	4.40%	4.16%	3.85%	3.51%	3.27%	3.05%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.32%	99.33%	99.27%

Indicators of Depression, Anxiety, Sad Mood
REDUCED SOCIAL INTERACTION

E1p**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDICATOR NOT EXHIBITED IN LAST 30 DAYS	86.12%	85.69%	84.08%	83.57%	84.15%	84.67%	85.60%	86.44%	87.22%
INDICATOR OF THIS TYPE EXHIBITED UP TO FIVE DAYS A WEEK	8.99%	9.47%	10.72%	11.39%	11.16%	11.09%	10.63%	10.05%	9.52%
INDICATOR OF THIS TYPE EXHIBITED DAILY OR ALMOST DAILY	4.89%	4.84%	5.19%	5.04%	4.69%	4.24%	3.77%	3.51%	3.26%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.32%	99.33%	99.27%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Mood & Behavior Patterns
Section E

Mood Persistence
ONE OR MORE INDICATORS OF DEPRESSED, SAD OR ANXIOUS MOOD WERE NOT EASILY ALTERED BY ATTEMPTS TO 'CHEER UP' , CONSOLE, OR REASSURE THE RESIDENT OVER LAST 7 DAYS

E2	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO MOOD INDICATORS	31.42%	28.75%	25.74%	24.02%	22.85%	23.37%	23.99%	24.08%	24.49%
INDICATORS PRESENT, EASILY ALTERED	35.31%	37.54%	39.62%	41.48%	43.31%	44.24%	45.25%	46.17%	46.89%
INDICATORS PRESENT, NOT EASILY ALTERED	33.27%	33.70%	34.64%	34.50%	33.85%	32.39%	30.76%	29.75%	28.62%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.32%	99.31%	99.27%

Change in Mood
RESIDENT'S MOOD STATUS HAS CHANGED
(Compared to 90 days ago)

E3 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO CHANGE	81.08%	81.34%	81.32%	80.68%	79.18%	80.68%	82.03%	83.59%	84.41%
IMPROVED	7.97%	7.91%	7.71%	7.38%	6.07%	5.51%	5.19%	4.59%	4.43%
DETERIORATED	10.95%	10.75%	10.97%	11.94%	14.75%	13.80%	12.77%	11.82%	11.16%
TOTAL REPORTING	93.45%	89.28%	88.39%	55.56%	28.49%	28.01%	27.73%	27.58%	28.22%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Mood & Behavior Patterns
Section E

Behavioral Symptoms- Frequency

E4aA**	WANDERING								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
BEHAVIOR NOT EXHIBITED	88.61%	89.14%	89.43%	89.73%	89.72%	90.21%	90.55%	90.81%	91.13%
BEHAVIOR OCCURRED 1 TO 3 DAYS IN LAST 7	3.77%	3.79%	3.96%	4.01%	4.28%	4.22%	4.22%	4.21%	4.03%
BEHAVIOR OCCURRED 4 TO 6 DAYS IN LAST 7	2.23%	2.14%	2.04%	2.02%	1.96%	1.95%	1.89%	1.83%	1.80%
BEHAVIOR OCCURRED DAILY	5.39%	4.93%	4.57%	4.24%	4.03%	3.62%	3.34%	3.16%	3.04%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.33%	99.33%	99.27%

Behavioral Symptoms- Alterability

E4aB	WANDERING								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
BEHAVIOR NOT EXHIBITED OR EASILY ALTERED	92.79%	93.11%	93.32%	93.54%	93.74%	94.14%	94.37%	94.52%	94.77%
BEHAVIOR WAS NOT EASILY ALTERED	7.21%	6.89%	6.68%	6.46%	6.26%	5.86%	5.63%	5.48%	5.23%
TOTAL REPORTING	99.36%	99.39%	99.41%	99.39%	99.34%	99.31%	99.32%	99.33%	99.27%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Mood & Behavior Patterns
Section E

Behavioral Symptoms- Frequency									
VERBALLY ABUSIVE BEHAVIOR SYMPTOMS									
E4bA**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
BEHAVIOR NOT EXHIBITED	85.15%	85.70%	86.01%	86.49%	86.61%	87.02%	87.78%	88.07%	88.40%
BEHAVIOR OCCURRED 1 TO 3 DAYS IN LAST 7	9.61%	9.62%	9.65%	9.46%	9.44%	9.27%	8.95%	8.75%	8.65%
BEHAVIOR OCCURRED 4 TO 6 DAYS IN LAST 7	3.34%	2.98%	2.81%	2.69%	2.62%	2.43%	2.22%	2.16%	2.03%
BEHAVIOR OCCURRED DAILY	1.89%	1.70%	1.52%	1.36%	1.34%	1.28%	1.05%	1.03%	0.92%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.32%	99.33%	99.27%

Behavioral Symptoms- Alterability									
VERBALLY ABUSIVE BEHAVIOR SYMPTOMS									
E4bB	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
BEHAVIOR NOT EXHIBITED OR EASILY ALTERED	90.05%	90.35%	90.55%	90.55%	91.07%	91.36%	91.84%	92.09%	92.57%
BEHAVIOR WAS NOT EASILY ALTERED	9.95%	9.65%	9.45%	9.45%	8.93%	8.64%	8.16%	7.91%	7.43%
TOTAL REPORTING	99.37%	99.39%	99.41%	99.40%	99.33%	99.31%	99.32%	99.33%	99.27%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Mood & Behavior Patterns
Section E

Behavioral Symptoms- Frequency
PHYSICALLY ABUSIVE BEHAVIOR SYMPTOMS

E4cA**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
BEHAVIOR NOT EXHIBITED	91.28%	91.90%	92.31%	92.62%	92.74%	92.95%	93.57%	93.78%	94.08%
BEHAVIOR OCCURRED 1 TO 3 DAYS IN LAST 7	5.96%	5.69%	5.54%	5.39%	5.33%	5.24%	4.87%	4.72%	4.53%
BEHAVIOR OCCURRED 4 TO 6 DAYS IN LAST 7	1.75%	1.52%	1.39%	1.29%	1.25%	1.15%	1.04%	0.98%	0.92%
BEHAVIOR OCCURRED DAILY	1.01%	0.89%	0.76%	0.70%	0.68%	0.65%	0.51%	0.52%	0.47%
TOTAL REPORTING	99.37%	99.42%	99.43%	99.41%	99.34%	99.31%	99.33%	99.33%	99.27%

Behavioral Symptoms- Alterability
PHYSICALLY ABUSIVE BEHAVIOR SYMPTOMS

E4cB	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
BEHAVIOR NOT EXHIBITED OR EASILY ALTERED	93.96%	94.38%	94.66%	94.93%	95.08%	95.16%	95.61%	95.83%	96.09%
BEHAVIOR WAS NOT EASILY ALTERED	6.04%	5.62%	5.34%	5.07%	4.92%	4.84%	4.39%	4.17%	3.91%
TOTAL REPORTING	99.37%	99.39%	99.41%	99.40%	99.33%	99.31%	99.32%	99.33%	99.27%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Mood & Behavior Patterns
Section E

Behavioral Symptoms- Frequency
SOCIALLY INAPPROPRIATE/DISRUPTIVE BEHAVIOR SYMPTOMS

E4dA**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
BEHAVIOR NOT EXHIBITED	79.86%	80.31%	80.74%	81.14%	81.27%	81.89%	82.81%	83.16%	83.67%
BEHAVIOR OCCURRED 1 TO 3 DAYS IN LAST 7	9.72%	9.97%	10.03%	10.16%	10.24%	10.08%	9.87%	9.71%	9.47%
BEHAVIOR OCCURRED 4 TO 6 DAYS IN LAST 7	5.01%	4.74%	4.58%	4.45%	4.33%	4.07%	3.87%	3.80%	3.70%
BEHAVIOR OCCURRED DAILY	5.42%	4.99%	4.64%	4.25%	4.16%	3.95%	3.45%	3.32%	3.16%
TOTAL REPORTING	99.37%	99.42%	99.44%	99.41%	99.34%	99.31%	99.33%	99.33%	99.27%

Behavioral Symptoms- Alterability
SOCIALLY INAPPROPRIATE/DISRUPTIVE BEHAVIOR SYMPTOMS

E4dB	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
BEHAVIOR NOT EXHIBITED OR EASILY ALTERED	85.43%	85.77%	86.12%	86.38%	86.70%	87.05%	87.76%	88.11%	88.64%
BEHAVIOR WAS NOT EASILY ALTERED	14.57%	14.23%	13.88%	13.62%	13.30%	12.95%	12.24%	11.89%	11.36%
TOTAL REPORTING	99.37%	99.40%	99.41%	99.40%	99.33%	99.31%	99.32%	99.33%	99.27%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Mood & Behavior Patterns
Section E

Behavioral Symptoms- Frequency

E4eA**	RESISTS CARE								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
BEHAVIOR NOT EXHIBITED	68.67%	68.99%	68.89%	70.08%	70.43%	71.40%	72.46%	72.76%	73.52%
BEHAVIOR OCCURRED 1 TO 3 DAYS IN LAST 7	16.61%	17.03%	17.43%	17.12%	17.13%	17.11%	17.06%	17.07%	16.74%
BEHAVIOR OCCURRED 4 TO 6 DAYS IN LAST 7	7.47%	7.20%	7.08%	6.72%	6.51%	6.10%	5.76%	5.59%	5.47%
BEHAVIOR OCCURRED DAILY	7.25%	6.78%	6.59%	6.08%	5.93%	5.39%	4.72%	4.58%	4.26%
TOTAL REPORTING	99.37%	99.42%	99.44%	99.41%	99.34%	99.31%	99.33%	99.33%	99.27%

Behavioral Symptoms- Alterability

E4eB	RESISTS CARE								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
BEHAVIOR NOT EXHIBITED OR EASILY ALTERED	76.11%	76.23%	76.22%	77.10%	77.60%	78.48%	79.18%	79.64%	80.42%
BEHAVIOR WAS NOT EASILY ALTERED	23.89%	23.77%	23.78%	22.90%	22.40%	21.52%	20.82%	20.36%	19.58%
TOTAL REPORTING	99.37%	99.40%	99.41%	99.40%	99.33%	99.31%	99.32%	99.33%	99.27%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Mood & Behavior Patterns
Section E

Change in Behavioral Symptoms
RESISTS CARE

E5 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO CHANGE	84.98%	85.43%	85.93%	86.30%	86.49%	87.67%	88.68%	89.58%	90.05%
IMPROVED	6.60%	6.33%	6.04%	5.53%	4.52%	4.00%	3.75%	3.35%	3.19%
DETERIORATED	8.43%	8.24%	8.03%	8.17%	8.99%	8.33%	7.57%	7.07%	6.76%
TOTAL REPORTING	93.45%	89.28%	88.39%	55.56%	28.50%	28.01%	27.73%	27.59%	28.23%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Psychosocial Well-being
Section F

F1 1/	SENSE OF INITIATIVE / INVOLVEMENT								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) AT EASE INTERACTING WITH OTHERS	82.63%	83.52%	84.04%	84.58%	83.71%	83.57%	83.32%	82.84%	82.77%
b) AT EASE DOING PLANNED OR STRUCTURED ACTIVITIES	52.36%	54.34%	55.07%	54.94%	53.36%	53.92%	54.86%	55.24%	55.88%
c) AT EASE DOING SELF-INITIATED ACTIVITIES	56.13%	58.23%	59.24%	60.29%	59.62%	60.13%	60.90%	61.26%	62.30%
d) ESTABLISHES OWN GOALS	27.93%	28.37%	28.37%	28.78%	29.55%	31.60%	34.12%	34.91%	34.40%
e) PURSUES INVOLVEMENT IN LIFE OF FACILITY	18.85%	19.36%	19.72%	19.09%	17.16%	17.09%	16.32%	15.94%	15.56%
f) ACCEPTS INVITATIONS INTO MOST GROUP ACTIVITIES	22.46%	23.03%	23.03%	22.14%	19.30%	19.14%	18.69%	18.63%	18.15%
g) NONE OF THE ABOVE	11.86%	10.93%	10.51%	9.88%	10.46%	10.33%	10.26%	10.20%	10.25%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Psychosocial Well-being
Section F

UNSETTLED RELATIONSHIPS									
F2 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) COVERT / OPEN CONFLICT WITH OR REPEATED CRITICISM OF STAFF	8.14%	8.42%	8.74%	8.30%	7.19%	6.66%	6.16%	6.03%	5.72%
b) UNHAPPY WITH ROOMMATE	2.12%	2.13%	2.21%	2.07%	1.93%	1.85%	1.64%	1.46%	1.38%
c) UNHAPPY WITH RESIDENTS OTHER THAN ROOMMATE	4.12%	4.27%	4.28%	3.82%	3.03%	2.87%	2.63%	2.50%	2.42%
d) OPENLY EXPRESSES CONFLICT / ANGER WITH FAMILY / FRIENDS	3.97%	4.05%	4.04%	4.08%	3.87%	3.66%	3.43%	3.25%	3.15%
e) ABSENCE OF PERSONAL CONTACT WITH FAMILY / FRIENDS	5.67%	5.64%	5.34%	4.91%	4.19%	3.92%	3.57%	3.45%	3.32%
f) RECENT LOSS OF CLOSE FAMILY MEMBER / FRIEND	2.00%	2.04%	2.02%	2.02%	1.95%	1.76%	1.67%	1.54%	1.50%
g) DOES NOT ADJUST EASILY TO CHANGE IN ROUTINES	14.26%	15.30%	16.14%	16.26%	14.99%	14.30%	13.61%	13.09%	12.86%
h) NONE OF THE ABOVE	72.83%	71.77%	71.21%	71.83%	74.41%	76.02%	77.34%	78.11%	78.64%

* More than one item may be checked per resident

PAST ROLES									
F3 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) STRONG IDENTIFICATION WITH PAST ROLES AND LIFE STATUS	20.08%	19.72%	19.50%	19.32%	19.72%	19.03%	18.13%	17.57%	17.20%
b) EXPRESSES SADNESS / ANGER / EMPTY FEELING OVER LOST ROLES / STATUS	8.30%	8.29%	8.17%	8.15%	8.13%	7.60%	6.92%	6.84%	6.78%
c) RESIDENT PERCEIVES THAT DAILY ROUTINE IS VERY DIFFERENT FROM PRIOR PATTERN	5.78%	5.83%	6.10%	6.67%	7.90%	7.97%	8.28%	8.29%	8.58%
d) NONE OF THE ABOVE	76.33%	76.44%	76.68%	76.51%	75.55%	76.30%	77.01%	77.39%	77.55%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Physical Functioning & Structural Problems
Section G

ADL Self-Performance

BED MOBILITY

G1aA**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDEPENDENT	20.68%	20.02%	18.67%	18.09%	16.61%	15.36%	14.18%	13.04%	12.44%
SUPERVISION	12.13%	11.75%	11.31%	10.92%	10.63%	10.39%	10.40%	10.49%	10.77%
LIMITED ASSISTANCE	18.27%	18.23%	17.76%	17.07%	16.25%	15.98%	15.52%	15.04%	14.85%
EXTENSIVE ASSISTANCE	31.92%	34.26%	37.34%	39.33%	42.02%	44.40%	46.32%	48.39%	49.76%
TOTAL DEPENDENCE	16.84%	15.62%	14.84%	14.53%	14.41%	13.78%	13.49%	12.96%	12.08%
ACTIVITY DID NOT OCCUR	0.16%	0.12%	0.08%	0.07%	0.08%	0.09%	0.09%	0.09%	0.09%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.62%	99.59%	99.58%	99.55%	99.48%

ADL Support Provided

BED MOBILITY

G1aB**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO SETUP OR PHYSICAL HELP FROM STAFF	21.53%	20.28%	18.69%	17.93%	16.57%	15.37%	14.30%	13.36%	12.79%
SETUP HELP ONLY	9.87%	9.95%	9.67%	9.43%	9.09%	8.90%	8.81%	8.66%	8.83%
ONE PERSON PHYSICAL ASSIST	40.30%	40.37%	39.71%	39.51%	39.74%	39.61%	39.71%	39.68%	39.89%
TWO + PERSONS PHYSICAL ASSIST	28.13%	29.27%	31.85%	33.06%	34.52%	36.02%	37.09%	38.21%	38.39%
ADL ACTIVITY ITSELF DID NOT OCCUR	0.16%	0.12%	0.08%	0.07%	0.08%	0.09%	0.09%	0.09%	0.09%
TOTAL REPORTING	99.76%	99.76%	99.76%	99.71%	99.63%	99.60%	99.59%	99.56%	99.49%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Physical Functioning & Structural Problems
Section G

ADL Self-Performance
TRANSFER

G1bA**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDEPENDENT	14.81%	14.64%	13.93%	13.65%	12.95%	12.21%	11.36%	10.50%	10.03%
SUPERVISION	11.53%	11.25%	10.92%	10.80%	10.41%	10.10%	10.03%	10.09%	10.36%
LIMITED ASSISTANCE	19.27%	19.19%	19.00%	18.28%	17.31%	16.93%	16.55%	16.15%	16.04%
EXTENSIVE ASSISTANCE	32.02%	33.57%	35.23%	36.86%	39.02%	40.91%	42.58%	44.07%	44.99%
TOTAL DEPENDENCE	21.61%	20.64%	20.28%	19.74%	19.59%	19.14%	18.77%	18.47%	17.82%
ACTIVITY DID NOT OCCUR	0.76%	0.71%	0.65%	0.67%	0.72%	0.71%	0.71%	0.72%	0.77%
TOTAL REPORTING	99.76%	99.76%	99.76%	99.71%	99.63%	99.60%	99.59%	99.56%	99.49%

ADL Support Provided
TRANSFER

G1bB**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO SETUP OR PHYSICAL HELP FROM STAFF	16.25%	15.67%	14.79%	14.49%	13.72%	12.80%	11.96%	11.33%	10.74%
SETUP HELP ONLY	8.46%	8.50%	8.25%	8.12%	7.88%	7.85%	7.85%	7.66%	7.96%
ONE PERSON PHYSICAL ASSIST	38.57%	38.91%	38.85%	39.00%	39.31%	39.45%	39.43%	39.24%	39.41%
TWO + PERSONS PHYSICAL ASSIST	35.95%	36.21%	37.47%	37.72%	38.37%	39.20%	40.06%	41.04%	41.12%
ADL ACTIVITY ITSELF DID NOT OCCUR	0.76%	0.71%	0.65%	0.67%	0.72%	0.71%	0.71%	0.72%	0.77%
TOTAL REPORTING	99.76%	99.76%	99.76%	99.71%	99.63%	99.60%	99.59%	99.56%	99.49%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Physical Functioning & Structural Problems
Section G

ADL Self-Performance
WALKS IN ROOM

G1cA	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDEPENDENT	15.04%	14.95%	14.33%	13.94%	13.31%	12.81%	12.04%	11.22%	10.75%
SUPERVISION	13.78%	13.50%	13.42%	13.34%	13.29%	13.03%	12.87%	12.92%	13.09%
LIMITED ASSISTANCE	16.94%	17.40%	17.89%	17.80%	17.18%	16.95%	16.91%	16.80%	17.08%
EXTENSIVE ASSISTANCE	13.27%	13.73%	14.08%	14.58%	15.61%	16.40%	17.09%	17.29%	17.29%
TOTAL DEPENDENCE	0.64%	0.55%	0.47%	0.37%	0.29%	0.38%	0.40%	0.33%	0.28%
ACTIVITY DID NOT OCCUR	40.33%	39.87%	39.81%	39.97%	40.32%	40.43%	40.69%	41.44%	41.50%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.60%	99.53%	99.56%	99.49%

ADL Support Provided
WALKS IN ROOM

G1cB	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO SETUP OR PHYSICAL HELP FROM STAFF	17.24%	16.94%	16.13%	15.84%	15.10%	14.19%	13.27%	12.64%	12.15%
SETUP HELP ONLY	9.89%	9.86%	9.88%	9.65%	9.69%	9.74%	9.79%	9.67%	9.90%
ONE PERSON PHYSICAL ASSIST	26.50%	27.36%	28.04%	28.55%	28.94%	29.59%	30.29%	30.41%	30.63%
TWO + PERSONS PHYSICAL ASSIST	6.04%	5.97%	6.13%	5.99%	5.95%	6.05%	5.95%	5.84%	5.81%
ADL ACTIVITY ITSELF DID NOT OCCUR	40.33%	39.87%	39.81%	39.97%	40.32%	40.43%	40.69%	41.44%	41.50%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.60%	99.53%	99.56%	99.49%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Physical Functioning & Structural Problems
Section G

ADL Self-Performance WALKS IN CORRIDOR									
G1dA	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDEPENDENT	10.65%	10.63%	10.24%	9.76%	9.15%	9.15%	8.77%	8.03%	7.67%
SUPERVISION	15.95%	15.68%	15.61%	15.52%	15.56%	15.03%	14.53%	14.57%	14.61%
LIMITED ASSISTANCE	17.19%	17.80%	18.17%	18.11%	17.49%	17.01%	17.04%	17.00%	17.30%
EXTENSIVE ASSISTANCE	12.03%	12.30%	12.33%	12.76%	13.69%	14.09%	14.64%	14.87%	14.78%
TOTAL DEPENDENCE	0.62%	0.52%	0.41%	0.33%	0.29%	0.36%	0.37%	0.31%	0.28%
ACTIVITY DID NOT OCCUR	43.57%	43.07%	43.25%	43.53%	43.81%	44.37%	44.64%	45.20%	45.36%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.60%	99.55%	99.55%	99.49%

ADL Support Provided WALKS IN CORRIDOR									
G1dB	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO SETUP OR PHYSICAL HELP FROM STAFF	14.75%	14.58%	13.94%	13.58%	12.93%	12.34%	11.60%	11.10%	10.71%
SETUP HELP ONLY	10.12%	10.02%	10.10%	9.85%	9.96%	9.84%	9.84%	9.60%	9.74%
ONE PERSON PHYSICAL ASSIST	25.91%	26.81%	27.24%	27.72%	27.96%	28.18%	28.71%	29.04%	29.17%
TWO + PERSONS PHYSICAL ASSIST	5.65%	5.52%	5.48%	5.31%	5.33%	5.27%	5.20%	5.05%	5.02%
ADL ACTIVITY ITSELF DID NOT OCCUR	43.57%	43.07%	43.25%	43.53%	43.81%	44.37%	44.64%	45.20%	45.36%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.60%	99.55%	99.55%	99.49%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.
 ** Item contributes to RUG III grouping.
 Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Physical Functioning & Structural Problems
Section G

ADL Self-Performance LOCOMOTION ON UNIT									
G1eA	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDEPENDENT	16.17%	16.16%	15.66%	14.95%	14.01%	13.88%	13.43%	12.61%	12.07%
SUPERVISION	19.89%	19.66%	19.56%	19.61%	20.02%	19.45%	18.99%	19.11%	19.42%
LIMITED ASSISTANCE	17.36%	17.63%	17.81%	17.71%	17.45%	17.07%	16.92%	16.67%	16.79%
EXTENSIVE ASSISTANCE	15.65%	16.76%	17.69%	19.21%	20.63%	22.53%	24.23%	25.41%	26.00%
TOTAL DEPENDENCE	28.49%	27.56%	27.21%	26.49%	25.97%	25.10%	24.46%	24.22%	23.78%
ACTIVITY DID NOT OCCUR	2.43%	2.23%	2.07%	2.03%	1.91%	1.96%	1.97%	1.99%	1.94%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.60%	99.60%	99.56%	99.49%

ADL Support Provided LOCOMOTION ON UNIT									
G1eB	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO SETUP OR PHYSICAL HELP FROM STAFF	19.02%	18.74%	17.90%	17.41%	16.66%	15.77%	14.74%	14.17%	13.68%
SETUP HELP ONLY	14.95%	14.93%	14.96%	14.81%	15.08%	15.09%	15.32%	15.15%	15.42%
ONE PERSON PHYSICAL ASSIST	61.87%	62.38%	63.30%	63.87%	64.32%	64.95%	65.72%	66.38%	66.50%
TWO + PERSONS PHYSICAL ASSIST	1.73%	1.72%	1.77%	1.87%	2.03%	2.23%	2.25%	2.32%	2.45%
ADL ACTIVITY ITSELF DID NOT OCCUR	2.43%	2.23%	2.07%	2.03%	1.91%	1.96%	1.97%	1.99%	1.94%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.60%	99.60%	99.56%	99.49%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.
 ** Item contributes to RUG III grouping.
 Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Physical Functioning & Structural Problems
Section G

ADL Self-Performance LOCOMOTION OFF UNIT									
G1fA	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDEPENDENT	11.61%	11.60%	11.40%	10.93%	10.38%	10.53%	10.45%	9.83%	9.39%
SUPERVISION	16.84%	16.59%	16.52%	16.62%	16.79%	16.29%	15.67%	15.79%	16.24%
LIMITED ASSISTANCE	14.79%	14.97%	14.93%	14.64%	14.51%	14.44%	14.14%	14.09%	14.06%
EXTENSIVE ASSISTANCE	13.94%	15.26%	16.33%	17.52%	19.07%	20.62%	22.26%	23.47%	23.97%
TOTAL DEPENDENCE	35.38%	35.06%	34.86%	34.54%	33.82%	32.90%	32.23%	31.83%	31.42%
ACTIVITY DID NOT OCCUR	7.44%	6.52%	5.96%	5.76%	5.43%	5.23%	5.25%	4.99%	4.92%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.60%	99.83%	99.56%	99.49%

ADL Support Provided LOCOMOTION OFF UNIT									
G1fB	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO SETUP OR PHYSICAL HELP FROM STAFF	14.61%	14.26%	13.70%	13.28%	12.82%	12.27%	11.69%	11.31%	10.87%
SETUP HELP ONLY	11.62%	11.63%	11.70%	11.75%	11.87%	11.91%	12.04%	11.91%	12.31%
ONE PERSON PHYSICAL ASSIST	65.35%	66.52%	67.44%	67.99%	68.52%	69.03%	69.31%	69.96%	69.99%
TWO + PERSONS PHYSICAL ASSIST	0.97%	1.08%	1.20%	1.22%	1.37%	1.57%	1.71%	1.82%	1.91%
ADL ACTIVITY ITSELF DID NOT OCCUR	7.44%	6.52%	5.96%	5.76%	5.43%	5.23%	5.25%	4.99%	4.92%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.60%	99.83%	99.56%	99.49%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.
 ** Item contributes to RUG III grouping.
 Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Physical Functioning & Structural Problems
Section G

ADL Self-Performance

DRESSING

G1gA	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDEPENDENT	5.93%	6.15%	6.07%	6.21%	5.88%	5.73%	5.47%	5.24%	5.17%
SUPERVISION	9.11%	8.86%	8.59%	8.40%	8.33%	8.07%	7.95%	7.82%	7.98%
LIMITED ASSISTANCE	19.69%	19.51%	19.17%	18.56%	17.89%	17.39%	16.75%	16.01%	15.94%
EXTENSIVE ASSISTANCE	39.13%	41.81%	44.46%	46.69%	48.93%	51.24%	53.23%	54.92%	55.88%
TOTAL DEPENDENCE	24.86%	23.28%	21.51%	19.98%	18.80%	17.40%	16.45%	15.88%	14.94%
ACTIVITY DID NOT OCCUR	1.27%	0.38%	0.21%	0.17%	0.17%	0.16%	0.16%	0.13%	0.07%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.60%	99.62%	99.56%	99.49%

ADL Support Provided

DRESSING

G1gB	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO SETUP OR PHYSICAL HELP FROM STAFF	5.81%	5.81%	5.66%	5.78%	5.54%	5.24%	4.95%	4.87%	4.78%
SETUP HELP ONLY	8.28%	8.17%	7.88%	7.71%	7.54%	7.35%	7.27%	7.06%	7.19%
ONE PERSON PHYSICAL ASSIST	78.14%	78.57%	78.60%	78.44%	78.44%	78.17%	78.21%	78.30%	78.10%
TWO + PERSONS PHYSICAL ASSIST	6.50%	7.07%	7.66%	7.90%	8.32%	9.09%	9.41%	9.65%	9.85%
ADL ACTIVITY ITSELF DID NOT OCCUR	1.27%	0.38%	0.21%	0.17%	0.17%	0.16%	0.16%	0.13%	0.07%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.60%	99.62%	99.56%	99.49%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Physical Functioning & Structural Problems
Section G

ADL Self-Performance

EATING

G1hA**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDEPENDENT	25.45%	27.97%	28.85%	29.09%	28.51%	29.38%	29.10%	27.96%	27.86%
SUPERVISION	40.31%	38.89%	38.63%	38.99%	40.12%	39.66%	40.21%	41.05%	41.85%
LIMITED ASSISTANCE	9.41%	9.39%	9.29%	9.31%	9.21%	9.35%	9.50%	9.58%	9.17%
EXTENSIVE ASSISTANCE	9.16%	9.21%	9.61%	9.81%	9.85%	10.11%	10.37%	10.85%	11.10%
TOTAL DEPENDENCE	15.64%	14.52%	13.60%	12.78%	12.28%	11.48%	10.81%	10.54%	10.01%
ACTIVITY DID NOT OCCUR	0.04%	0.03%	0.02%	0.02%	0.03%	0.02%	0.02%	0.02%	0.01%
TOTAL REPORTING	99.76%	99.76%	99.76%	99.71%	99.63%	99.60%	99.58%	99.56%	99.49%

ADL Support Provided

EATING

G1hB	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO SETUP OR PHYSICAL HELP FROM STAFF	5.89%	6.08%	6.23%	6.39%	5.99%	5.73%	5.20%	4.97%	4.76%
SETUP HELP ONLY	58.70%	59.40%	59.32%	59.61%	60.14%	60.42%	61.18%	60.96%	61.44%
ONE PERSON PHYSICAL ASSIST	35.28%	34.39%	34.29%	33.86%	33.71%	33.69%	33.45%	33.89%	33.61%
TWO + PERSONS PHYSICAL ASSIST	0.10%	0.10%	0.13%	0.12%	0.13%	0.14%	0.15%	0.15%	0.17%
ADL ACTIVITY ITSELF DID NOT OCCUR	0.04%	0.03%	0.02%	0.02%	0.03%	0.02%	0.02%	0.02%	0.01%
TOTAL REPORTING	99.76%	99.76%	99.76%	99.71%	99.63%	99.60%	99.58%	99.56%	99.49%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Physical Functioning & Structural Problems
Section G

ADL Self-Performance
TOILETING

G1iA**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDEPENDENT	11.15%	11.25%	10.87%	10.66%	10.08%	9.63%	9.07%	8.36%	8.05%
SUPERVISION	9.50%	9.05%	8.77%	8.74%	8.59%	8.27%	8.16%	8.05%	8.28%
LIMITED ASSISTANCE	16.05%	16.22%	16.14%	15.61%	14.99%	14.68%	14.21%	13.76%	13.68%
EXTENSIVE ASSISTANCE	32.03%	34.22%	36.57%	38.75%	41.08%	43.28%	45.32%	47.45%	48.61%
TOTAL DEPENDENCE	30.95%	29.03%	27.46%	26.13%	25.15%	24.05%	23.16%	22.31%	21.33%
ACTIVITY DID NOT OCCUR	0.32%	0.23%	0.19%	0.12%	0.11%	0.08%	0.08%	0.06%	0.05%
TOTAL REPORTING	99.76%	99.76%	99.76%	99.71%	99.63%	99.60%	99.62%	99.56%	99.49%

ADL Support Provided
TOILETING

G1iB**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO SETUP OR PHYSICAL HELP FROM STAFF	11.97%	11.70%	11.16%	10.92%	10.42%	9.78%	9.15%	8.60%	8.28%
SETUP HELP ONLY	7.38%	7.25%	6.99%	6.98%	6.86%	6.72%	6.72%	6.47%	6.62%
ONE PERSON PHYSICAL ASSIST	56.32%	56.31%	55.63%	55.23%	54.62%	54.21%	53.52%	53.01%	52.88%
TWO + PERSONS PHYSICAL ASSIST	24.01%	24.52%	26.02%	26.75%	27.99%	29.20%	30.52%	31.86%	32.17%
ADL ACTIVITY ITSELF DID NOT OCCUR	0.32%	0.23%	0.19%	0.12%	0.11%	0.08%	0.08%	0.06%	0.05%
TOTAL REPORTING	99.76%	99.76%	99.76%	99.71%	99.63%	99.60%	99.62%	99.56%	99.49%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Physical Functioning & Structural Problems
Section G

ADL Self-Performance									
PERSONAL HYGIENE									
G1jA	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDEPENDENT	5.78%	5.93%	5.90%	5.91%	5.60%	5.44%	5.27%	5.07%	5.03%
SUPERVISION	10.18%	10.16%	9.89%	9.96%	9.65%	9.28%	9.01%	8.89%	9.11%
LIMITED ASSISTANCE	19.60%	19.75%	19.37%	18.83%	18.46%	18.24%	17.65%	16.98%	16.81%
EXTENSIVE ASSISTANCE	34.19%	36.03%	38.66%	40.53%	42.67%	45.00%	47.16%	48.87%	49.74%
TOTAL DEPENDENCE	30.24%	28.12%	26.18%	24.76%	23.61%	22.03%	20.90%	20.19%	19.30%
ACTIVITY DID NOT OCCUR	0.00%	0.00%	0.00%	0.00%	0.01%	0.00%	0.00%	0.01%	0.01%
TOTAL REPORTING	99.76%	99.76%	99.76%	99.71%	99.63%	99.60%	99.58%	99.56%	99.49%

ADL Support Provided									
PERSONAL HYGIENE									
G1jB	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO SETUP OR PHYSICAL HELP FROM STAFF	4.54%	4.56%	4.39%	4.37%	4.14%	3.81%	3.60%	3.57%	3.58%
SETUP HELP ONLY	10.39%	10.36%	10.17%	10.22%	9.81%	9.56%	9.38%	9.11%	9.13%
ONE PERSON PHYSICAL ASSIST	79.55%	79.11%	78.93%	78.77%	78.87%	78.97%	79.13%	79.11%	78.94%
TWO + PERSONS PHYSICAL ASSIST	5.52%	5.96%	6.50%	6.64%	7.17%	7.66%	7.89%	8.21%	8.34%
ADL ACTIVITY ITSELF DID NOT OCCUR	0.00%	0.00%	0.00%	0.00%	0.01%	0.00%	0.00%	0.01%	0.01%
TOTAL REPORTING	99.76%	99.76%	99.76%	99.71%	99.63%	99.60%	99.58%	99.56%	99.49%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.
 ** Item contributes to RUG III grouping.
 Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Physical Functioning & Structural Problems
Section G

ADL Self-Performance

BATHING

G2A	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDEPENDENT	1.30%	1.36%	1.29%	1.33%	1.21%	1.20%	1.22%	1.24%	1.25%
SUPERVISION	4.87%	5.07%	5.12%	5.04%	4.98%	4.93%	4.74%	4.77%	4.91%
LIMITED ASSISTANCE	7.90%	7.56%	7.01%	6.71%	6.41%	6.14%	5.91%	6.00%	6.02%
EXTENSIVE ASSISTANCE	49.35%	50.92%	52.44%	53.77%	55.14%	55.72%	56.94%	57.38%	57.96%
TOTAL DEPENDENCE	36.29%	34.82%	33.83%	32.83%	31.93%	31.64%	30.83%	30.19%	29.38%
ACTIVITY DID NOT OCCUR	0.29%	0.27%	0.30%	0.32%	0.33%	0.36%	0.36%	0.42%	0.46%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.60%	99.58%	99.56%	99.49%

ADL Support Provided

BATHING

G2B 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO SETUP OR PHYSICAL HELP FROM STAFF	1.10%	1.16%	1.14%	1.23%	1.29%	1.17%	1.07%	1.17%	1.10%
SETUP HELP ONLY	5.02%	5.34%	5.39%	5.31%	4.99%	4.97%	4.91%	4.89%	5.03%
ONE PERSON PHYSICAL ASSIST	69.93%	69.67%	69.08%	69.49%	70.97%	71.22%	71.72%	71.39%	71.26%
TWO + PERSONS PHYSICAL ASSIST	23.69%	23.61%	24.13%	23.65%	22.32%	22.21%	21.85%	22.01%	22.02%
ADL ACTIVITY ITSELF DID NOT OCCUR	0.26%	0.23%	0.26%	0.32%	0.43%	0.43%	0.44%	0.53%	0.59%
TOTAL REPORTING	93.84%	89.61%	88.71%	55.75%	28.60%	28.12%	27.84%	27.69%	28.34%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Physical Functioning & Structural Problems
Section G

Test for Balance									
BALANCE WHILE STANDING									
G3a	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
MAINTAINED POSITION	7.35%	7.30%	7.29%	7.38%	7.28%	7.44%	7.39%	7.31%	7.26%
UNSTEADY	12.08%	12.30%	12.26%	12.58%	12.69%	12.64%	12.74%	12.67%	12.87%
PARTIAL PHYSICAL SUPPORT	24.00%	24.64%	24.56%	24.83%	24.53%	24.07%	23.91%	23.74%	24.14%
NOT ABLE TO ATTEMPT TEST WITHOUT HELP	56.57%	55.76%	55.88%	55.21%	55.50%	55.84%	55.96%	56.27%	55.73%
TOTAL REPORTING	99.66%	99.62%	99.55%	99.44%	99.30%	99.21%	99.06%	98.85%	98.69%

Test for Balance									
BALANCE WHILE SITTING-POSITION, TRUNK CONTROL									
G3b	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
MAINTAINED POSITION	52.41%	53.24%	54.19%	55.39%	55.61%	55.64%	55.96%	55.81%	56.31%
UNSTEADY	9.93%	10.03%	10.09%	10.10%	10.56%	10.97%	11.45%	11.35%	11.31%
PARTIAL PHYSICAL SUPPORT	17.75%	17.77%	17.17%	16.69%	16.30%	16.09%	15.71%	15.89%	15.85%
NOT ABLE TO ATTEMPT TEST WITHOUT HELP	19.91%	18.96%	18.55%	17.82%	17.52%	17.29%	16.87%	16.95%	16.53%
TOTAL REPORTING	99.72%	99.73%	99.73%	99.67%	99.57%	99.51%	99.47%	99.41%	99.30%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Physical Functioning & Structural Problems
Section G

Functional Limitation in Range of Motion

G4aA	NECK								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO LIMITATION	81.98%	83.61%	85.35%	86.36%	86.92%	87.69%	88.57%	89.30%	90.06%
LIMITATION ON ONE SIDE	2.68%	2.52%	2.46%	2.45%	2.32%	2.32%	2.23%	2.23%	2.20%
LIMITATION ON BOTH SIDES	15.34%	13.87%	12.19%	11.19%	10.75%	9.99%	9.20%	8.47%	7.75%
TOTAL REPORTING	99.75%	99.75%	99.75%	99.69%	99.62%	99.58%	99.55%	99.52%	99.45%

Functional Limitation in Voluntary Movement

G4aB	NECK								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO LOSS	83.77%	85.31%	86.66%	87.57%	88.03%	88.62%	89.23%	89.89%	90.35%
PARTIAL LOSS	14.68%	13.36%	12.18%	11.39%	10.98%	10.42%	9.86%	9.27%	8.89%
FULL LOSS	1.54%	1.33%	1.16%	1.04%	0.99%	0.96%	0.91%	0.83%	0.76%
TOTAL REPORTING	99.75%	99.75%	99.75%	99.70%	99.62%	99.58%	99.55%	99.52%	99.45%

Functional Limitation in Range of Motion

G4bA	ARM (Including Shoulder or Elbow)								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO LIMITATION	66.86%	67.84%	68.90%	70.22%	70.77%	71.71%	72.45%	72.77%	73.04%
LIMITATION ON ONE SIDE	14.52%	14.46%	14.34%	14.33%	14.09%	13.97%	13.68%	13.68%	13.68%
LIMITATION ON BOTH SIDES	18.62%	17.70%	16.75%	15.45%	15.15%	14.32%	13.88%	13.56%	13.28%
TOTAL REPORTING	99.75%	99.75%	99.75%	99.70%	99.62%	99.58%	99.55%	99.53%	99.45%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Physical Functioning & Structural Problems
Section G

Functional Limitation in Voluntary Movement ARM (Including Shoulder or Elbow)									
G4bB	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO LOSS	68.07%	68.89%	70.29%	71.79%	72.44%	73.09%	73.93%	74.43%	74.73%
PARTIAL LOSS	26.90%	26.46%	25.42%	24.28%	23.87%	23.35%	22.72%	22.37%	22.23%
FULL LOSS	5.03%	4.65%	4.29%	3.92%	3.69%	3.56%	3.35%	3.20%	3.04%
TOTAL REPORTING	99.75%	99.75%	99.75%	99.70%	99.62%	99.58%	99.55%	99.53%	99.45%

Functional Limitation in Range of Motion HAND (Including Wrist or Fingers)									
G4cA	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO LIMITATION	74.75%	75.74%	76.74%	77.90%	78.56%	79.52%	80.10%	80.37%	80.83%
LIMITATION ON ONE SIDE	12.29%	12.03%	11.89%	11.73%	11.45%	11.23%	10.99%	11.07%	10.99%
LIMITATION ON BOTH SIDES	12.96%	12.22%	11.37%	10.37%	9.99%	9.25%	8.90%	8.56%	8.18%
TOTAL REPORTING	99.75%	99.75%	99.75%	99.70%	99.62%	99.58%	99.56%	99.53%	99.45%

Functional Limitation in Voluntary Movement HAND (Including Wrist or Fingers)									
G4cB	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO LOSS	73.62%	74.58%	75.73%	77.01%	77.85%	78.56%	79.30%	79.74%	80.13%
PARTIAL LOSS	20.82%	20.33%	19.56%	18.63%	18.07%	17.53%	17.01%	16.71%	16.47%
FULL LOSS	5.56%	5.09%	4.71%	4.36%	4.09%	3.91%	3.69%	3.55%	3.40%
TOTAL REPORTING	99.75%	99.75%	99.75%	99.70%	99.62%	99.58%	99.55%	99.53%	99.45%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.
 ** Item contributes to RUG III grouping.
 Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Physical Functioning & Structural Problems
Section G

Functional Limitation in Range of Motion

LEG (Including Hip or Knee)

G4dA	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO LIMITATION	57.11%	58.50%	59.54%	61.13%	61.89%	62.97%	63.82%	64.43%	64.91%
LIMITATION ON ONE SIDE	15.50%	15.65%	15.64%	15.59%	15.43%	15.60%	15.51%	15.56%	15.45%
LIMITATION ON BOTH SIDES	27.38%	25.84%	24.82%	23.28%	22.68%	21.43%	20.66%	20.01%	19.64%
TOTAL REPORTING	99.75%	99.75%	99.75%	99.70%	99.62%	99.58%	99.55%	99.53%	99.45%

Functional Limitation in Voluntary Movement

LEG (Including Hip or Knee)

G4dB	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO LOSS	58.09%	59.49%	60.88%	62.68%	63.62%	64.67%	65.55%	66.24%	66.69%
PARTIAL LOSS	33.91%	33.02%	32.18%	30.81%	30.23%	29.41%	28.84%	28.26%	28.08%
FULL LOSS	8.00%	7.49%	6.94%	6.51%	6.15%	5.92%	5.61%	5.50%	5.23%
TOTAL REPORTING	99.75%	99.75%	99.75%	99.70%	99.62%	99.58%	99.55%	99.52%	99.45%

Functional Limitation in Range of Motion

FOOT (Including Ankle or Toes)

G4eA	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO LIMITATION	67.21%	68.56%	69.62%	70.97%	71.57%	72.59%	73.42%	73.93%	74.62%
LIMITATION ON ONE SIDE	11.65%	11.55%	11.50%	11.44%	11.42%	11.43%	11.29%	11.46%	11.32%
LIMITATION ON BOTH SIDES	21.14%	19.89%	18.88%	17.59%	17.01%	15.98%	15.29%	14.61%	14.06%
TOTAL REPORTING	99.74%	99.74%	99.75%	99.69%	99.61%	99.57%	99.55%	99.52%	99.45%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Physical Functioning & Structural Problems
Section G

Functional Limitation in Voluntary Movement
FOOT (Including Ankle or Toes)

G4eB	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO LOSS	66.55%	67.81%	69.01%	70.52%	71.29%	72.09%	72.96%	73.71%	74.16%
PARTIAL LOSS	24.81%	24.02%	23.33%	22.29%	21.94%	21.33%	20.78%	20.11%	19.87%
FULL LOSS	8.64%	8.18%	7.66%	7.19%	6.77%	6.58%	6.25%	6.17%	5.98%
TOTAL REPORTING	99.74%	99.74%	99.75%	99.69%	99.61%	99.57%	99.54%	99.51%	99.45%

Functional Limitation in Range of Motion
OTHER LIMITATION OR LOSS

G4fA	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO LIMITATION	92.87%	93.09%	93.25%	93.54%	93.73%	94.10%	94.42%	94.53%	94.79%
LIMITATION ON ONE SIDE	1.81%	1.85%	1.79%	1.77%	1.80%	1.74%	1.76%	1.74%	1.71%
LIMITATION ON BOTH SIDES	5.33%	5.06%	4.96%	4.69%	4.47%	4.15%	3.82%	3.73%	3.50%
TOTAL REPORTING	99.72%	99.74%	99.70%	99.61%	99.49%	99.39%	99.44%	99.41%	99.36%

Functional Limitation in Voluntary Movement
OTHER LIMITATION OR LOSS

G4fB	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO LOSS	92.50%	92.64%	92.85%	93.16%	93.45%	93.76%	94.05%	94.13%	94.28%
PARTIAL LOSS	6.23%	6.23%	6.13%	5.90%	5.66%	5.37%	5.14%	5.09%	4.96%
FULL LOSS	1.27%	1.13%	1.03%	0.93%	0.89%	0.87%	0.81%	0.78%	0.76%
TOTAL REPORTING	99.72%	99.74%	99.70%	99.61%	99.49%	99.39%	99.43%	99.41%	99.60%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Physical Functioning & Structural Problems
Section G

MODES OF LOCOMOTION									
CHECK ALL THAT APPLY (in last 7 days)									
G5	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) CANE / WALKER / CRUTCH	38.82%	39.21%	39.60%	40.31%	40.47% 1/	40.40% 1/	40.64% 1/	40.48% 1/	41.18% 1/
b) WHEELED SELF	37.62%	38.61%	39.55%	40.28%	40.36%	41.04%	41.79%	42.51%	42.91%
c) OTHER PERSON WHEELED	62.21%	62.03%	62.59%	62.87%	62.67% 1/	63.25% 1/	63.45% 1/	63.79% 1/	63.65% 1/
d) WHEELCHAIR PRIMARY MODE	59.84%	60.46%	61.48%	61.48%	60.72% 1/	61.53% 1/	61.84% 1/	62.83% 1/	62.81% 1/
e) NONE OF THE ABOVE	18.17%	17.83%	17.40%	17.06%	16.65% 1/	16.17% 1	15.39% 1/	14.83% 1/	14.33% 1/

* More than one item may be checked per resident

MODES OF TRANSFER									
CHECK ALL THAT APPLY (in last 7 days)									
G6	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) BEDFAST MOST OR ALL OF THE TIME	4.75%	4.61%	4.45%	4.37%	4.24%	4.22%	4.09%	3.85%	3.75%
b) BED RAILS USED FOR BED MOBILITY OR TRANSFER	46.35%	46.79%	47.63%	47.84%	47.38%	45.64%	44.09%	44.20%	44.84%
c) LIFTED MANUALLY	20.33%	19.14%	18.20%	17.95%	17.15% 1/	16.41% 1/	15.93% 1/	16.17% 1/	16.22% 1/
d) LIFTED MECHANICALLY	12.70%	13.77%	14.92%	15.32%	14.35% 1/	15.21% 1/	15.42% 1/	15.99% 1/	16.51% 1/
e) TRANSFER AID (e.g., slide board, trapeze, etc.)	35.20%	36.85%	38.50%	40.60%	41.44% 1/	42.46% 1/	43.50% 1/	44.48% 1/	45.35% 1/
f) NONE OF THE ABOVE	24.48%	23.94%	22.95%	22.07%	21.21% 1/	20.91% 1/	20.69% 1/	19.82% 1/	18.83% 1/

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Physical Functioning & Structural Problems
Section G

G7	TASK SEGMENTATION								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
SOME OR ALL OF ADL ACTIVITIES WERE BROKEN INTO SUBTASKS DURING LAST 7 DAYS SO RESIDENT COULD PERFORM THEM	31.98%	33.82%	34.73%	35.25%	36.85%	37.50%	38.21%	38.52%	38.56%
TOTAL REPORTING	99.75%	99.76%	99.75%	99.70%	99.62%	99.58%	99.57%	99.54%	99.46%

G8	ADL FUNCTIONAL REHABILITATION POTENTIAL								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) RESIDENT BELIEVES (S)HE IS CAPABLE OF INCREASED INDEPENDENCE	11.06%	11.16%	12.04%	15.05%	21.59%	22.17%	23.27%	23.33%	23.87%
b) DIRECT CARE STAFF BELIEVE RESIDENT IS CAPABLE OF INCREASED INDEPENDENCE	16.64%	16.50%	17.28%	20.24%	26.35%	26.15%	26.84%	26.50%	26.67%
c) RESIDENT ABLE TO PERFORM TASK BUT VERY SLOW	14.94%	15.13%	14.63%	14.00%	12.50%	11.41%	11.09%	10.32%	9.32%
d) DIFFERENCE IN COMPARING MORNING TO EVENING	6.44%	7.22%	8.24%	8.54%	7.61%	7.59%	7.18%	6.93%	6.87%
e) NONE OF THE ABOVE	66.68%	65.83%	64.87%	62.55%	58.51%	59.39%	59.40%	60.16%	60.44%

* More than one item may be checked per resident

G9 1/	CHANGE IN ADL FUNCTION (Compared to 90 days ago)								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO CHANGE	77.21%	78.38%	78.09%	73.53%	62.47%	63.30%	63.18%	62.74%	62.26%
IMPROVED	7.75%	6.90%	6.86%	6.72%	5.97%	5.59%	5.15%	4.97%	4.79%
DETERIORATED	15.04%	14.72%	15.05%	19.74%	31.56%	31.11%	31.67%	32.29%	32.95%
TOTAL REPORTING	93.82%	89.60%	88.70%	55.74%	28.59%	28.11%	27.81%	27.66%	28.29%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Continence (In last 14 days)
Section H

H1a	BOWEL CONTINENCE								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
CONTINENT	49.17%	50.22%	50.41%	50.62%	50.75%	50.38%	49.96%	49.63%	49.51%
USUALLY CONTINENT	8.00%	8.13%	8.23%	8.33%	8.42%	8.81%	8.96%	8.97%	9.07%
OCCASIONALLY INCONTINENT	6.64%	6.45%	6.71%	6.80%	6.73%	6.79%	6.90%	6.82%	6.86%
FREQUENTLY INCONTINENT	9.91%	10.03%	10.23%	10.45%	10.68%	10.89%	10.91%	11.20%	11.41%
INCONTINENT	26.28%	25.17%	24.41%	23.79%	23.42%	23.12%	23.27%	23.39%	23.16%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.57%	99.55%	99.48%

H1b	BLADDER CONTINENCE								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
CONTINENT	36.41%	36.88%	37.18%	37.19%	36.84%	36.26%	35.44%	34.64%	34.44%
USUALLY CONTINENT	7.86%	8.25%	8.29%	8.31%	8.37%	8.56%	8.99%	8.71%	8.46%
OCCASIONALLY INCONTINENT	8.93%	9.23%	9.51%	9.97%	10.06%	10.26%	10.45%	10.48%	10.88%
FREQUENTLY INCONTINENT	20.34%	20.47%	20.73%	20.92%	21.32%	21.36%	21.38%	21.95%	22.05%
INCONTINENT	26.46%	25.16%	24.28%	23.62%	23.41%	23.55%	23.74%	24.22%	24.17%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.62%	99.58%	99.57%	99.55%	99.48%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Continence (In last 14 days)
Section H

H2	BOWEL ELIMINATION PROGRAM								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) BOWEL PATTERN REGULAR	87.09%	87.45%	87.84%	87.25%	85.32% 1/	85.46% 1/	85.21% 1/	85.17% 1/	85.62% 1/
b) CONSTIPATION	11.12%	10.98%	10.43%	10.20%	9.30% 1/	8.87% 1/	8.03% 1/	7.93% 1/	7.84% 1/
c) DIARRHEA	3.86%	3.90%	3.88%	4.45%	4.42%	4.33%	4.52%	4.43% 1/	4.60% 1/
d) FECAL IMPACTION	0.10%	0.08%	0.06%	0.05%	0.03%	0.03%	0.03%	0.02%	0.02%
e) NONE OF THE ABOVE	4.99%	4.83%	4.92%	5.52%	7.23% 1/	7.48% 1/	8.28% 1/	8.56% 1/	8.13% 1/

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Continence (In last 14 days)
Section H

H3	APPLIANCES AND PROGRAMS								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) ANY SCHEDULED TOILET PLAN**	28.66%	28.34%	27.21%	25.99%	25.06%	24.90%	24.63%	24.07%	24.93%
b) BLADDER RETRAINING PLAN**	0.67%	0.45%	0.38%	0.34%	0.27%	0.25%	0.23%	0.20%	0.22%
c) EXTERNAL CATHETER	0.30%	0.27%	0.26%	0.25%	0.24%	0.22%	0.20%	0.18%	0.18%
d) INDWELLING CATHETER	8.77%	8.98%	9.35%	9.48%	9.16%	9.13%	9.01%	8.61%	8.33%
e) INTERMITTENT CATHETER	0.72%	0.73%	0.76%	0.89%	1.06% 1/	0.98% 1/	0.93% 1/	0.94% 1/	0.86% 1/
f) DID NOT USE TOILET ROOM / COMMUNE / URINAL	13.34%	12.94%	12.61%	11.62%	9.34% 1/	8.86% 1/	8.40% 1/	8.16% 1/	8.04% 1/
g) PADS / BRIEFS USED	65.60%	65.75%	66.20%	65.00%	60.17% 1/	60.49% 1/	60.59% 1/	61.10% 1/	61.70% 1/
h) ENEMAS / IRRIGATION	1.00%	0.87%	0.78%	0.71%	0.65% 1/	0.58% 1/	0.59% 1/	0.50% 1/	0.44% 1/
i) OSTOMY PRESENT	3.70%	3.13%	2.66%	2.53%	2.49%	2.54%	2.65%	2.72% 1/	2.74% 1/
j) NONE OF THE ABOVE	26.73%	26.84%	26.49%	27.50%	30.38% 1/	29.90% 1/	30.04% 1/	29.89% 1/	29.38% 1/

* More than one item may be checked per resident

H4 1/	CHANGES IN URINARY CONTINENCE (Compared to 90 days ago)								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO CHANGE	88.50%	89.03%	88.93%	87.63%	85.37%	86.00%	86.20%	86.33%	86.62%
IMPROVED	3.74%	3.52%	3.52%	3.56%	3.05%	2.90%	2.72%	2.69%	2.59%
DETERIORATED	7.76%	7.45%	7.55%	8.81%	11.57%	11.10%	11.08%	10.98%	10.79%
TOTAL REPORTING	93.82%	89.60%	88.69%	55.74%	28.58%	28.10%	27.80%	27.64%	28.27%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Disease Diagnosis
Section I

11a-p	DISEASE DIAGNOSIS								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
ENDOCRINE / METABOLIC / NUTRITIONAL									
a) DIABETIC MELLITUS**	28.00%	28.92%	30.29%	31.59%	32.68%	33.93%	35.00%	35.70%	36.06%
b) HYPERTHYROIDISM	0.68%	0.72%	0.72%	0.71%	0.71% 1/	0.75% 1/	0.70% 1/	0.73% 1/	0.70% 1/
c) HYPOTHYROIDISM	18.18%	18.82%	19.37%	19.60%	19.20% 1/	19.68% 1/	19.94% 1/	20.27% 1/	20.89% 1/
HEART / CIRCULATION									
d) ARTERIOSCLEROTIC HEART DISEASE (ASHD)	17.29%	16.77%	16.27%	15.84%	16.16%	16.95%	17.51%	18.12%	18.70%
e) CARDIAC DYSRHYTHMIAS	17.07%	16.60%	16.72%	16.76%	16.33% 1/	16.61% 1/	16.74% 1/	17.16% 1/	17.50% 1/
f) CONGESTIVE HEART FAILURE	26.34%	26.31%	26.50%	26.35%	26.11%	25.75%	25.37%	25.25%	24.98%
g) DEEP VEIN THROMBOSIS	2.67%	2.63%	2.62%	2.61%	2.71% 1/	2.71% 1/	2.68% 1/	2.57% 1/	2.35% 1/
h) HYPERTENSION	60.17%	62.03%	64.62%	66.58%	67.21% 1/	69.03% 1/	70.12% 1/	71.09% 1/	71.56% 1/
i) HYPOTENSION	1.60%	1.61%	1.69%	1.71%	1.72% 1/	1.71% 1/	1.78% 1	1.80% 1/	1.67% 1/
j) PERIPHERAL VASCULAR DISEASE	17.54%	18.59%	19.24%	19.36%	19.55%	19.25%	19.29%	19.67%	19.66%
k) OTHER CARDIOVASCULAR DISEASE	28.15%	27.97%	27.67%	27.33%	25.13% 1/	24.52% 1/	22.84% 1/	22.11% 1/	21.20% 1/
MUSCULOSKELETAL									
l) ARTHRITIS	43.61%	44.68%	45.55%	44.82%	41.39% 1/	41.11% 1/	39.58% 1/	39.62% 1/	39.38% 1/
m) HIP FRACTURE	3.58%	3.55%	3.43%	3.32%	3.16%	3.12%	3.15%	3.04%	2.91%
n) MISSING LIMB	3.20%	2.99%	2.79%	2.66%	2.36% 1/	2.33% 1/	2.10% 1/	2.10% 1/	1.94% 1/
o) OSTEOPOROSIS	22.82%	24.14%	24.47%	23.93%	21.19% 1/	21.04% 1/	20.30% 1/	20.08% 1/	19.87% 1/
p) PATHOLOGICAL BONE FRACTURE	0.50%	0.46%	0.43%	0.46%	0.46% 1/	0.43% 1/	0.37% 1/	0.39% 1/	0.32% 1/

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Disease Diagnosis
Section I

I1q-ii	DISEASE DIAGNOSIS								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NEUROLOGICAL									
q) ALZHEIMER'S DISEASE	19.07%	19.55%	19.98%	19.34%	17.14% 1/	17.21% 1/	16.58% 1/	16.11% 1/	16.22% 1/
r) APHASIA**	9.33%	8.72%	8.12%	7.74%	7.27%	7.01%	6.80%	6.62%	6.41%
s) CEREBRAL PALSY**	0.84%	0.87%	0.89%	0.91%	0.90%	0.91%	0.87%	0.85%	0.84%
t) CEREBROVASCULAR ACCIDENT (STROKE)	24.41%	23.74%	23.39%	22.81%	22.63%	22.08%	21.37%	21.17%	20.65%
u) DEMENTIA OTHER THAN ALZHEIMER'S DISEASE	43.82%	44.22%	44.11%	42.83%	38.72% 1/	38.41% 1/	37.63% 1/	38.14% 1/	37.96% 1/
v) HEMIPLEGIA / HEMIPARESIS**	12.03%	11.58%	11.33%	10.94%	10.73%	10.46%	10.06%	10.09%	9.96%
w) MULTIPLE SCLEROSIS**	1.53%	1.57%	1.57%	1.56%	1.55%	1.58%	1.58%	1.58%	1.58%
x) PARAPLEGIA	0.84%	0.90%	0.91%	0.93%	0.97%	0.97%	1.01%	1.03%	1.05%
y) PARKINSON'S DISEASE	7.60%	7.45%	7.18%	6.70%	6.18% 1/	5.87% 1/	5.76% 1/	5.65% 1/	5.48% 1/
z) QUADRIPLEGIA**	0.82%	0.80%	0.77%	0.75%	0.74%	0.74%	0.75%	0.73%	0.75%
aa) SEIZURE DISORDER	11.54%	11.51%	11.31%	10.85%	9.57% 1/	9.47% 1/	9.25% 1/	9.16% 1/	8.79% 1/
bb) TRANSIENT ISCHEMIC ATTACK (TIA)	4.86%	4.72%	4.66%	4.36%	3.97% 1/	3.88% 1/	3.80% 1/	3.94% 1/	3.66% 1/
cc) TRAUMATIC BRAIN INJURY	1.15%	1.24%	1.27%	1.28%	1.19% 1/	1.18% 1/	1.17% 1/	1.19% 1/	1.17% 1/
PSYCHIATRIC/MOOD									
dd) ANXIETY DISORDER	20.70%	22.26%	23.29%	23.54%	22.44% 1/	23.39% 1/	24.67% 1/	26.10% 1/	27.58% 1/
ee) DEPRESSION	49.54%	51.75%	53.61%	54.06%	54.96%	56.20%	56.67%	57.31%	57.76%
ff) MANIC DEPRESSION	3.29%	3.63%	4.03%	4.22%	4.50%	4.88%	5.35%	5.78%	6.03%
gg) SCHIZOPHRENIA	7.18%	7.43%	7.67%	7.74%	7.85%	7.94%	8.00%	8.21%	8.37%
PULMONARY									
hh) ASTHMA	3.29%	3.66%	3.90%	4.07%	4.22%	4.53%	4.75%	4.93%	5.11%
ii) EMPHYSEMA	19.66%	20.49%	21.03%	21.50%	21.78%	22.40%	22.98%	23.39%	23.44%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Disease Diagnosis
Section I

I1jj-rr 1/	DISEASE DIAGNOSIS								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716 1/	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
SENSORY									
jj) CATARACTS	19.23%	19.02%	18.43%	16.69%	12.87%	12.04%	11.19%	10.99%	10.60%
kk) DIABETIC RETINOPATHY	2.09%	2.21%	2.28%	2.24%	1.88%	1.77%	1.70%	1.58%	1.55%
ll) GLAUCOMA	9.23%	9.23%	9.13%	8.69%	7.68%	7.58%	7.56%	7.83%	7.75%
mm) MACULAR DEGENERATION	8.13%	8.46%	8.46%	8.00%	6.99%	6.97%	6.85%	6.89%	6.84%
OTHER									
nn) ALLERGIES	37.57%	38.17%	38.92%	39.33%	36.86%	36.60%	35.48%	34.87%	34.57%
oo) ANEMIA	27.55%	28.27%	29.05%	29.27%	28.33%	29.10%	29.57%	30.13%	30.35%
pp) CANCER	8.82%	8.49%	8.13%	8.32%	8.65%	8.74%	8.55%	8.37%	8.07%
qq) RENAL FAILURE	7.22%	7.58%	8.30%	9.07%	9.52%	9.86%	10.02%	10.08%	9.89%
rr) NONE OF THE ABOVE	0.26%	0.28%	0.26%	0.28%	0.51%	0.43%	0.45%	0.46%	0.35%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Disease Diagnosis
Section I

I2	INFECTIONS								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) ANTIBIOTIC RESISTENT INFECTION	1.35%	1.42%	1.47%	1.52%	1.53%	1.55%	1.72%	1.64%	1.56%
b) CLOSTRIDIUM DIFFICILE	0.77%	0.84%	0.98%	1.40%	1.34%	1.20%	1.27%	1.15%	1.13%
c) CONJUNCTIVITIS	0.58%	0.55%	0.54%	0.53%	0.54%	0.53%	0.56%	0.55%	0.49%
d) HIV INFECTION	0.13%	0.13%	0.16%	0.19%	0.19%	0.19%	0.19%	0.20%	0.21%
e) PNEUMONIA**	4.57%	4.74%	4.65%	4.86%	4.56%	4.11%	4.42%	4.16%	4.49%
f) RESPIRATORY INFECTION	2.97%	2.96%	2.71%	2.99%	2.64%	2.32%	2.76%	2.44%	2.62%
g) SEPTICEMIA**	0.58%	0.66%	0.72%	0.74%	0.75%	0.72%	0.72%	0.67%	0.66%
h) SEXUALLY TRANSMITTED DISEASES	0.08%	0.07%	0.08%	0.08%	0.09%	0.08%	0.07%	0.08%	0.07%
i) TUBERCULOSIS	0.07%	0.05%	0.05%	0.04%	0.03%	0.03%	0.02%	0.02%	0.03%
j) URINARY TRACT INFECTION IN LAST 30 DAYS	11.67%	11.97%	12.32%	12.60%	12.34%	12.27%	12.51%	12.47%	12.23%
k) VIRAL HEPATITIS	0.13%	0.18%	0.23%	0.23%	0.26%	0.33%	0.38%	0.40%	0.42%
l) WOUND INFECTION	1.95%	2.04%	2.15%	2.13%	2.30%	2.32%	2.39%	2.38%	2.37%
m) NONE OF THE ABOVE	79.07%	78.51%	78.28%	77.28%	77.91%	78.60%	77.53%	78.08%	77.97%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Health Conditions
Section J

J1	PROBLEM CONDITIONS (In last 7 days)								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) WEIGHT FLUCTUATION 3+ LBS IN 7 DAYS	1.57%	1.39%	1.41%	1.42%	1.37%	1.38%	1.43%	1.49%	1.57%
b) INABILITY TO LIE FLAT SHORTNESS OF BREATH	5.11%	5.20%	5.44%	5.81%	5.77%	5.38%	5.17%	4.75%	4.56%
c) DEHYDRATED OUTPUT EXCEEDS INPUT**	0.19%	0.16%	0.14%	0.14%	0.11%	0.08%	0.08%	0.05%	0.07%
d) INSUFFICIENT FLUID IN LAST 3 DAYS	1.80%	1.61%	1.55%	1.56%	1.48%	1.12%	0.98%	0.80%	0.63%
e) DELUSIONS**	7.86%	7.74%	7.61%	7.16%	7.05%	6.32%	6.07%	5.92%	5.75%
f) DIZZINESS/VERTIGO	1.44%	1.37%	1.37%	1.33%	1.50% 1/	1.32% 1/	1.25% 1/	1.20% 1/	1.10% 1/
g) EDEMA	26.29%	27.32%	27.68%	27.80%	27.26%	26.95%	26.58%	26.34%	26.38%
h) FEVER**	2.85%	3.00%	2.85%	3.18%	2.60%	2.02%	1.89%	1.53%	1.53%
i) HALLUCINATIONS**	3.00%	2.93%	3.00%	2.75%	2.82%	2.51%	2.35%	2.27%	2.18%
j) INTERNAL BLEEDING**	1.18%	1.18%	1.38%	1.42%	1.27%	1.18%	1.10%	1.15%	1.13%
k) RECURRENT LUNG ASPIRATIONS IN LAST 90 DAYS	0.62%	0.61%	0.60%	0.53%	0.50%	0.40%	0.36%	0.29%	0.29%
l) SHORTNESS OF BREATH	11.46%	11.98%	12.27%	12.75%	12.82%	12.23%	11.88%	11.46%	10.99%
m) SYNCOPE (FAINTING)	0.24%	0.22%	0.24%	0.25%	0.36% 1/	0.35% 1/	0.31% 1/	0.30% 1/	0.27% 1/
n) UNSTEADY GAIT	43.55%	44.02%	44.46%	44.53%	44.16%	43.94%	44.09%	43.69%	43.24%
o) VOMITING**	2.49%	2.38%	2.32%	2.33%	2.36%	2.11%	1.96%	1.88%	1.90%
p) NONE OF THE ABOVE	34.15%	34.08%	33.53%	32.13%	30.08% 1/	31.01% 1/	31.50% 1/	32.05% 1/	32.05% 1/

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Health Conditions
Section J

PAIN SYMPTOMS									
Frequency									
J2a	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO PAIN	60.38%	59.26%	57.89%	56.87%	57.28%	57.74%	56.88%	57.65%	58.06%
PAIN LESS THAN DAILY	23.63%	25.25%	26.40%	26.80%	26.90%	27.55%	28.28%	28.74%	29.02%
PAIN DAILY	15.98%	15.49%	15.71%	16.33%	15.82%	14.72%	14.84%	13.61%	12.92%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.70%	99.62%	99.57%	99.55%	99.52%	99.45%

PAIN SYMPTOMS									
Intensity									
J2b	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
MILD PAIN	35.71%	36.42%	35.71%	35.08%	36.61%	37.33%	38.53%	39.74%	40.68%
MODERATE PAIN	57.12%	56.69%	57.14%	57.87%	56.69%	56.53%	55.39%	54.03%	53.07%
TIMES WHEN PAIN IS HORRIBLE OR EXCRUCIATING	7.17%	6.89%	7.15%	7.05%	6.70%	6.14%	6.08%	6.23%	6.25%
TOTAL REPORTING	39.51%	40.64%	41.98%	42.98%	42.53%	42.05%	42.89%	42.08%	41.65%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Health Conditions
Section J

PAIN SITE									
CHECK ALL THAT APPLY (in last 7 days)									
J3 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) BACK PAIN	24.43%	24.18%	24.51%	24.85%	26.14%	25.94%	25.55%	26.05%	26.17%
b) BONE PAIN	7.27%	6.69%	6.12%	6.28%	6.92%	6.59%	6.78%	6.22%	5.98%
c) CHEST PAIN DURING USUAL ACTIVITIES	1.77%	1.73%	1.63%	1.69%	1.68%	1.48%	1.42%	1.39%	1.20%
d) HEADACHE	12.01%	11.76%	11.31%	10.58%	9.31%	8.81%	8.55%	8.48%	8.57%
e) HIP PAIN	10.41%	9.69%	9.18%	9.06%	10.22%	10.44%	10.35%	9.84%	9.87%
f) INCISIONAL PAIN	3.51%	3.24%	3.27%	4.65%	7.72%	8.13%	8.01%	8.11%	8.28%
g) JOINT PAIN (OTHER THAN HIP)	39.94%	39.21%	38.61%	37.71%	34.60%	34.27%	33.18%	32.22%	31.85%
h) SOFT TISSUE PAIN	16.60%	17.12%	17.42%	17.88%	18.21%	18.03%	17.99%	17.38%	16.99%
i) STOMACH PAIN	4.78%	4.66%	4.48%	4.44%	4.47%	4.50%	4.06%	3.88%	4.14%
j) OTHER	39.75%	40.49%	40.75%	41.64%	39.29%	38.17%	39.08%	40.65%	39.96%
TOTAL REPORTING	36.13%	34.80%	35.52%	23.78%	13.20%	12.88%	12.91%	12.76%	13.00%

* More than one item may be checked per resident

ACCIDENTS									
CHECK ALL THAT APPLY									
J4	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) FELL IN PAST 30 DAYS	16.04%	16.11%	16.11%	15.98%	16.19%	16.45%	17.16%	17.02%	17.10%
b) FELL IN PAST 31 - 180 DAYS	30.81%	30.66%	30.72%	30.50%	30.48%	30.69%	31.08%	31.00%	30.72%
c) HIP FRACTURE IN LAST 180 DAYS	2.71%	2.74%	2.75%	2.72%	2.68%	2.78%	2.86%	2.82%	2.78%
d) OTHER FRACTURES IN LAST 180 DAYS	3.78%	3.90%	4.01%	4.05%	4.20%	4.27%	4.46%	4.47%	4.50%
e) NONE OF THE ABOVE	59.83%	59.74%	59.58%	59.70%	59.67%	59.33%	58.53%	58.77%	58.97%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Health Conditions
Section J

J5	STABILITY OF CONDITIONS								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) CONDITIONS/DISEASES MAKES RESIDENT'S COGNITIVE, ADL, MOOD OR BEHAVIOR PATTERN UNSTABLE	48.26%	50.25%	53.73%	56.54%	58.85%	60.26%	61.01%	61.42%	62.13%
b) RESIDENT EXPERIENCING ACUTE EPISODE/FLARE-UP OF A RECURRENT OR CHRONIC PROBLEM	14.58%	16.92%	18.99%	20.97%	22.48%	22.93%	24.33%	24.61%	25.46%
c) END STAGE DISEASE, 6 OR FEWER MONTHS TO LIVE	1.69%	1.71%	1.80%	1.69%	1.84%	1.90%	1.89%	2.14%	2.39%
d) NONE OF THE ABOVE	46.56%	43.87%	40.03%	36.91%	34.51%	33.08%	31.86%	31.03%	30.03%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Oral/Nutritional Status
Section K

K1	ORAL PROBLEMS								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) CHEWING PROBLEM	23.03%	33.59%	34.19%	33.77%	33.14%	32.52%	31.84%	31.62%	31.40%
b) SWALLOWING PROBLEM	17.11%	21.82%	22.77%	22.86%	22.92%	22.88%	22.87%	23.13%	23.75%
c) MOUTH PAIN	0.48%	0.45%	0.44%	0.47%	0.54% 1/	0.49% 1/	0.48% 1/	0.45% 1/	0.47% 1/
d) NONE OF THE ABOVE	69.21%	57.83%	57.32%	58.94%	61.91% 1/	62.57% 1/	63.13% 1/	63.11% 1/	63.16% 1/

* More than one item may be checked per resident

K3a-b	WEIGHT CHANGE								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) WEIGHT LOSS**	9.60%	9.57%	9.58%	9.80%	9.33%	9.47%	9.28%	8.81%	8.86%
b) WEIGHT GAIN	7.53%	7.76%	7.83%	7.44%	7.60%	7.53%	7.31%	7.48%	7.26%
TOTAL REPORTING	99.70%	99.61%	99.52%	99.62%	99.23%	99.10%	99.00%	99.00%	98.88%

K4 1/	NUTRITIONAL PROBLEMS								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) COMPLAINS ABOUT TASTE OF MANY FOODS	1.24%	1.13%	1.09%	0.94%	0.94%	0.76%	0.74%	0.68%	0.60%
b) REGULAR COMPLAINTS OF HUNGER	0.34%	0.30%	0.31%	0.27%	0.27%	0.24%	0.20%	0.23%	0.22%
c) LEAVES 25%+ FOOD UNEATEN AT MOST MEALS	43.60%	43.42%	42.62%	43.41%	43.06%	42.42%	42.12%	41.44%	40.82%
d) NONE OF THE ABOVE	55.82%	56.02%	56.82%	56.07%	56.40%	57.12%	57.46%	58.12%	58.79%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Oral/Nutritional Status
Section K

NUTRITIONAL APPROACHES									
CHECK ALL THAT APPLY (in last 7 days)									
K5	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) PARENTERAL / IV**	2.15%	2.45%	3.24%	3.64%	3.48%	3.38%	3.20%	3.13%	2.81%
b) FEEDING TUBE**	7.91%	7.45%	7.13%	6.85%	6.62%	6.33%	6.19%	6.12%	5.95%
c) MECHANICALLY ALTERED DIET	38.81%	38.23%	37.39%	35.39%	31.62% 1/	31.01% 1/	30.32% 1/	30.16% 1/	29.98% 1/
d) SYRINGE (ORAL FEEDING)	0.08%	0.06%	0.05%	0.04%	0.04% 1/	0.03% 1/	0.04% 1/	0.03% 1/	0.02% 1/
e) THERAPEUTIC DIET	54.57%	55.19%	56.53%	57.32%	56.67% 1/	56.52% 1/	55.96% 1/	55.79% 1/	55.73% 1/
f) DIETARY SUPPLEMENT BETWEEN MEALS	29.07%	28.53%	28.10%	27.79%	26.01% 1/	25.74% 1/	25.54% 1/	25.75% 1/	25.62% 1/
g) PLATE GUARD, STABILIZED BUILT-UP, UTENSIL, ETC.	8.82%	9.06%	9.22%	8.59%	6.63% 1/	6.39% 1/	6.23% 1/	6.32% 1/	6.52% 1/
h) ON A PLANNED WEIGHT CHANGE PROGRAM	11.52%	11.78%	11.79%	12.24%	12.18%	11.64%	11.08%	11.20%	11.22%
i) NONE OF THE ABOVE	15.48%	15.74%	15.49%	15.88%	17.54% 1/	18.00% 1/	18.70% 1/	18.56% 1/	18.72% 1/

* More than one item may be checked per resident

PARENTERAL OR ENTERAL INTAKE									
TOTAL CALORIES (%) RECEIVED IN LAST 7 DAYS									
K6a**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NONE	18.39%	20.90%	26.45%	28.34%	29.25%	30.90%	31.00%	31.91%	30.59%
1% TO 25%	7.23%	7.48%	8.08%	9.22%	8.37%	7.90%	7.40%	6.96%	7.02%
26% TO 50%	4.23%	4.03%	3.98%	4.10%	4.21%	4.07%	4.23%	4.11%	4.26%
51% TO 75%	6.10%	6.30%	5.47%	5.61%	5.63%	5.58%	6.16%	6.12%	6.02%
76% TO 100%	64.06%	61.29%	56.03%	52.73%	52.53%	51.55%	51.21%	50.89%	52.11%
TOTAL REPORTING*	9.72%	9.50%	9.85%	9.97%	9.56%	9.21%	8.93%	8.81%	8.39%

*Only answered if K5a or K5b was checked

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Oral/Nutritional Status
Section K

K6b**	PARENTERAL OR ENTERAL INTAKE AVG. DAILY FLUID INTAKE IN LAST 7 DAYS								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NONE	1.24%	1.11%	1.00%	0.92%	1.13%	1.00%	0.91%	0.95%	0.91%
1 TO 500 CC/DAY	12.67%	15.87%	21.63%	23.24%	23.69%	25.34%	25.69%	25.40%	24.73%
501 TO 1000 CC/DAY	8.54%	8.66%	9.02%	9.83%	9.85%	9.61%	9.58%	10.31%	10.00%
1001 TO 1500 CC/DAY	10.76%	10.35%	9.97%	10.09%	10.22%	10.45%	10.10%	10.81%	10.61%
1501 TO 2000 CC/DAY	27.08%	26.47%	24.41%	23.47%	22.55%	22.96%	23.26%	23.22%	24.37%
2001 OR MORE CC/DAY	39.71%	37.54%	33.97%	32.44%	32.56%	30.63%	30.46%	29.31%	29.38%
TOTAL REPORTING*	9.72%	9.50%	9.85%	9.97%	9.57%	9.22%	8.94%	8.81%	8.40%

*Only answered if K5a or K5b was checked

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Oral/Dental Status
Section L

L1 1/	ORAL STATUS AND DISEASE PREVENTION								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) DEBRIS PRESENT IN MOUTH PRIOR TO GOING TO BED	0.22%	0.19%	0.21%	0.20%	0.18%	0.23%	0.17%	0.14%	0.13%
b) HAS DENTURES OR REMOVABLE BRIDGE	48.75%	48.02%	47.39%	47.03%	46.10%	45.31%	44.60%	44.13%	43.38%
c) SOME / ALL NATURAL TEETH LOST	40.26%	40.10%	39.85%	38.53%	34.56%	33.46%	32.24%	31.93%	32.31%
d) BROKEN, LOOSE OR CARIOUS TEETH	6.40%	6.65%	6.89%	6.79%	6.02%	5.72%	5.48%	5.55%	5.37%
e) INFLAMED / BLEEDING GUMS, ORAL ABSCESSSES, ETC.	0.58%	0.56%	0.56%	0.56%	0.48%	0.45%	0.41%	0.39%	0.36%
f) DAILY CLEANING TEETH / DENTURES OR MOUTH CARE	99.67%	99.67%	99.57%	99.54%	99.39%	99.34%	99.31%	99.39%	99.53%
g) NONE OF THE ABOVE	0.04%	0.04%	0.06%	0.06%	0.12%	0.13%	0.12%	0.12%	0.09%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Skin Condition
Section M

M1a**	Ulcers - Stage 1								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 ULCERS	95.77%	95.32%	95.92%	96.09%	96.31%	96.39%	96.66%	97.06%	97.24%
1 TO 2 ULCERS	3.82%	4.21%	3.69%	3.56%	3.33%	3.24%	3.01%	2.64%	2.49%
3 TO 4 ULCERS	0.35%	0.40%	0.33%	0.31%	0.31%	0.31%	0.28%	0.26%	0.23%
5 TO 6 ULCERS	0.04%	0.05%	0.04%	0.03%	0.04%	0.04%	0.04%	0.03%	0.03%
7 TO 8 ULCERS	0.01%	0.01%	0.01%	0.01%	0.01%	0.01%	0.01%	0.01%	0.01%
9 OR MORE ULCERS	0.01%	0.01%	0.01%	0.00%	0.01%	0.01%	0.00%	0.00%	0.00%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.92%	99.62%	99.69%	99.57%	99.55%	99.49%

M1b**	Ulcers - Stage 2								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 ULCERS	91.80%	90.11%	91.22%	91.98%	92.47%	92.64%	92.90%	93.36%	93.59%
1 TO 2 ULCERS	7.30%	8.71%	7.73%	7.17%	6.71%	6.55%	6.34%	5.96%	5.80%
3 TO 4 ULCERS	0.70%	0.90%	0.78%	0.69%	0.63%	0.64%	0.60%	0.54%	0.49%
5 TO 6 ULCERS	0.11%	0.17%	0.15%	0.13%	0.11%	0.11%	0.10%	0.08%	0.08%
7 TO 8 ULCERS	0.04%	0.04%	0.04%	0.03%	0.03%	0.03%	0.02%	0.03%	0.02%
9 OR MORE ULCERS	0.04%	0.07%	0.07%	0.00%	0.04%	0.04%	0.04%	0.03%	0.02%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.87%	99.63%	99.60%	99.58%	99.56%	99.49%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Skin Condition
Section M

M1c**	Ulcers - Stage 3								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 ULCERS	98.52%	98.56%	98.54%	98.63%	98.68%	98.68%	98.67%	98.63%	98.64%
1 TO 2 ULCERS	1.36%	1.34%	1.35%	1.27%	1.21%	1.22%	1.23%	1.27%	1.27%
3 TO 4 ULCERS	0.09%	0.08%	0.09%	0.09%	0.10%	0.10%	0.09%	0.09%	0.08%
5 TO 6 ULCERS	0.02%	0.01%	0.01%	0.01%	0.01%	0.01%	0.01%	0.01%	0.01%
7 TO 8 ULCERS	0.00%	0.01%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
9 OR MORE ULCERS	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.93%	99.63%	99.60%	99.58%	99.56%	99.49%

M1d**	Ulcers - Stage 4								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 ULCERS	98.02%	97.86%	97.77%	97.70%	97.66%	97.62%	97.48%	97.41%	97.37%
1 TO 2 ULCERS	1.72%	1.84%	1.92%	1.98%	2.01%	2.04%	2.16%	2.20%	2.22%
3 TO 4 ULCERS	0.20%	0.22%	0.23%	0.25%	0.25%	0.25%	0.26%	0.28%	0.30%
5 TO 6 ULCERS	0.04%	0.05%	0.05%	0.05%	0.05%	0.05%	0.06%	0.06%	0.07%
7 TO 8 ULCERS	0.01%	0.01%	0.02%	0.02%	0.02%	0.02%	0.02%	0.02%	0.02%
9 OR MORE ULCERS	0.01%	0.01%	0.02%	0.00%	0.02%	0.02%	0.02%	0.02%	0.02%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.92%	99.63%	99.58%	99.58%	99.56%	99.49%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Skin Condition
Section M

M2a**	Type of Ulcer PRESSURE ULCER (Highest Stage in Past 7 Days)								
	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
STAGE 1	2.43%	2.57%	2.40%	2.35%	2.25%	2.18%	2.05%	1.82%	1.71%
STAGE 2	5.30%	5.50%	5.48%	5.23%	5.05%	5.06%	4.76%	4.38%	4.24%
STAGE 3	0.91%	0.84%	0.86%	0.81%	0.80%	0.80%	0.82%	0.86%	0.85%
STAGE 4	1.43%	1.50%	1.58%	1.66%	1.70%	1.70%	1.90%	1.94%	1.94%
NONE	89.92%	89.59%	89.67%	89.95%	90.20%	90.27%	90.47%	91.00%	91.26%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.93%	99.63%	99.59%	99.58%	99.56%	99.49%

M2b	Type of Ulcer STASIS ULCER (Highest Stage in Past 7 Days)								
	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
STAGE 1	0.14%	0.15%	0.12%	0.14%	0.11%	0.10%	0.11%	0.10%	0.10%
STAGE 2	1.17%	1.26%	1.23%	1.14%	1.08%	1.08%	1.08%	1.05%	1.02%
STAGE 3	0.29%	0.28%	0.28%	0.28%	0.23%	0.23%	0.21%	0.21%	0.24%
STAGE 4	0.49%	0.55%	0.58%	0.59%	0.58%	0.58%	0.58%	0.59%	0.62%
NONE	97.91%	97.76%	97.79%	97.85%	98.00%	98.01%	98.01%	98.06%	98.02%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.93%	99.63%	99.66%	99.58%	99.55%	99.49%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Skin Condition
Section M

HISTORY OF RESOLVED ULCER
(In Last 90 Days)

M3	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
RESIDENT HAD AN ULCER THAT WAS RESOLVED OR CURED IN LAST 90 DAYS	10.93%	12.00%	11.29%	10.66%	9.91%	9.70%	9.66%	9.35%	8.89%
TOTAL REPORTING	99.73%	99.75%	99.74%	99.91%	99.60%	9.55%	99.46%	99.41%	99.34%

OTHER SKIN PROBLEMS OR LESIONS PRESENT

CHECK ALL THAT APPLY (in last 7 days)

M4	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) ABRASIONS, BRUISES	17.37%	18.00%	18.80%	19.91%	20.40%	20.94%	21.68%	22.07%	23.00%
b) BURNS (SECOND OR THIRD DEGREE)**	0.16%	0.14%	0.15%	0.14%	0.14%	0.14%	0.13%	0.14%	0.15%
c) OPEN LESIONS OTHER THAN ULCERS OR CUTS**	2.59%	2.44%	2.54%	2.47%	2.55%	2.44%	2.40%	2.41%	2.37%
d) RASHES, E.G. INTERTRIGO, ECZEMA, ETC.	13.43%	13.72%	14.03%	14.60%	14.66%	14.68%	14.95%	15.29%	15.59%
e) SKIN DESENSITIZED TO PAIN OR PRESSURE	13.84%	14.38%	14.93%	15.09%	15.40%	15.31%	14.69%	14.74%	14.76%
f) SKIN TEARS OR CUTS (OTHER THAN SURGERY)	6.35%	6.17%	6.00%	6.18%	6.01%	6.10%	6.14%	6.41%	6.43%
g) SURGICAL WOUNDS**	5.72%	5.72%	5.76%	6.01%	6.12%	6.23%	6.43%	6.67%	6.82%
h) NONE OF THE ABOVE	56.11%	55.35%	54.46%	53.27%	52.86%	52.44%	52.26%	51.62%	50.94%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Skin Condition
Section M

M5	SKIN TREATMENTS								
	CHECK ALL THAT APPLY (in last 7 days)								
	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) PRESSURE RELIEVING DEVICE(S) FOR CHAIR**	40.55%	42.93%	43.86%	46.11%	48.79%	49.55%	50.82%	51.81%	52.21%
b) PRESSURE RELIEVING DEVICE(S) FOR BED**	67.88%	71.71%	73.66%	77.49%	82.67%	85.07%	86.65%	88.24%	88.76%
c) TURNING/REPOSITIONING PROGRAM**	43.68%	42.77%	39.27%	39.46%	39.35%	37.71%	36.74%	34.94%	34.68%
d) NUTRITION / HYDRATION INTERVENTION**	16.08%	16.32%	16.31%	16.48%	16.56%	16.28%	15.95%	15.64%	15.37%
e) ULCER CARE**	10.08%	10.64%	10.52%	10.27%	10.12%	10.00%	9.95%	9.51%	9.31%
f) SURGICAL WOUND CARE**	5.00%	4.98%	5.03%	5.24%	5.41%	5.51%	5.77%	5.96%	6.09%
g) APPLICATION OF DRESSINGS (OTHER THAN TO FEET)**	17.77%	17.89%	17.98%	18.21%	18.51%	18.69%	19.01%	19.50%	19.63%
h) APPLICATION OF OINTMENTS / MEDICATIONS (OTHER THAN TO FEET)**	40.20%	41.56%	41.11%	41.16%	41.45%	41.13%	41.19%	41.94%	41.53%
i) OTHER PREVENTATIVE / PROTECTIVE SKIN CARE (OTHER THAN TO FEET)	59.93%	63.57%	63.34%	64.00%	64.46%	65.84%	65.95%	67.09%	68.08%
j) NONE OF THE ABOVE	8.20%	7.36%	7.07%	6.01%	4.97%	4.24%	3.93%	3.43%	3.13%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Skin Condition
Section M

M6	FOOT PROBLEMS AND CARE								
	CHECK ALL THAT APPLY (in last 7 days)								
	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) RESIDENT HAS ONE OR MORE FOOT PROBLEMS	30.44%	32.47%	33.09%	33.96%	34.86%	34.42%	34.95%	35.07%	34.88%
b) INFECTION OF FOOT**	0.95%	0.99%	1.03%	1.01%	0.98%	0.93%	0.91%	0.94%	0.88%
c) OPEN LESIONS ON FOOT**	2.63%	2.78%	2.74%	2.62%	2.61%	2.40%	2.32%	2.22%	2.23%
d) NAILS/CALLUSES TRIMMED IN LAST 90 DAYS	54.31%	53.81%	53.62%	53.34%	53.50%	53.25%	52.78%	55.06%	55.33%
e) RECEIVED PREVENTATIVE / PROTECTIVE FOOT CARE	33.15%	34.03%	34.40%	35.35%	35.97%	37.56%	38.50%	39.05%	39.17%
f) APPLICATION OF DRESSINGS**	5.27%	5.33%	5.36%	5.45%	5.49%	5.35%	5.41%	5.46%	5.39%
g) NONE OF THE ABOVE	25.37%	25.32%	25.45%	24.90%	24.11%	23.69%	23.37%	22.39%	22.28%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Activity Pursuit Patterns
Section N

N1	TIME AWAKE								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) MORNING**	86.51%	86.57%	86.78%	86.93%	87.51%	87.39%	87.46%	87.55%	87.57%
b) AFTERNOON**	80.48%	80.05%	80.04%	79.97%	80.51%	80.63%	80.81%	81.39%	81.53%
c) EVENING**	67.94%	69.04%	70.23%	70.89%	71.90%	72.48%	73.02%	73.27%	73.31%
d) NONE OF THE ABOVE	4.54%	4.39%	4.18%	4.09%	3.71%	3.69%	3.57%	3.40%	3.30%

* More than one item may be checked per resident

N2	AVERAGE TIME INVOLVED IN ACTIVITIES								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
MOST - MORE THAN 2/3 OF TIME	6.45%	6.25%	6.14%	5.55%	5.31%	5.28%	5.08%	4.61%	4.60%
SOME - FROM 1/3 TO 2/3 OF TIME	82.65%	84.63%	85.96%	87.81%	88.74%	89.28%	90.11%	91.25%	91.68%
LITTLE - LESS THAN 1/3 OF TIME	10.67%	8.86%	7.68%	6.44%	5.75%	5.25%	4.63%	3.96%	3.55%
NONE	0.24%	0.26%	0.22%	0.20%	0.21%	0.19%	0.18%	0.18%	0.16%
TOTAL REPORTING	99.36%	99.42%	99.43%	99.62%	93.42%	99.30%	99.31%	99.31%	99.26%

N3 1/	PREFERRED ACTIVITY SETTINGS								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) OWN ROOM	92.56%	92.76%	92.96%	93.40%	93.70%	94.06%	93.81%	93.79%	93.77%
b) DAY / ACTIVITY ROOM	79.84%	80.74%	80.39%	79.34%	62.88%	75.42%	75.28%	74.96%	74.42%
c) INSIDE NH / OFF UNIT	65.79%	67.07%	67.07%	66.21%	62.34%	61.79%	61.55%	61.55%	61.03%
d) OUTSIDE FACILITY	39.30%	41.10%	41.58%	40.96%	38.62%	38.76%	38.20%	38.33%	38.00%
e) NONE OF THE ABOVE	0.31%	0.31%	0.29%	0.26%	0.36%	0.39%	0.42%	0.49%	0.46%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Activity Pursuit Patterns
Section N

N4 1/	GENERAL ACTIVITY PREFERENCES								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) CARDS / OTHER GAMES	53.18%	55.00%	56.33%	56.62%	55.53%	55.73%	56.59%	56.63%	56.38%
b) CRAFTS / ARTS	31.39%	32.76%	33.42%	33.63%	33.05%	33.46%	33.71%	33.32%	33.03%
c) EXERCISE / SPORTS	55.90%	56.67%	57.20%	57.19%	55.65%	55.48%	56.09%	55.74%	55.68%
d) MUSIC	93.16%	93.39%	93.38%	92.80%	91.50%	91.36%	91.18%	90.69%	90.37%
e) READING / WRITING	56.09%	57.16%	58.19%	58.98%	59.00%	59.42%	59.92%	60.10%	60.17%
f) SPIRITUAL / RELIGIOUS ACTIVITIES	72.44%	72.86%	72.38%	70.95%	67.74%	67.26%	66.79%	66.13%	66.09%
g) TRIPS / SHOPPING	34.04%	35.40%	36.57%	36.68%	36.51%	36.87%	37.69%	37.38%	37.76%
h) WALKING / WHEELING OUTDOORS	53.32%	55.10%	56.06%	56.79%	56.52%	57.04%	57.71%	58.16%	59.57%
i) WATCHING TV	85.38%	86.91%	87.92%	88.65%	89.13%	89.74%	90.33%	90.82%	90.90%
j) GARDENING OR PLANTS	20.48%	20.86%	20.86%	21.09%	21.67%	22.23%	22.63%	22.37%	22.59%
k) TALKING OR CONVERSING	86.98%	87.60%	87.96%	88.16%	87.54%	87.84%	87.73%	87.87%	88.26%
l) HELPING OTHERS	18.55%	19.38%	19.77%	19.82%	19.69%	20.04%	19.98%	19.49%	19.43%
m) NONE OF THE ABOVE	0.20%	0.19%	0.19%	0.22%	0.30%	0.27%	0.28%	0.30%	0.28%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Activity Pursuit Patterns
Section N

N5a 1/	TIME AWAKE								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO CHANGE	96.85%	96.96%	96.96%	96.97%	96.94%	97.05%	96.74%	96.87%	96.54%
SLIGHT CHANGE	2.61%	2.54%	2.57%	2.51%	3.06%	2.95%	2.72%	2.58%	2.86%
MAJOR CHANGE	0.54%	0.50%	0.48%	0.52%	0.00%	0.00%	0.54%	0.55%	0.61%
TOTAL REPORTING	93.45%	89.28%	88.39%	55.94%	28.29%	27.82%	27.74%	27.61%	28.26%

N5b 1/	AVERAGE TIME INVOLVED IN ACTIVITIES								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO CHANGE	96.44%	96.66%	96.62%	96.61%	96.68%	96.83%	96.45%	96.54%	96.14%
SLIGHT CHANGE	2.95%	2.76%	2.85%	2.83%	3.32%	3.17%	2.92%	2.83%	3.18%
MAJOR CHANGE	0.61%	0.58%	0.54%	0.56%	0.00%	0.00%	0.64%	0.63%	0.68%
TOTAL REPORTING	93.45%	89.28%	88.39%	55.94%	28.27%	27.80%	27.74%	27.61%	28.26%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Medications
Section O

O1	NUMBER OF MEDICATIONS								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
O MEDS	0.51%	0.45%	0.41%	0.43%	0.44%	0.40%	0.39%	0.36%	0.37%
1 TO 8 MEDS	40.48%	36.98%	33.53%	31.08%	29.07%	27.97%	26.31%	24.94%	24.34%
9 TO 15 MEDS	48.06%	49.78%	51.13%	51.66%	51.58%	51.61%	51.65%	51.40%	50.98%
MORE THAN 15 MEDS	10.96%	12.80%	14.94%	16.83%	18.91%	20.02%	21.65%	23.29%	24.31%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.58%	99.56%	99.49%

O2 1/	NEW MEDICATIONS								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
CURRENTLY RECEIVING MEDICATIONS INITIATED DURING THE LAST 90 DAYS	60.27%	57.80%	58.27%	60.24%	63.72%	61.95%	61.62%	61.97%	61.95%
TOTAL REPORTING	93.83%	89.60%	88.70%	55.77%	28.60%	28.11%	27.82%	27.67%	28.30%

O3**	INJECTIONS								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	76.08%	74.42%	72.66%	70.21%	69.32%	68.16%	67.23%	66.73%	66.49%
1 TO 2 DAYS	10.01%	10.62%	10.81%	11.57%	11.18%	11.12%	10.96%	10.74%	10.43%
3 TO 4 DAYS	1.07%	1.26%	1.37%	1.56%	1.55%	1.60%	1.63%	1.65%	1.58%
5 TO 6 DAYS	1.02%	1.20%	1.46%	1.64%	1.68%	1.78%	1.86%	1.94%	1.92%
7 DAYS	11.82%	12.51%	13.70%	15.02%	16.28%	17.35%	18.32%	18.93%	19.58%
TOTAL REPORTING	99.75%	99.75%	99.76%	99.71%	99.62%	99.59%	99.55%	99.47%	99.37%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Medications
Section O

DAYS RECEIVED ANTIPSYCHOTICS
(In the last 7 days)

O4a	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	72.38%	71.18%	70.33%	70.89%	71.70%	72.38%	72.67%	72.64%	72.58%
1 TO 3 DAYS	0.72%	0.77%	0.82%	0.83%	0.83%	0.85%	0.83%	0.89%	0.90%
4 TO 6 DAYS	0.97%	1.29%	1.44%	1.46%	1.40%	1.43%	1.45%	1.38%	1.36%
7 DAYS	25.93%	26.76%	27.41%	26.81%	26.06%	25.34%	25.05%	25.09%	25.16%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.58%	99.56%	99.49%

DAYS RECEIVED ANTIANXIETY
(In the last 7 days)

O4b	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	81.30%	81.13%	80.73%	80.00%	78.97%	78.36%	77.71%	77.02%	77.34%
1 TO 3 DAYS	3.37%	3.68%	4.01%	4.25%	4.43%	4.65%	4.68%	4.67%	4.39%
4 TO 6 DAYS	1.73%	1.92%	2.08%	2.26%	2.36%	2.45%	2.46%	2.48%	2.32%
7 DAYS	13.60%	13.27%	13.17%	13.49%	14.24%	14.54%	15.16%	15.84%	15.95%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.58%	99.56%	99.49%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Medications
Section O

DAYS RECEIVED ANTIDEPRESSANTS

(In the last 7 days)

O4c	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	51.59%	48.78%	46.62%	45.87%	44.44%	44.08%	44.54%	44.03%	43.73%
1 TO 3 DAYS	0.87%	1.01%	1.01%	1.07%	1.01%	0.99%	0.99%	0.99%	0.97%
4 TO 6 DAYS	1.80%	2.39%	2.79%	3.01%	3.01%	3.17%	3.13%	3.20%	3.13%
7 DAYS	45.74%	47.82%	49.58%	50.05%	51.54%	51.76%	51.34%	51.78%	52.17%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.58%	99.56%	99.49%

DAYS RECEIVED HYPNOTICS

(In the last 7 days)

O4d	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	95.27%	95.11%	94.84%	94.42%	93.66%	93.34%	92.83%	92.82%	93.23%
1 TO 3 DAYS	1.31%	1.41%	1.48%	1.61%	1.84%	1.84%	1.92%	1.82%	1.59%
4 TO 6 DAYS	1.05%	1.12%	1.25%	1.33%	1.41%	1.48%	1.57%	1.54%	1.42%
7 DAYS	2.37%	2.35%	2.43%	2.64%	3.10%	3.34%	3.68%	3.82%	3.76%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.58%	99.56%	99.49%

DAYS RECEIVED DIURETICS

(In the last 7 days)

O4e	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	59.78%	59.33%	58.53%	58.62%	58.70%	58.70%	59.07%	59.22%	59.42%
1 TO 3 DAYS	1.54%	1.70%	1.75%	1.77%	1.74%	1.75%	1.74%	1.78%	1.85%
4 TO 6 DAYS	2.04%	2.43%	2.74%	2.84%	2.79%	2.83%	2.82%	2.86%	2.86%
7 DAYS	36.65%	36.53%	36.97%	36.77%	36.76%	36.72%	36.37%	36.14%	35.87%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.58%	99.56%	99.49%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Special Treatments and Procedures
Section P

SPECIAL TREATMENTS, PROCEDURES, & PROGRAMS

Check all received in the last 14 days

P1a	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) CHEMOTHERAPY**	0.91%	0.88%	0.88%	0.80%	0.76%	0.76%	0.69%	0.73%	0.65%
b) DIALYSIS**	1.41%	1.57%	1.71%	1.82%	1.86%	1.95%	1.92%	1.99%	2.05%
c) IV MEDICATION**	8.88%	9.15%	10.01%	10.93%	12.17%	12.61%	13.52%	13.74%	14.07%
d) INTAKE / OUTPUT	25.85%	24.66%	24.15%	24.05%	23.50%	22.05%	21.34%	20.34%	19.53%
e) MONITORING ACUTE MEDICAL CONDITION	24.55%	26.33%	27.96%	29.81%	30.71%	31.38%	32.32%	31.59%	31.92%
f) OSTOMY CARE	7.73%	7.57%	7.47%	7.26%	7.01%	6.87%	7.15%	7.10%	6.99%
g) OXYGEN THERAPY**	13.27%	14.36%	15.45%	16.56%	17.09%	17.14%	17.45%	17.78%	18.02%
h) RADIATION**	0.14%	0.16%	0.17%	0.15%	0.15%	0.15%	0.15%	0.14%	0.16%
i) SUCTIONING**	1.52%	1.39%	1.42%	1.42%	1.35%	1.26%	1.25%	1.24%	1.21%
j) TRACHEOSTOMY CARE**	1.21%	1.21%	1.26%	1.32%	1.31%	1.29%	1.32%	1.30%	1.30%
k) TRANSFUSIONS**	1.10%	1.14%	1.29%	1.37%	1.39%	1.38%	1.42%	1.38%	1.27%
l) VENTILATOR OR RESPIRATOR**	0.65%	0.61%	0.65%	0.69%	0.68%	0.65%	0.65%	0.61%	0.56%
m) ALCOHOL / DRUG TREATMENT PROGRAM	0.04%	0.04%	0.03%	0.04%	0.03%	0.03%	0.02%	0.02%	0.02%
n) ALZHEIMERS / DEMENTIA SPECIAL CARE UNIT	9.26%	9.68%	10.16%	10.42%	10.49%	10.57%	10.37%	10.21%	10.40%
o) HOSPICE CARE	1.79%	2.21%	2.74%	3.03%	3.52%	4.08%	4.33%	4.83%	5.22%
p) PEDIATRIC UNIT	0.01%	0.01%	0.01%	0.00%	0.01%	0.00%	0.00%	0.00%	0.00%
q) RESPITE CARE	0.10%	0.09%	0.09%	0.10%	0.09%	0.07%	0.08%	0.08%	0.08%
r) TRAINING IN COMMUNITY SKILLS	7.43%	8.80%	9.73%	11.27%	12.13%	12.88%	14.13%	14.79%	15.55%
s) NONE OF THE ABOVE	45.75%	44.21%	42.30%	40.80%	39.65%	39.05%	38.40%	38.36%	38.01%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Special Treatments and Procedures
Section P

SPECIAL TREATMENTS/PROCEDURES									
SPEECH THERAPY									
(Days administered for 15 minutes or more in the last 7 days)									
P1baA**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	94.66%	93.99%	93.01%	91.87%	91.17%	90.40%	89.12%	87.45%	86.85%
1 TO 2 DAYS	1.13%	1.25%	1.27%	1.40%	1.50%	1.59%	1.69%	1.76%	1.81%
3 TO 4 DAYS	1.80%	1.97%	2.24%	2.43%	2.67%	2.91%	3.28%	3.69%	3.73%
5 TO 7 DAYS	2.41%	2.79%	3.48%	4.31%	4.66%	5.10%	5.91%	7.10%	7.60%
TOTAL REPORTING	99.75%	99.72%	99.74%	99.62%	99.54%	99.50%	99.46%	99.39%	99.30%

SPECIAL TREATMENTS/PROCEDURES									
SPEECH THERAPY									
(Total number of minutes administered in the last 7 days)									
P1baB**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 MINUTES		93.98%	92.98%	91.84%	91.15%	90.38%	89.09%	87.43%	86.84%
1 TO 44 MINUTES		0.45%	0.44%	0.47%	0.51%	0.53%	0.54%	0.55%	0.52%
45 TO 149 MINUTES		2.47%	2.67%	2.94%	3.08%	3.30%	3.59%	3.99%	4.14%
150 TO 324 MINUTES		3.03%	3.83%	4.65%	5.14%	5.68%	6.64%	7.90%	8.38%
325-499 MINUTES		0.08%	0.08%	0.10%	0.11%	0.11%	0.14%	0.12%	0.11%
500-719 MINUTES		0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.01%
720 OR MORE MINUTES		0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
TOTAL REPORTING		99.61%	99.43%	99.41%	99.63%	99.35%	99.35%	99.37%	99.30%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Special Treatments and Procedures
Section P

SPECIAL TREATMENTS/PROCEDURES

OCCUPATIONAL THERAPY

(Days administered for 15 minutes or more in the last 7 days)

P1bbA**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	82.61%	80.35%	78.51%	76.91%	75.40%	73.82%	71.43%	70.39%	69.98%
1 TO 2 DAYS	2.20%	2.44%	2.45%	2.59%	2.62%	2.63%	2.64%	2.49%	2.45%
3 TO 4 DAYS	4.74%	5.30%	5.45%	5.61%	6.14%	6.42%	6.86%	7.00%	6.75%
5 TO 7 DAYS	10.46%	11.91%	13.59%	14.89%	15.84%	17.13%	19.07%	20.12%	20.82%
TOTAL REPORTING	99.75%	99.73%	99.74%	99.63%	99.55%	99.53%	99.50%	99.43%	99.33%

SPECIAL TREATMENTS/PROCEDURES

OCCUPATIONAL THERAPY

(Total number of minutes administered in the last 7 days)

P1bbB**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 MINUTES		80.33%	78.46%	76.87%	75.36%	73.79%	71.40%	70.38%	69.98%
1 TO 44 MINUTES		0.71%	0.73%	0.74%	0.73%	0.70%	0.68%	0.63%	0.59%
45 TO 149 MINUTES		5.66%	5.81%	5.83%	6.09%	6.03%	6.15%	5.89%	5.84%
150 TO 324 MINUTES		12.63%	14.17%	15.39%	16.18%	17.17%	18.61%	19.13%	19.20%
325-499 MINUTES		0.66%	0.83%	1.16%	1.62%	2.29%	3.14%	3.93%	4.37%
500-719 MINUTES		0.01%	0.01%	0.01%	0.01%	0.02%	0.02%	0.02%	0.02%
720 OR MORE MINUTES		0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
TOTAL REPORTING		99.62%	99.47%	99.44%	99.39%	99.38%	99.39%	99.41%	99.32%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Special Treatments and Procedures
Section P

SPECIAL TREATMENTS/PROCEDURES									
PHYSICAL THERAPY									
(Days administered for 15 minutes or more in the last 7 days)									
P1bcA**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	79.73%	77.66%	75.50%	73.95%	72.59%	70.61%	68.30%	67.33%	66.73%
1 TO 2 DAYS	2.18%	2.39%	2.36%	2.45%	2.52%	2.47%	2.47%	2.35%	2.26%
3 TO 4 DAYS	5.07%	5.45%	5.52%	5.65%	6.20%	6.40%	6.58%	6.70%	6.74%
5 TO 7 DAYS	13.03%	14.50%	16.62%	17.95%	18.69%	20.52%	22.65%	23.62%	24.27%
TOTAL REPORTING	99.75%	99.73%	99.74%	99.63%	99.56%	99.53%	99.50%	99.41%	99.34%

SPECIAL TREATMENTS/PROCEDURES									
PHYSICAL THERAPY									
(Total number of minutes administered in the last 7 days)									
P1bcB**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 MINUTES		77.63%	75.42%	73.89%	72.54%	70.56%	68.26%	67.32%	66.72%
1 TO 44 MINUTES		0.69%	0.70%	0.67%	0.73%	0.69%	0.64%	0.60%	0.57%
45 TO 149 MINUTES		5.94%	5.88%	5.94%	6.19%	5.99%	6.01%	5.68%	5.79%
150 TO 324 MINUTES		14.64%	16.62%	17.68%	18.17%	19.49%	20.65%	20.98%	21.26%
325-499 MINUTES		1.05%	1.31%	1.74%	2.27%	3.15%	4.32%	5.28%	5.51%
500-719 MINUTES		0.06%	0.06%	0.06%	0.08%	0.10%	0.12%	0.13%	0.14%
720 OR MORE MINUTES		0.01%	0.00%	0.01%	0.01%	0.01%	0.00%	0.01%	0.01%
TOTAL REPORTING		99.63%	99.49%	99.46%	99.41%	99.41%	99.41%	99.41%	99.34%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Special Treatments and Procedures
Section P

SPECIAL TREATMENTS/PROCEDURES

RESPIRATORY THERAPY

(Days administered for 15 minutes or more in the last 7 days)

P1bdA**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	95.54%	95.44%	95.06%	94.52%	94.53%	94.64%	94.21%	94.21%	94.07%
1 TO 2 DAYS	0.37%	0.42%	0.43%	0.48%	0.39%	0.36%	0.35%	0.34%	0.38%
3 TO 4 DAYS	0.38%	0.40%	0.40%	0.46%	0.45%	0.41%	0.42%	0.39%	0.40%
5 TO 7 DAYS	3.71%	3.74%	4.11%	4.54%	4.63%	4.60%	5.01%	5.06%	5.15%
TOTAL REPORTING	99.75%	99.72%	99.49%	99.61%	99.53%	99.50%	99.45%	99.36%	99.27%

SPECIAL TREATMENTS/PROCEDURES

RESPIRATORY THERAPY

(Total number of minutes administered in the last 7 days)

P1bdB	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 MINUTES		95.43%	95.04%	94.49%	94.49%	94.59%	94.17%	94.18%	94.06%
1 TO 44 MINUTES		0.26%	0.27%	0.29%	0.25%	0.25%	0.23%	0.23%	0.25%
45 TO 149 MINUTES		0.86%	0.98%	1.28%	1.16%	1.16%	1.23%	1.21%	1.18%
150 TO 324 MINUTES		1.44%	1.61%	1.77%	1.88%	1.95%	2.19%	2.27%	2.32%
325-499 MINUTES		1.21%	1.29%	1.36%	1.44%	1.33%	1.45%	1.42%	1.52%
500-719 MINUTES		0.45%	0.48%	0.48%	0.47%	0.46%	0.45%	0.43%	0.47%
720 OR MORE MINUTES		0.35%	0.32%	0.32%	0.31%	0.27%	0.28%	0.27%	0.20%
TOTAL REPORTING		99.60%	99.74%	99.40%	99.35%	99.34%	99.33%	99.33%	99.27%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Special Treatments and Procedures
Section P

SPECIAL TREATMENTS/PROCEDURES									
PSYCHOLOGICAL THERAPY									
(Days administered for 15 minutes or more in the last 7 days)									
P1beA	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	98.28%	98.42%	98.45%	98.54%	98.44%	98.53%	98.56%	98.45%	98.42%
1 TO 2 DAYS	1.71%	1.56%	1.47%	1.37%	1.46%	1.38%	1.32%	1.43%	1.46%
3 TO 4 DAYS	0.01%	0.01%	0.07%	0.07%	0.08%	0.07%	0.09%	0.10%	0.09%
5 TO 7 DAYS	0.01%	0.01%	0.00%	0.00%	0.00%	0.01%	0.00%	0.01%	0.01%
TOTAL REPORTING	99.75%	99.72%	99.74%	99.61%	99.53%	99.49%	99.44%	99.36%	99.27%

SPECIAL TREATMENTS/PROCEDURES									
PSYCHOLOGICAL THERAPY									
(Total number of minutes administered in the last 7 days)									
P1beB	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 MINUTES		98.41%	98.43%	98.53%	98.43%	98.52%	98.55%	98.44%	98.42%
1 TO 44 MINUTES		0.69%	0.69%	0.68%	0.73%	0.62%	0.59%	0.65%	0.69%
45 TO 149 MINUTES		0.89%	0.87%	0.79%	0.83%	0.85%	0.84%	0.89%	0.87%
150 TO 324 MINUTES		0.01%	0.01%	0.01%	0.01%	0.01%	0.01%	0.01%	0.02%
325-499 MINUTES		0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.01%
500-719 MINUTES		0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
720 OR MORE MINUTES		0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
TOTAL REPORTING		99.60%	99.42%	99.40%	99.35%	99.33%	99.32%	99.34%	99.27%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.
 ** Item contributes to RUG III grouping.
 Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Special Treatments and Procedures
Section P

INTERVENTION PROGRAMS FOR MOOD, BEHAVIOR, COGNITIVE LOSS

Check all used in the last 7 days

P2 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) SPECIAL BEHAVIORAL SYMPTOM EVALUATION PROGRAM	13.11%	12.79%	12.40%	10.79%	7.93%	6.58%	5.40%	4.86%	4.49%
b) EVALUATION BY LICENSED MH SPECIALIST IN LAST 90 DAYS	22.46%	23.53%	24.23%	23.26%	20.01%	19.20%	17.98%	17.89%	17.73%
c) GROUP THERAPY	0.55%	0.34%	0.29%	0.24%	0.18%	0.17%	0.13%	0.12%	0.12%
d) RESIDENT - SPECIFIC CHANGES IN ENVIRONMENT	3.41%	3.30%	3.31%	2.87%	2.32%	1.94%	1.67%	1.42%	1.37%
e) REORIENTATION - E.G. CUEING	52.93%	55.39%	56.15%	54.92%	51.72%	49.43%	46.43%	45.15%	45.03%
f) NONE OF THE ABOVE	34.41%	32.38%	31.89%	33.81%	38.35%	40.78%	44.06%	45.45%	45.74%

* More than one item may be checked per resident

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Special Treatments and Procedures
Section P

NURSING REHABILITATION/RESTORATIVE CARE

RANGE OF MOTION (PASSIVE)

(Days administered for 15 minutes or more in the last 7 days)

P3a**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	85.60%	87.14%	88.56%	90.11%	91.31%	92.32%	93.07%	93.67%	93.82%
1 TO 2 DAYS	0.51%	0.48%	0.44%	0.46%	0.45%	0.45%	0.40%	0.33%	0.34%
3 TO 5 DAYS	2.64%	2.40%	2.02%	1.83%	1.55%	1.53%	1.46%	1.21%	1.19%
6 TO 7 DAYS	11.25%	11.14%	8.98%	7.60%	6.69%	5.70%	5.08%	4.78%	4.66%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.53%	99.46%	99.38%

NURSING REHABILITATION/RESTORATIVE CARE

RANGE OF MOTION (ACTIVE)

(Days administered for 15 minutes or more in the last 7 days)

P3b**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	77.41%	77.49%	77.92%	78.85%	79.83%	81.32%	82.82%	82.95%	83.28%
1 TO 2 DAYS	0.91%	0.98%	0.97%	1.03%	1.03%	1.05%	1.00%	0.96%	1.02%
3 TO 5 DAYS	4.01%	4.05%	3.76%	3.76%	3.66%	3.75%	3.52%	3.37%	3.33%
6 TO 7 DAYS	17.67%	17.49%	17.35%	16.36%	15.48%	13.89%	12.66%	12.72%	12.37%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.53%	99.46%	99.40%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Special Treatments and Procedures
Section P

NURSING REHABILITATION/RESTORATIVE CARE

SPLINT OR BRACE ASSISTANCE

(Days administered for 15 minutes or more in the last 7 days)

P3c**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	95.12%	95.48%	95.99%	96.46%	96.91%	97.24%	97.50%	97.53%	97.61%
1 TO 2 DAYS	0.13%	0.12%	0.12%	0.11%	0.10%	0.11%	0.14%	0.13%	0.09%
3 TO 5 DAYS	0.42%	0.43%	0.37%	0.37%	0.36%	0.38%	0.36%	0.34%	0.33%
6 TO 7 DAYS	4.33%	3.97%	3.52%	3.05%	2.62%	2.28%	2.01%	2.00%	1.97%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.53%	99.46%	99.38%

NURSING REHABILITATION/RESTORATIVE CARE

BED MOBILITY

(Days administered for 15 minutes or more in the last 7 days)

P3d**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	99.20%	99.33%	99.26%	99.25%	99.23%	99.34%	99.40%	99.42%	99.36%
1 TO 2 DAYS	0.03%	0.03%	0.03%	0.03%	0.03%	0.03%	0.04%	0.03%	0.03%
3 TO 5 DAYS	0.11%	0.09%	0.10%	0.09%	0.08%	0.08%	0.09%	0.07%	0.08%
6 TO 7 DAYS	0.66%	0.54%	0.61%	0.63%	0.66%	0.55%	0.46%	0.49%	0.54%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.53%	99.46%	99.37%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Special Treatments and Procedures
Section P

NURSING REHABILITATION/RESTORATIVE CARE

TRANSFER

(Days administered for 15 minutes or more in the last 7 days)

P3e**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	94.35%	94.94%	95.22%	95.68%	96.07%	96.33%	96.63%	96.72%	96.66%
1 TO 2 DAYS	0.23%	0.23%	0.22%	0.22%	0.20%	0.23%	0.23%	0.21%	0.23%
3 TO 5 DAYS	0.87%	0.79%	0.73%	0.65%	0.58%	0.64%	0.61%	0.56%	0.62%
6 TO 7 DAYS	4.54%	4.04%	3.83%	3.45%	3.15%	2.80%	2.53%	2.52%	2.50%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.53%	99.46%	99.37%

NURSING REHABILITATION/RESTORATIVE CARE

WALKING

(Days administered for 15 minutes or more in the last 7 days)

P3f**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	80.76%	81.34%	82.30%	83.42%	84.41%	85.78%	87.03%	87.44%	87.67%
1 TO 2 DAYS	1.13%	1.17%	1.09%	1.07%	1.06%	1.02%	1.01%	1.03%	1.04%
3 TO 5 DAYS	4.11%	3.95%	3.49%	3.30%	3.15%	3.12%	2.97%	2.83%	2.79%
6 TO 7 DAYS	14.00%	13.54%	13.12%	12.21%	11.38%	10.08%	8.99%	8.70%	8.51%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.62%	99.59%	99.53%	99.46%	99.38%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Special Treatments and Procedures
Section P

NURSING REHABILITATION/RESTORATIVE CARE

DRESSING OR GROOMING

(Days administered for 15 minutes or more in the last 7 days)

P3g**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	93.69%	93.96%	94.39%	94.41%	94.91%	95.51%	95.91%	95.99%	96.08%
1 TO 2 DAYS	0.15%	0.15%	0.16%	0.15%	0.16%	0.15%	0.14%	0.14%	0.12%
3 TO 5 DAYS	0.56%	0.53%	0.51%	0.51%	0.46%	0.48%	0.45%	0.45%	0.40%
6 TO 7 DAYS	5.59%	5.36%	4.93%	4.93%	4.47%	3.86%	3.50%	3.41%	3.39%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.53%	99.46%	99.38%

NURSING REHABILITATION/RESTORATIVE CARE

EATING OR SWALLOWING

(Days administered for 15 minutes or more in the last 7 days)

P3h**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	94.84%	95.24%	95.79%	96.16%	96.48%	96.79%	97.04%	97.26%	97.33%
1 TO 2 DAYS	0.12%	0.11%	0.12%	0.10%	0.10%	0.10%	0.10%	0.09%	0.09%
3 TO 5 DAYS	0.56%	0.52%	0.45%	0.44%	0.41%	0.41%	0.38%	0.33%	0.34%
6 TO 7 DAYS	4.48%	4.12%	3.63%	3.30%	3.01%	2.70%	2.48%	2.32%	2.24%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.53%	99.46%	99.37%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Special Treatments and Procedures
Section P

NURSING REHABILITATION/RESTORATIVE CARE
AMPUTATION/PROSTHESIS CARE
(Days administered for 15 minutes or more in the last 7 days)

P3i**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	99.93%	99.93%	99.95%	99.95%	99.95%	99.96%	99.97%	99.97%	99.96%
1 TO 2 DAYS	0.00%	0.00%	0.00%	0.01%	0.00%	0.00%	0.00%	0.01%	0.01%
3 TO 5 DAYS	0.01%	0.01%	0.01%	0.01%	0.01%	0.00%	0.00%	0.01%	0.01%
6 TO 7 DAYS	0.06%	0.05%	0.04%	0.03%	0.04%	0.03%	0.03%	0.02%	0.03%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.53%	99.46%	99.37%

NURSING REHABILITATION/RESTORATIVE CARE
COMMUNICATION
(Days administered for 15 minutes or more in the last 7 days)

P3j**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	99.51%	99.56%	99.45%	99.42%	99.50%	99.61%	99.60%	99.64%	99.64%
1 TO 2 DAYS	0.03%	0.02%	0.03%	0.02%	0.02%	0.02%	0.02%	0.02%	0.02%
3 TO 5 DAYS	0.07%	0.07%	0.07%	0.07%	0.07%	0.06%	0.07%	0.07%	0.07%
6 TO 7 DAYS	0.40%	0.36%	0.49%	0.49%	0.41%	0.31%	0.30%	0.27%	0.27%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.53%	99.46%	99.37%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Special Treatments and Procedures
Section P

NURSING REHABILITATION/RESTORATIVE CARE

OTHER

(Days administered for 15 minutes or more in the last 7 days)

P3k	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	97.15%	97.49%	97.81%	98.07%	98.05%	98.33%	98.67%	98.77%	98.63%
1 TO 2 DAYS	0.21%	0.21%	0.17%	0.13%	0.12%	0.12%	0.09%	0.08%	0.09%
3 TO 5 DAYS	0.56%	0.51%	0.39%	0.35%	0.34%	0.31%	0.27%	0.23%	0.23%
6 TO 7 DAYS	2.07%	1.79%	1.62%	1.45%	1.49%	1.24%	0.97%	0.93%	1.06%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.53%	99.46%	99.38%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Special Treatments and Procedures
Section P

DEVICES & RESTRAINTS									
FULL BED RAILS ON ALL OPEN SIDES									
P4a	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NOT USED	91.58%	94.49%	96.19%	97.37%	98.04%	98.64%	99.12%	99.39%	99.52%
USED LESS THAN DAILY	0.15%	0.12%	0.10%	0.06%	0.06%	0.04%	0.03%	0.03%	0.02%
USED DAILY	8.27%	5.39%	3.71%	2.56%	1.90%	1.33%	0.85%	0.59%	0.46%
TOTAL REPORTING	99.75%	99.76%	99.74%	99.71%	99.63%	99.59%	98.30%	99.47%	99.39%

DEVICES & RESTRAINTS									
OTHER TYPES OF SIDE RAILS USED									
P4b	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NOT USED	66.32%	75.63%	80.05%	82.89%	84.49%	86.82%	88.92%	90.81%	91.45%
USED LESS THAN DAILY	0.80%	0.59%	0.48%	0.41%	0.39%	0.33%	0.36%	0.34%	0.27%
USED DAILY	32.88%	23.78%	19.47%	16.70%	15.12%	12.84%	10.72%	8.86%	8.28%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.49%	99.47%	99.39%

DEVICES & RESTRAINTS									
TRUNK RESTRAINT									
P4c	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NOT USED	95.73%	95.90%	96.08%	96.31%	96.34%	96.52%	96.85%	97.20%	97.65%
USED LESS THAN DAILY	0.33%	0.31%	0.28%	0.28%	0.31%	0.26%	0.24%	0.23%	0.18%
USED DAILY	3.94%	3.79%	3.64%	3.41%	3.34%	3.22%	2.91%	2.57%	2.18%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.49%	99.47%	99.39%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.
 ** Item contributes to RUG III grouping.
 Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Special Treatments and Procedures
Section P

DEVICES & RESTRAINTS

LIBM RESTRAINT

P4d	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NOT USED	99.77%	99.78%	99.80%	99.82%	99.82%	99.83%	99.83%	99.86%	99.88%
USED LESS THAN DAILY	0.05%	0.05%	0.05%	0.04%	0.05%	0.05%	0.04%	0.03%	0.03%
USED DAILY	0.18%	0.17%	0.14%	0.14%	0.13%	0.12%	0.13%	0.10%	0.09%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.49%	99.47%	99.39%

DEVICES & RESTRAINTS

CHAIR PREVENTS RISING

P4e	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NOT USED	94.42%	95.89%	96.87%	97.43%	97.88%	98.21%	98.43%	98.72%	98.93%
USED LESS THAN DAILY	0.62%	0.44%	0.34%	0.29%	0.23%	0.21%	0.18%	0.15%	0.16%
USED DAILY	4.96%	3.67%	2.79%	2.28%	1.89%	1.58%	1.39%	1.13%	0.91%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.59%	99.49%	99.47%	99.39%

HOSPITAL STAY(S)

OF TIMES ADMITTED OVERNIGHT IN LAST 90 DAYS

P5 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 TIMES	86.54%	86.83%	86.67%	82.02%	72.17%	71.71%	69.91%	69.81%	69.22%
1 TO 3 TIMES	13.40%	13.13%	13.27%	17.90%	27.74%	28.19%	29.97%	30.05%	30.64%
4 TO 6 TIMES	0.05%	0.04%	0.05%	0.07%	0.08%	0.09%	0.10%	0.13%	0.12%
7 OR MORE TIMES	0.01%	0.01%	0.01%	0.01%	0.01%	0.01%	0.02%	0.02%	0.03%
TOTAL REPORTING	93.83%	89.61%	88.71%	55.77%	28.60%	28.12%	27.84%	27.69%	28.34%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Special Treatments and Procedures
Section P

EMERGENCY ROOM VISIT(S)									
# OF TIMES VISITED (NOT OVERNIGHT) IN LAST 90 DAYS									
P6 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 TIMES	93.61%	93.83%	93.88%	93.53%	93.02%	92.96%	92.93%	92.70%	92.70%
1 TO 3 TIMES	6.35%	6.13%	6.09%	6.43%	6.94%	6.99%	7.02%	7.24%	7.24%
4 TO 6 TIMES	0.03%	0.03%	0.03%	0.03%	0.03%	0.03%	0.04%	0.05%	0.05%
7 OR MORE TIMES	0.01%	0.00%	0.00%	0.01%	0.01%	0.02%	0.01%	0.01%	0.02%
TOTAL REPORTING	93.83%	89.61%	88.70%	55.76%	28.60%	28.12%	27.83%	27.69%	28.33%

PHYSICIAN VISIT(S)									
# OF TIMES EXAMINED IN LAST 14 DAYS									
P7**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 TIMES	39.44%	37.74%	36.14%	35.57%	35.00%	34.61%	34.33%	33.20%	32.45%
1 TO 3 TIMES	44.18%	43.49%	42.79%	42.67%	42.70%	42.28%	41.83%	41.57%	41.24%
4 TO 6 TIMES	12.46%	14.13%	15.76%	16.40%	17.05%	17.55%	17.87%	18.71%	19.38%
7 OR MORE TIMES	3.91%	4.63%	5.31%	5.36%	5.25%	5.56%	5.97%	6.52%	6.93%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.60%	99.58%	99.56%	99.49%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Special Treatments and Procedures
Section P

PHYSICIAN ORDERS									
# OF TIMES ORDERS CHANGED IN LAST 14 DAYS									
P8**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	28.19%	27.07%	26.06%	25.30%	24.76%	24.31%	23.88%	23.20%	22.63%
1 TO 3 DAYS	54.01%	54.57%	54.82%	54.92%	55.47%	55.39%	55.05%	55.00%	55.12%
4 OR MORE DAYS	17.80%	18.36%	19.12%	19.78%	19.77%	20.30%	21.08%	21.79%	22.25%
TOTAL REPORTING	99.75%	99.76%	99.76%	99.71%	99.63%	99.60%	99.58%	99.56%	99.49%

PHYSICIAN VISIT(S)									
# OF TIMES EXAMINED IN LAST 14 DAYS									
P9 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
THE RESIDENT HAS HAD ABNORMAL LAB VALUES DURING THE LAST 90 DAYS	73.09%	74.18%	76.10%	76.54%	76.04%	76.37%	77.25%	77.90%	78.51%
TOTAL REPORTING	93.83%	89.59%	88.70%	55.88%	28.58%	28.10%	27.82%	27.66%	28.30%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Special Treatments and Procedures
Section Q

Q1a-b	DISCHARGE POTENTIAL								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
a) RESIDENT WISHES TO RETURN TO COMMUNITY	18.85%	20.13%	21.45%	22.79%	23.12%	23.60%	24.72%	24.91%	25.42%
TOTAL REPORTING	99.74%	99.75%	99.73%	99.68%	99.58%	99.53%	99.48%	99.46%	99.37%
b) SUPPORT PERSON POSITIVE TOWARD DISCHARGE	9.59%	9.00%	9.58%	13.80%	23.34% 1/	24.24% 1/	25.61% 1/	25.89% 1/	26.32% 1/
TOTAL REPORTING	99.74%	99.75%	99.73%	99.68%	28.55%	28.05%	27.73%	27.58%	28.21%

Q1c	DISCHARGE POTENTIAL DISCHARGE PROJECTED WITHIN 90 DAYS								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO	85.47%	84.15%	83.09%	81.49%	80.69%	80.04%	78.95%	78.87%	78.47%
WITHIN 30 DAYS	2.99%	3.34%	3.69%	4.10%	4.42%	4.68%	5.41%	5.48%	5.68%
WITHIN 31 - 90 DAYS	2.11%	2.31%	2.57%	2.95%	3.17%	3.54%	3.83%	4.27%	4.60%
DISCHARGE STATUS UNCERTAIN	9.43%	10.20%	10.65%	11.46%	11.72%	11.74%	11.81%	11.37%	11.25%
TOTAL REPORTING	99.74%	99.74%	99.73%	99.68%	99.60%	99.55%	99.50%	99.48%	99.37%

Q2	OVERALL CHANGE IN CARE NEEDS OVERALL SELF-SUFFICIENCY HAS CHANGED COMPARED TO 90 DAYS AGO								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
NO CHANGE	85.44%	85.32%	85.24%	84.95%	85.10%	85.43%	85.14%	85.04%	84.42%
IMPROVED	3.44%	3.50%	3.57%	3.68%	3.61%	3.59%	3.59%	3.59%	3.78%
DETERIORATED	11.12%	11.18%	11.20%	11.37%	11.29%	10.99%	11.26%	11.37%	11.80%
TOTAL REPORTING	99.74%	99.75%	99.75%	99.70%	99.61%	99.58%	99.55%	99.51%	99.43%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Supplement
Section T

SPECIAL TREATMENTS/PROCEDURES

RECREATION THERAPY

(Days administered for 15 minutes or more in the last 7 days)

T1aA 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total				
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716 1/	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS	99.84%	99.87%	99.88%	99.89%	99.88%	99.86%	99.86%	99.88%	99.80%
1 TO 3 DAYS	0.11%	0.09%	0.08%	0.06%	0.08%	0.07%	0.08%	0.05%	0.06%
4 TO 6 DAYS	0.03%	0.03%	0.03%	0.04%	0.02%	0.04%	0.05%	0.06%	0.11%
7 DAYS	0.02%	0.01%	0.01%	0.00%	0.02%	0.03%	0.01%	0.02%	0.03%
TOTAL REPORTING	92.69%	88.11%	86.23%	72.59%	52.65%	46.61%	39.89%	36.77%	35.08%

SPECIAL TREATMENTS/PROCEDURES

RECREATION THERAPY

(Total number of minutes administered in the last 7 days)

T1aB 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total	Percent of Total	Percent of Total	Percent of Total	Percent of Total				
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716 1/	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 MINUTES		99.91%	99.92%	99.94%	99.94%	99.91%	99.91%	99.92%	99.85%
1 TO 44 MINUTES		0.01%	0.02%	0.02%	0.02%	0.02%	0.03%	0.01%	0.00%
45 TO 149 MINUTES		0.05%	0.04%	0.02%	0.02%	0.01%	0.01%	0.01%	0.03%
150 TO 324 MINUTES		0.01%	0.01%	0.01%	0.01%	0.01%	0.02%	0.03%	0.04%
325-499 MINUTES		0.01%	0.00%	0.01%	0.00%	0.01%	0.01%	0.01%	0.03%
500-719 MINUTES		0.01%	0.00%	0.00%	0.01%	0.02%	0.02%	0.01%	0.02%
720 OR MORE MINUTES		0.00%	0.00%	0.00%	0.00%	0.01%	0.00%	0.01%	0.03%
TOTAL REPORTING		87.41%	85.50%	72.02%	52.23%	46.22%	39.50%	36.69%	35.14%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Supplement
Section T

SPECIAL TREATMENTS/PROCEDURES ORDERED THERAPIES									
T1b**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
PHYSICIAN ORDERED ANY THERAPIES TO BEGIN IN FIRST 14 DAYS (ST, OT, PT)	73.60%	76.68%	75.77%	78.17%	86.10%	87.44%	89.43%	90.64%	91.73%
TOTAL REPORTING*	4.70%	5.30%	5.75%	6.17%	5.60%	5.64%	6.00%	5.90%	5.92%

* Only reported for Medicare 5-day or Medicare return/readmission

SPECIAL TREATMENTS/PROCEDURES ORDERED THERAPIES (Estimated days when at least 1 therapy can be expected through day 15)									
T1c**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 DAYS		2.91%	3.32%	3.08%	1.84%	1.69%	1.43%	1.33%	1.14%
1 TO 3 DAYS		1.02%	1.15%	0.89%	0.70%	0.68%	0.58%	0.51%	0.65%
4 TO 6 DAYS		2.50%	2.12%	1.77%	1.41%	1.16%	1.15%	1.27%	1.38%
7 TO 9 DAYS		12.64%	10.70%	10.62%	11.34%	10.94%	10.84%	9.58%	8.09%
10 TO 12 DAYS		74.93%	77.13%	78.69%	78.85%	80.61%	80.58%	81.25%	82.24%
13 TO 15 DAYS		6.01%	5.57%	4.95%	5.86%	4.91%	5.42%	6.06%	6.50%
TOTAL REPORTING		4.04%	4.34%	4.79%	4.81%	4.92%	5.35%	5.34%	5.41%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Supplement
Section T

SPECIAL TREATMENTS/PROCEDURES

ORDERED THERAPIES

(Estimated number of minutes expected to be delivered through day 15)

T1d**	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
0 MINUTES		2.91%	3.32%	3.08%	1.84%	1.69%	1.43%	1.33%	1.14%
1 TO 44 MINUTES		0.33%	0.40%	0.30%	0.22%	0.23%	0.18%	0.09%	0.23%
45 TO 149 MINUTES		0.86%	0.89%	0.65%	0.45%	0.40%	0.33%	0.28%	0.29%
150 TO 324 MINUTES		9.38%	8.51%	6.90%	7.51%	6.50%	5.74%	4.69%	4.19%
325-499 MINUTES		6.76%	5.58%	5.22%	5.68%	5.26%	4.24%	3.83%	3.49%
500-719 MINUTES		36.73%	32.92%	32.42%	27.02%	23.38%	19.65%	16.13%	14.03%
720 OR MORE MINUTES		43.04%	48.37%	51.42%	57.27%	62.52%	68.44%	73.65%	76.64%
TOTAL REPORTING		4.04%	4.33%	4.79%	4.81%	4.91%	5.35%	5.34%	5.41%

WALKING WHEN MOST SELF-SUFFICIENT

FURTHEST DISTANCE WALKED

T2a 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
150 + FEET	44.84%	47.57%	47.64%	49.95%	52.64%	54.20%	53.80%	55.19%	54.60%
41 - 149 FEET	25.75%	25.05%	25.23%	23.92%	21.45%	20.58%	20.51%	20.10%	20.77%
26 - 50 FEET	12.82%	12.14%	12.05%	11.21%	10.47%	10.01%	10.22%	9.80%	9.86%
10 - 25 FEET	10.18%	9.42%	9.22%	8.92%	8.78%	8.62%	8.84%	8.46%	8.45%
LESS THAN 10 FEET	6.41%	5.82%	5.86%	5.99%	6.66%	6.59%	6.63%	6.45%	6.32%
TOTAL REPORTING	33.68%	32.73%	32.27%	29.18%	22.89%	20.98%	18.53%	17.70%	17.26%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Supplement
Section T

WALKING WHEN MOST SELF-SUFFICIENT

T2b 1/	TIME WALKED								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
1-2 MINUTES	28.30%	30.39%	30.55%	34.23%	40.43%	42.62%	42.80%	44.70%	44.78%
3-4 MINUTES	25.50%	24.80%	25.67%	26.03%	25.82%	25.88%	26.98%	27.10%	27.20%
5 - 10 MINUTES	27.63%	26.40%	26.22%	24.40%	21.61%	20.78%	20.60%	19.99%	19.74%
11 - 15 MINUTES	16.48%	16.52%	15.78%	13.82%	11.05%	9.62%	8.48%	7.21%	7.27%
16 - 30 MINUTES	1.73%	1.53%	1.45%	1.16%	0.84%	0.89%	0.93%	0.83%	0.79%
31 + MINUTES	0.36%	0.36%	0.34%	0.37%	0.25%	0.22%	0.21%	0.18%	0.23%
TOTAL REPORTING	33.64%	32.67%	32.23%	29.10%	22.85%	20.95%	18.50%	17.68%	17.21%

WALKING WHEN MOST SELF-SUFFICIENT

T2c 1/	SELF-PERFORMANCE IN WALKING								
	2002 Percent of Total	2003 Percent of Total	2004 Percent of Total	2005 Percent of Total	2006 Percent of Total	2007 Percent of Total	2008 Percent of Total	2009 Percent of Total	2010 Percent of Total
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDEPENDENT	19.99%	22.50%	22.26%	25.57%	30.78%	32.79%	32.37%	33.69%	33.45%
SUPERVISION	20.22%	19.37%	19.10%	18.09%	17.04%	16.13%	16.12%	16.09%	15.81%
LIMITED ASSISTANCE	39.57%	38.68%	39.43%	37.91%	34.36%	33.37%	33.90%	33.16%	33.39%
EXTENSIVE ASSISTANCE	20.22%	19.44%	19.21%	18.43%	17.81%	17.71%	17.60%	17.06%	17.35%
TOTAL REPORTING	33.64%	32.67%	32.25%	29.15%	22.88%	20.96%	18.52%	17.70%	17.22%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.

Ohio Nursing Facility Resident Profile
Supplement
Section T

WALKING WHEN MOST SELF-SUFFICIENT
WALKING SUPPORT PROVIDED

T2d 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
INDEPENDENT	24.16%	26.39%	26.11%	29.50%	34.53%	36.45%	35.83%	37.17%	36.80%
SUPERVISION	15.68%	15.24%	15.02%	14.18%	13.54%	12.63%	12.75%	12.51%	12.35%
LIMITED ASSISTANCE	48.45%	47.25%	47.94%	46.30%	42.77%	42.19%	43.08%	42.17%	42.67%
EXTENSIVE ASSISTANCE	11.71%	11.12%	10.94%	10.03%	9.16%	8.72%	8.34%	8.14%	8.17%
TOTAL REPORTING	33.67%	32.68%	32.27%	29.16%	22.89%	20.97%	18.52%	17.70%	17.22%

WALKING WHEN MOST SELF-SUFFICIENT
PARALLEL BARS

T2e 1/	2002	2003	2004	2005	2006	2007	2008	2009	2010
	Percent of Total								
	Assessments = 320,374	Assessments = 319,841	Assessments = 321,670	Assessments = 322,381	Assessments = 325,716	Assessments = 325,395	Assessments = 323,526	Assessments = 319,721	Assessments = 159,361 (RPED 3-31-10 & 6-30-10)
PARALLEL BARS USED BY RESIDENT IN ASSOCIATION WITH THIS EPISODE	3.71%	3.25%	3.30%	3.41%	3.54%	3.84%	3.82%	3.57%	3.47%
TOTAL REPORTING	34.55%	33.31%	32.79%	29.56%	23.10%	21.18%	18.66%	17.83%	17.40%

1 /Item no longer required by CMS. As of 7/1/05, CMS gave NFs option to submit shorter version of MDS (MPAF) for quarterly assessments.

** Item contributes to RUG III grouping.

Note: Due MDS 3.0 implementation, 2010 includes data up to RPED 6-30-10.