



30 East Broad Street Columbus, Ohio 43215-3414  
jfs.ohio.gov

**TO:** Medicaid Coordinators, Contracting MCPs

**FROM:** Amanda Harpster, Senior Program Analyst, Performance Review  
& Business Support Section, Bureau of Managed Health Care

**SUBJECT:** CFC Clinical Performance Measurement Report for CY 2005

**DATE:** January 8, 2007

Attached is a copy of the CFC Clinical Performance Measure report for CY 2005.

The following changes impact the report measures and results:

❖ **Measure revisions**

- The CY 2004 results for the Comprehensive Diabetes Care measures in the attached report have been revised to reflect a correction to the 'monitored for nephropathy/Comprehensive Diabetes Care' measure result which was incorrectly reported in the Clinical Performance Measurement Baseline Results for CY 2004 report (issued 10/17/2005) and the Final Results for CY 2005 (issued 9/19/2006).

❖ **MCP acquisitions**

- The QualChoice provider agreement was assumed by Anthem effective September 1, 2006. Therefore, QualChoice's CY 2004 baseline and CY 2005 final results are reported as Anthem.

A hard copy of this report will also be mailed to each managed care plan.

If you have any questions, please call me at (614) 466- 4693 or e-mail me at [HARSA@ODJFS.STATE.OH.US](mailto:HARSA@ODJFS.STATE.OH.US).

c: Mina Chang, PhD  
Kara Miller  
Mark Rizzutti  
CAs & Supervisors

Attachments: CFC CPM Report for CY 2005

PMC-MCP-2007-1-8-PBS-ANH-CFC CPM REPORT FOR CY 2005.PDF

# Medicaid Managed Health Care

## Covered Families and Children (CFC) Program



# Clinical Performance Measures

January through December 2005



**Medicaid Managed Health Care**  
Covered Families and Children (CFC) Program



# Clinical Performance Measures

January through December 2005

Bureau of  
Managed Health Care

Performance Review &  
Business Support  
Section

Report Prepared by:  
Amanda Harpster, MPH

Issued On:  
January 8, 2006

---

**TABLE OF CONTENTS**

Executive Summary .....	i
<b>I. Introduction</b> .....	1
Listing of Managed Care Plans & Plan Abbreviations .....	5
<b>II. Perinatal Care Performance Measures</b> .....	6
A. Initiation of Prenatal Care .....	6
B. Frequency of Ongoing Prenatal Care .....	8
C. Cesarean Section Rate .....	12
D. Low Birth Weight Rate .....	14
E. Very Low Birth Weight Rate .....	16
F. Postpartum Care .....	18
<b>III. Child Health Care Measures</b> .....	20
A. Well-Child Visits .....	20
B. Annual Dental Visit .....	27
C. Lead Testing for 1 Year Olds .....	30
D. Lead Testing for 2 Year Olds .....	30
<b>IV. Chronic Care Measures</b> .....	34
A. Use of Appropriate Medication for People With Asthma .....	34
B. Comprehensive Diabetes Care .....	36
<b>Graphs</b>	
A-1. Initiation of Prenatal Care, by MCP .....	7
B-1. Frequency of Ongoing Prenatal Care, by MCP .....	10
B-2. Frequency of Ongoing Prenatal Care, Percent Who Received <21%, 21-40%, 41-60%, 61-80%, or 81% or More of the Expected Number of Visits .....	11
C-1. Cesarean Section Rates, by MCP .....	13
D-1. Low Birth Weight, by MCP .....	15
E-1. Very Low Birth Weight, by MCP .....	17
F-1. Postpartum Care, by MCP .....	19
G-1. Well-Child Visits in the First 15 Months of Life .....	23
G-2. Well-Child Visits in the First 15 Months of Life, % Who Received 0,1,2,3,4,5,6 Visits ..	24
G-3. Well-Child Visits for Children Aged 3-6 .....	25
G-4. Adolescent Well Care (12-21 years old) Visits .....	26
I-1. Annual Dental Visit .....	29
J-1. Lead Testing for 1 Year Olds .....	32
J-2. Lead Testing for 2 Year Olds .....	33
K-1. Use of Appropriate Medication for People With Asthma .....	35

L-1. % of Diabetics Who Received HBA1c Testing ..... 37  
L-2. % of Diabetics Who Received an Eye Exam ..... 38  
L-3. % of Diabetics Who Received LDL-C Screening ..... 39  
L-4. % of Diabetics Who Were Monitored for Nephropathy ..... 40

**Appendices**

Appendix A: Methods Used to Calculate Measures ..... 41  
Appendix B: Citations ..... 67  
Appendix C: MCP Individual Results ..... 69

## EXECUTIVE SUMMARY

The Ohio Department of Job and Family Services (ODJFS) is the single state agency with responsibility for implementation and administration of the Ohio Medicaid program. As a value purchaser of health care, Ohio Medicaid has incorporated the use of managed care since 1978 to enhance system accountability for access and quality as well as to achieve greater cost predictability. Managed care offers an opportunity to assure access to a primary care provider, emphasize preventive care, and encourage the appropriate utilization of services in the most cost-effective settings.

Managed care plans (MCPs) cover Medicaid consumers in the Covered Families and Children (CFC) category, which includes Healthy Start and Healthy Families. The statewide expansion of mandatory managed care enrollment for CFC consumers began in July 2006. Upon completion, the expansion will include mandatory CFC enrollment for all Ohio counties in eight (8) geographic regions. As of December 2006, the Ohio Medicaid CFC Managed Care Program consisted of nine (9) MCPs operating in eighty-seven (87) counties and seven (7) regions with 956,736 Medicaid members.

ODJFS has measures in place to assure that the quality of care and access to care received through MCPs meets or exceeds set standards. These measures include, among others: (1) a federally-required annual quality improvement survey performed by an external quality review organization (EQRO) that includes a medical record audit; (2) a corporate MCP review, which includes a grievance audit, and quality of care studies of clinical processes and access to services; (3) monitoring of provider panels; and (4) monitoring access and clinical performance measures.

This report presents the results of the clinical performance measures for the MCPs for calendar year (CY) 2005. The results were calculated with encounter data, which is essentially administrative claims data that providers send to MCPs who, in turn, send the claims data to ODJFS. Information obtained from medical records, generated by a sample of managed care consumers was not used. The results were calculated using encounter data generated by all managed care consumers, which generally yields lower results than if medical records information generated from a sample was also used.

However, there are limitations in relying only on administrative data to measure clinical performance. Issues may include miscoding of services and incomplete data. Encounter data is essentially a record of each service provided, regardless of the payment arrangement (e.g., capitation, fee-for-service). In payment arrangements other than fee-for-service, there may be a greater risk for incomplete data since there is less incentive for a provider to submit a claim.

Because of these potential data issues, the results presented in this report may not reflect the actual clinical performance of the providers associated with the MCPs. To generate reliable results, many steps are taken to help assure that encounter data is accurate, timely, and complete.

Computer edits are used to reject data such as invalid codes, dates, and provider numbers. The volume of encounter data across various categories of services is monitored quarterly and MCPs are held accountable for meeting volume standards that have been established.

The following table summarizes the results for the clinical performance measures for CYs 2004 and 2005.

<b>Measure</b>	<b>CY 2004</b>	<b>CY 2005</b>
Initiation of Prenatal Care	85.8	85.3
Frequency of Ongoing Prenatal Care	58.3	62.1
Cesarean Section Rate	23.1	24.4
Low Birth Weight Rate	9.7	10.1
Very Low Birth Weight Rate	2.5	2.1
Postpartum Visit	52.8	52.1
Well Child Visit in First 15 Months of Life (Had 6 visits)	42.5	46.4
Well Child Visit (3-6 years old)	62.5	62.0
Adolescent Well Care Visit (12-21 years old)	36.7	35.9
Annual Dental Visit	44.7	46.2
Lead Testing for 1 Year Olds	43.2	46.3
Lead Testing for 2 Year Olds	24.4	26.7
Asthma Medication Management	62.2	61.2
Diabetes Care (Had HbA1c Test)	63.3	63.2
Diabetes Care (Received Eye Exam)	28.8	30.9
Diabetes Care (Received LDL-C Screening)	61.7	65.4
Diabetes Care (Were Monitored for Nephropathy)	32.8	34.2
Diabetes Care (Received All)	9.0	11.0

**Highlights of CY 2005 Report:**

- ◆ Among MCP members who had a live birth in CY 2005, 62% received 81% or more of the recommended number of prenatal visits. This is an increase for the third consecutive year in a row. In comparison, the national average is 51% (see note below) receiving 81% or more of the recommended prenatal visits.
- ◆ The percentage of children ages 15 months who received a Well-Child visit with a PCP increased from 43% in CY 2004 to 46% in CY 2005. This is higher than the national average of 45% for CY 2005 (see note below) and the third consecutive year of continued improvement.
- ◆ The percentage of children and adolescents who received an annual dental visit increased from 45% in CY 2004 to 46% in CY 2005, which is the third consecutive year of improvement. Ohio's Managed Care Clinical Performance Measure result is higher than the national average of 45% (see note below).
- ◆ Lead screening rates for one and two year olds increased from CY 2004 (43% and 24%, respectively). In CY 2005, 46% of one year olds and 27% of two year olds had a lead screening test through their managed care plan. Both one and two year old lead testing rates have steadily improved for the last three consecutive calendar years.
- ◆ CY 2005 was the second consecutive year that the percentage of members who received all recommended comprehensive diabetes care improved. The increase in CY 2005 was 11.0%, compared to a lesser 9.0% in CY 2004.

**Areas Identified for Improvement:**

- ◆ The result for the Well-Child Visits in the 12-21 year olds measure remained relatively stable from CY 2004 to CY 2005. The CY 2005 result of 36%, indicates that there is opportunity for improvement.
- ◆ The postpartum visit rate remained fairly constant for CY 2004 (53%) and CY 2005 (52%). With the previous two calendar years having consecutive improvement and a national average for CY 2005 of 56%, there is room for improvement in this measure.
- ◆ Initiation of prenatal care rates remained fairly constant for CY 2004 (86%) and CY 2005 (85%). The Ohio target for this measure is 90%, indicating that there is room for improvement.

Note: The national Medicaid managed care results presented in this report for comparative purposes were obtained from the NCQA's website. NCQA has indicated that the data and methods used to calculate the results were audited and that the results were calculated using the "hybrid" (combines information obtained from medical records with encounter data) and administrative specifications (relies only on encounter data information). Results calculated using hybrid specifications are generally higher than those calculated using administrative specifications. Therefore, comparing the results in this report to the national Medicaid results is not an exact comparison and should be made with caution.

## I. INTRODUCTION

The Ohio Medicaid Managed Health Care Clinical Performance Measures Report is based solely on encounter data submitted by Managed Care Plans (MCPs) contracted to provide health services to Medicaid consumers. The Ohio Department of Job & Family Services (ODJFS) began collecting encounter data on July 1, 1996.

Encounter data captures face-to-face visits between the MCPs Medicaid enrollees and a provider. Clinical performance measurement is one component of a multifaceted monitoring program designed to assure access to quality health services. The results will be compared to standards specified in the MCPs provider agreement with the ODJFS and will be reported to MCPs, consumers, and other interested parties. This report presents results for those MCPs that were serving Medicaid members during CY 2005 and compares results for CY 2005 to results for CY 2004. These measures were modeled and calculated based on HEDIS 2005 technical specifications for performance measures. Use of this standard methodology allows comparison of Ohio's results with other Medicaid managed care populations in the nation.

Due to data quality issues, these results may not be reflective of actual clinical performance. ODJFS is focusing on improving the quality of the data with the goal of using these data to hold MCPs accountable for the quality of care delivered to Medicaid recipients enrolled in MCPs. Data quality issues are common in the early years of collecting encounter data. The following sections outline some considerations that should be taken into account when reviewing the results and describes the data quality measures that are currently in place.

### **Technical Considerations**

Subsequent to an enrollee encounter with a provider there are several events that might influence the validity of the encounter data. The encounter must first be documented by the provider by completing a claim requesting reimbursement or by completing a shadow claim if there is a capitated arrangement with the MCP. Next, the provider submits the encounter to the MCP where they confirm that all information on the claim is complete and in an acceptable format. Following acceptance, the MCP processes the encounter and transfers it to their information system. Finally, the encounter is submitted to ODJFS where an edit process assures proper format and valid data elements (e.g., Medicaid ID and procedure codes). Any error at a data transfer point (e.g., coding the encounter on the claim or data entry into an electronic format) or break in this chain of events (e.g., rejected encounters submitted to the MCP or to ODJFS) results in inaccurate and/or incomplete data.

Related to encounter data reporting, provider compliance is a chief concern of MCP's. In a capitated delivery system, providers have less incentive to submit encounter data because the claim submission is not tied to a payment process. Also, providers must be willing to use the appropriate codes as defined in their agreement with MCP's. In order to ensure physician compliance, MCP's develop encounter data reporting policies, offer financial incentives, and provide technical assistance.

Once the encounter is submitted to the MCP, their management information system must allow for the processing for payment, collection and storage of claims and allow for the production of the data in the proper format for submission to ODJFS. Before ODJFS required encounter data submissions, many MCPs had limited experience collecting and reporting data for this purpose.

### **Data Quality Measures**

The evaluation of each MCP's results, whereby the results are compared to the standards, identifies areas needing improvement. To encourage standard level performance, each MCP that is not compliant with the standard faces a system of progressive penalties. This system's first objective is to improve the quality of the encounter data. In this complex data collection system, it is expected in the first several years of data collection that there will be many data quality issues identified and resolved. Once the data quality is to a level where ODJFS is confident that the results reflect the services being delivered, then this monitoring tool can be used to improve clinical performance.

Data quality measures were developed to evaluate and improve the completeness, accuracy, and timeliness of each MCPs encounter data set. These measures include:

1. Validation Studies, where submitted encounters are compared to medical records for accuracy;
2. Omission Studies, where an enrollee's medical record is compared to the encounter data to check completeness of the submitted data;
3. Encounter Volume Report, to assure the expected number of encounters are being submitted timely; and
4. Minimum level performance measures results, where results below this minimum level indicate data errors.

ODJFS maintains an ongoing dialogue and an information sharing process with MCPs concerning encounter data reporting. ODJFS offers MCPs technical assistance and provides feedback on submissions.

Results will be presented for the performance measures listed below. Standards are established for many of these measures and the MCPs are held accountable for achieving the standard. If a measure is a contract measure and included in the provider agreement between the MCP and ODJFS, this will be noted when the measure is discussed.

## Perinatal Measures

### ◆ Initiation of Prenatal Care

*The percentage of women who delivered (a) live birth(s) during the reporting year, who were enrolled in the MCP no more than 279 days but at least 43 days prior to delivery with no gaps in MCP enrollment, and had their first prenatal visit within 42 days of enrollment or by the end of the first trimester for those women enrolled in the MCP during the early stage of pregnancy.*

### ◆ Frequency of Ongoing Prenatal Care

*The percentage of Medicaid-enrolled women who had a live birth during the reporting year and who received less than 21%, 21% through 40%, 41% through 60%, 61% through 80%, or greater than or equal to 81% of the expected number of prenatal care visits, adjusted for gestational age and the month the member enrolled in the MCP.*

### ◆ Low Birth Weight Rate/Very Low Birth Weight

*The percentage of women who delivered a live birth during the reporting year, who had at least five months of continuous enrollment immediately prior to the birth, and who had a low birth weight or very low birth weight baby.*

### ◆ Postpartum Care

*The percentage of enrolled women who delivered (a) live birth(s) during the reporting year who were continuously enrolled for 56 days after delivery and who had a postpartum visit on or between 21 days and 56 days after delivery.*

### ◆ Cesarean Section Rate

*The percentage of enrolled women who a live birth during the reporting year who delivered by a Cesarean Section.*

## Child Health Care Measures

### ◆ Well-Child Visits in the First 15 Months of Life

*The percentage of enrolled members who turned 15 months old during the reporting year, who were enrolled from the month after the month in which they were born through their 15 month of life (allowing for a one month gap in MCP enrollment), were enrolled during their 15<sup>th</sup> month of life, and who received either zero, one, two, three, four, five, or six or more well-child visits with a primary care practitioner during their first 15 months of life.*

### ◆ Well-Child Visits for Children Aged 3 Through 6

*The percentage of members who were three, four, five, or six years old during the reporting year, who were enrolled for at least 11 months with the plan during the measurement year, were enrolled during the last month of the measurement year, and who received one or more well-child visit(s) with a primary care practitioner during the reporting year.*

◆ Adolescent Well-Care Visits

*The percentage of enrolled members who were ages 12 through 21 during the reporting year, who were enrolled for at least 11 months with the plan during the reporting year, were enrolled during the last month of the measurement year, and who received at least one comprehensive well-care visit with a primary care practitioner during the reporting year.*

◆ Annual Dental Visit

*The percentage of enrolled members ages 4 through 21 who were enrolled for at least 11 months with the plan during the reporting year, were enrolled during the last month of the measurement year, and who had at least one dental visit during the reporting year.*

◆ Lead Testing For 1 Year Olds

*The percentage of enrolled members who turned 15 months old during the reporting year, who were enrolled in the MCP from 9 months through 15 months of age (allowing for a one month gap in MCP enrollment), who were enrolled in the MCP during their 15th month of life, and who received a lead screening test.*

◆ Lead Testing For 2 Year Olds

*The percentage of enrolled members who turned 27 months old during the reporting year, who were enrolled in the MCP from 21 months through 27 months of age (allowing for a one month gap in MCP enrollment), who were enrolled in the MCP during their 27th month of life, and who received a lead screening test.*

## **Chronic Care Measures**

◆ Use of Appropriate Medications for People with Asthma

*The percentage of members ages 5 through 56 with persistent asthma who were enrolled for at least 11 months with the plan during the reporting year, who were enrolled for at least 11 months during the year prior to the reporting year, were enrolled during the last month of the reporting year, and who received prescribed medications acceptable as primary therapy for long-term control of asthma.*

◆ Comprehensive Diabetes Care

*The percentage of members with diabetes (Types 1 or 2) ages 18 through 75 who were enrolled for at least 11 months with the plan during the reporting year, who were enrolled during the last month of the reporting year, and who received each of the following: (1) Hemoglobin A1c (HbA1c) testing; (2) a retinal exam by an optometrist or ophthalmologist; (3) LDL-C screening; and (4) screening or treatment for nephropathy.*

Results are reported for the following managed care plans:

<b><u>Managed Care Plan</u></b>	<b><u>Abbreviation Used in Graphs</u></b>
<b>CareSource</b>	<b>CS</b>
<b>Paramount Health Care</b>	<b>PAR</b>
<b>Anthem<sup>1</sup> (previously QualChoice)</b>	<b>AT</b>
<b>Weighted Average of all MCPs</b>	<b>AVG</b>
<b>National Medicaid Average</b>	<b>USA</b>

<sup>1</sup>Anthem assumed the QualChoice provider agreement effective September 1, 2006.

## II. PERINATAL CARE MEASURES

### Initiation of Prenatal Care for New Enrollees

(MCP Contract Measure)

#### Purpose

This measure assesses whether new enrollees received prenatal care early in pregnancy (during the first trimester). Thus, this measure looks at the timing of prenatal care as opposed to the frequency of such care. Both factors, however, are thought to be related to the outcome of pregnancy.

#### ODJFS Expectations

Managed care plans must meet a minimum performance standard for this measure for the CY 2005 report period, in accordance with the MCP provider agreement dated July 1, 2005, Appendix M, Performance Evaluation. The results for this measure are also used to determine if an MCP qualifies for financial incentives in accordance with Appendix O, Performance Incentives, of the Provider Agreement.

**Minimum Performance Standard:** The level of improvement must result in at least a 10% decrease in the difference between the target (90%) and the previous year's results.

#### Methods

*Measure: The percentage of women who delivered (a) live birth(s) during the reporting year, who were enrolled in the MCP no more than 279 days but at least 43 days prior to delivery with no gaps in MCP enrollment, and who had their first prenatal visit within 42 days of enrollment or by the end of the first trimester for those women who enrolled in the MCP during the early stage of pregnancy.*

**Numerator:** One (or more) prenatal care visit(s) within 42 days of enrollment in the MCP or within the first trimester if the member enrolled more than 42 days prior to the end of the first trimester.

**Denominator:** The eligible population.


**Data Source:** Encounter Data

See Appendix A for more detailed information on the methods for calculating this measure.

## Results

As shown in Graph A-1, the percentage of Medicaid members enrolled in MCPs who had a prenatal visit within 42 days of enrollment, or by the end of the first trimester for those women who enrolled in the MCP during the early stage of pregnancy, remained fairly constant: 86% in CY 2004 to 85% in CY 2005. The results in CY 2005 ranged from a low of 85% to a high of 89%. The bar labeled “USA” provides the national Medicaid results (obtained from NCQA website) for calendar years 2004 and 2005 as a frame of reference, which are the most recent results available. Ohio results currently exceed the national Medicaid average.

Graph A-1.



Results may vary among plans due to administrative problems in reporting and may not represent the clinical performance of the providers within the MCP.

■ CY 2004 ■ CY 2005

**Source of Data:**  
Encounter Data and NCQA  
(Measurement Year 2004, 2005)

## Frequency of Ongoing Prenatal Care

(MCP Contract Measure)

### Purpose

This measure assesses whether recipients received a sufficient number of prenatal visits. Periodic care throughout pregnancy helps to promote a good pregnancy outcome. During the visits, providers monitor the health of the woman and the fetus and teach the woman about the childbearing and delivery process. Specifically, routine prenatal care typically includes taking the history of the woman, performing a physical examination and chemical urinalysis, and recording the woman's weight, blood pressure, and fetal heart tones. It is important that periodic monitoring occur since a mother's risk status can change throughout pregnancy.

The measure adjusts for the length of gestation as well as the timing of the first prenatal visit. For example, a recipient who had a full term pregnancy of 44 weeks and who began care in the first month of pregnancy would be expected to have 18 visits while a recipient who had a pregnancy of 33 weeks and who began care in the fifth month of pregnancy would be expected to have only three visits. The expected number of visits is based on guidelines set forth by the American College of Obstetricians and Gynecologists.

### ODJFS Expectations

Managed care plans must meet a minimum performance standard for this measure for the CY 2005 report period, in accordance with the MCP provider agreement dated July 1, 2005, Appendix M, Performance Evaluation. The results for this measure are also used to determine if an MCP qualifies for financial incentives in accordance with Appendix O, Performance Incentives, of the Provider Agreement.

**Minimum Performance Standard:** The level of improvement must result in at least a 10% decrease in the difference between the target (80%) and the previous year's results.

## Methods

*Measure: The percentage of Medicaid-enrolled women who had a live birth during the reporting year and who received less than 21%, 21% through 40%, 41% through 60%, 61% through 80%, or greater than or equal to 81% of the expected number of prenatal care visits, adjusted for gestational age and the month the member enrolled in the MCP.*

**Numerator:** Women who had an unduplicated count of less than 21%, 21% through 40%, 41% through 60%, 61% through 80%, or greater than or equal to 81% of the expected number of prenatal care visits, adjusted for gestational age and the month the member enrolled in the MCP.

**Denominator:** The number of Medicaid MCP members who had a live birth during the reporting year.

**Data Source:** Encounter Data


See Appendix A for more detailed information on the methods for calculating this measure.

## Results

As shown in Graph B-1, the percentage of women with a live birth who received 81% or more the expected number of prenatal care visits, adjusted for gestational age and the month the member enrolled in the MCP, improved noticeably from 58% in CY 2004 to 62% in CY 2005. In CY 2005, MCP results ranged from 52% to 74%.

Graph B-2 shows the percentage of women in the denominator who received less than 21%, 21-40%, 41-60%, 61-80%, or 81% or more of the expected number of visits. As shown, the weighted average of the Medicaid serving MCPs in Ohio exceeded considerably the national Medicaid average regarding the percentage of members who received 81% or more of the expected number of prenatal visits. Furthermore, the percentage of Ohio MCP members who received very little or no prenatal care (i.e., less than 21% of the expected number of prenatal visits) was substantially lower than the national average.


Graph B-1.



Graph B-2.

### Frequency of Ongoing Prenatal Care - 2005

% Receiving <21%, 21-40%, 41-60%, 61-80%, 81% or More of the Expected Visits



Results may vary among plans due to administrative problems in reporting and may not represent the clinical performance of the providers within the MCP.

Source of Data: Encounter Data and NCQA (Measurement Year 2005)

## Cesarean Section Rate

### Purpose

This measure assesses the percentage of live births that were delivered by a cesarean section. A cesarean section is a surgical procedure whereby a baby is delivered through an incision in the abdominal and uterine walls. Reducing Cesarean section rates not only reduces the risk to mothers, but can also reduce health care costs. Cesarean sections are associated with a higher risk of mortality and complications as well as a longer hospital stay than with vaginal deliveries.

After declining for many years, the rate of cesarean delivery in the United States began to rise in 1997. By 2004, the nationwide rate of cesarean delivery was reported as an all-time high of 29% of all live births.<sup>1</sup>

**Minimum Performance Standard:** There is no performance standard for this measure.

### Methods

*Measure: The percentage of women who had a live birth during the reporting year who delivered by a Cesarean Section.*

**Numerator:** Number of discharges for women who had a C-section resulting in a live birth during the measurement year.

**Denominator:** Number of discharges for women who had a delivery (vaginal or C-section) resulting in a live birth during the reporting year.


**Data Source:** Encounter Data

See Appendix A for more detailed information on the methods for calculating this measure.

## Results

The percentage of Medicaid MCP members who had a repeat or primary cesarean section delivery remained fairly constant: 23% in CY 2004 and 24% in CY 2005 (Note: Graph C-1). MCP results for CY 2005 ranged from 23% to 25%.

Graph C-1.



Results may vary among plans due to administrative problems in reporting and may not represent the clinical performance of the providers within the MCP.

**Source of Data:**  
Encounter Data and NCQA  
(Measurement Year 2004, 2005)

## Low Birth Weight Measure

### Purpose

This measure indirectly measures the outcome of care since low birth weight (defined as being less than 2,500 grams or about 5.5 pounds) is correlated with various adverse events. Not only are low birth weight infants more likely to experience neurodevelopmental handicaps, congenital anomalies, and respiratory disorders than are infants of normal birthweight,<sup>2</sup> but they also are 40 times more likely to die.<sup>3</sup> Various risk factors have been associated with delivering a low birth weight infant. These include maternal age (less than 18 or greater than 35), ethnicity, low socioeconomic status, giving birth four or more times, poor obstetrical history, prior LBW birth history, cigarette smoking, substance abuse, poor nutrition, various medical illnesses such as hypertension, and absence of prenatal care.<sup>4,5</sup>

For 2004, the low birth weight rate for the United States was 8.1%, the highest in more than 30 years.<sup>6</sup>

**Minimum Performance Standard:** There is no performance standard for this measure.

### Methods

*Measure:* The percentage of women who gave birth to a low-birth weight newborn during the reporting year.

**Numerator:** The number of births in the denominator with a birth weight less than or equal to 2,500 grams.

**Denominator:** The number of Medicaid MCP members who had a live birth during the reporting year and who had at least five months of continuous enrollment immediately prior to the birth.


**Data Source:** Encounter Data

See Appendix A for more detailed information on the methods for calculating this measure.

## Results

The percentage of MCP Medicaid members who had a low birth weight baby was 9.7% in CY 2004 and 10% in CY 2005. Results for two MCPs were noticeably lower in CY 2005 than in CY 2004.

Graph D-1.



Results may vary among plans due to administrative problems in reporting and may not represent the clinical performance of the providers within the MCP.

**Source of Data:**  
Encounter Data and NCQA  
(Measurement Year 2004,  
2005)

On this graph, lower rates indicate better performance.

## Very Low Birth Weight Measure

### Purpose

See discussion for Low Birth Weight measure.

**Minimum Performance Standard:** There is no performance standard for this measure.

### Methods

*Measure: The percentage of women who gave birth to a very low-birth weight newborn during the reporting year.*

**Numerator:** The number of births in the denominator with a birth weight less than or equal to 1,500 grams.

**Denominator:** The number of Medicaid MCP members who had a live birth during the reporting year and who had at least five months of continuous enrollment immediately prior to the birth.


**Data Source:** Encounter Data

See Appendix A for more detailed information on the methods for calculating this measure.

## Results

The very low birth weight MCP average was 2.5% in CY 2004 and 2.1% in CY 2005.

Graph E-1.



Results may vary among plans due to administrative problems in reporting and may not represent the clinical performance of the providers within the MCP.

**Source of Data:**  
Encounter Data and NCQA  
(Measurement Year 2004,  
2005)

On this graph, lower rates indicate better performance.

## Postpartum Care

(MCP Contract Measure)

### Purpose

The American College of Obstetricians and Gynecologists recommends that women have a postpartum visit from four to six weeks after delivery.<sup>7</sup> Women undergo physiological, emotional, and social changes during the period after delivery. The purpose of the postpartum visit is to evaluate the condition of the mother, to provide assistance and answer questions, and to provide guidance regarding family planning and nutrition. The physical examination that is performed during the visit should include an evaluation of weight, blood pressure, breasts, abdomen, and pelvic examination.<sup>8</sup>

### ODJFS Expectations

Managed care plans must meet a minimum performance standard for this measure for the CY 2005 report period, in accordance with the MCP provider agreement dated July 1, 2005, Appendix M, Performance Evaluation. The results for this measure are also used to determine if an MCP qualifies for financial incentives in accordance with Appendix O, Performance Incentives, of the Provider Agreement.

**Minimum Performance Standard:** The level of improvement must result in at least a 5% decrease in the difference between the target (80%) and the previous year's results.

### Methods

*Measure: The percentage of enrolled women who delivered (a) live birth(s) during the reporting year, who were continuously enrolled for 56 days after delivery, and who had a postpartum visit on or between 21 days and 56 days after delivery.*

**Numerator:** A postpartum visit on or between 21 and 56 days after delivery.

**Denominator:** The eligible population.


**Data Source:** Encounter Data

See Appendix A for more detailed information on the methods for calculating this measure.

## Results

For the statewide MCP average, the percentage of members in the denominator who had a visit between 21 and 56 days after delivery was 53% in CY 2004 and 52% in CY 2005. The statewide average was less than the national Medicaid average (56%). The MCP-specific results in CY 2004 ranged from 48% to 54%.

Graph F-1.



### III. CHILD HEALTH CARE MEASURES

#### Well-Child Visit Measures

- **First 15 Months of Life**
- **3 to 6 Years of Age**
- **Adolescent (12 to 21 Years of Age)**

(MCP Contract Measures)

#### Purpose

Periodic preventive exams provide an opportunity for physicians and other health professionals to prevent and identify physical, developmental, and behavioral problems. The American Academy of Pediatrics (AAP) Periodicity Schedule recommends annual well-child visits for two to six year olds.<sup>9</sup> The AAP also recommends that adolescents (12 to 21 years old) receive comprehensive preventive examinations annually. Preventive exams are particularly important during the first year of life when an infant undergoes significant changes in cognitive abilities, growth, motor skills, hand-eye coordination, and social and emotional growth.<sup>10</sup>

#### ODJFS Expectations

Managed care plans must meet a minimum performance standard for this measure for the CY 2005 report period, in accordance with the MCP provider agreement dated July 1, 2005, Appendix M, Performance Evaluation. The results for this measure are also used to determine if an MCP qualifies for financial incentives in accordance with Appendix O, Performance Incentives, of the Provider Agreement.

**Minimum Performance Standard:** The level of improvement must result in at least a 10% decrease in the difference between the target (80%) and the previous year's results.

## Methods (First 15 months of life)

*Measure: The percentage of enrolled members who turned 15 months old during the reporting year, who were enrolled in the MCP from the month following the month in which they were born through their 15 month of life (allowing for a one month gap in MCP enrollment), who were enrolled during their 15 month of life, and who received either zero, one, two, three, four, five, or six or more well-child visits with a primary care practitioner during their first 15 months of life.*

**Numerator:** Seven separate numerators are calculated, corresponding to the number of members who received: zero, one, two, three, four, five, and six or more well-child visits with a primary care practitioner during their first 15 months of life. A child is included in only one numerator (e.g., a child receiving six well child visits is not included in the rate for five, four, or fewer well child visits). The primary care practitioner does not have to be the practitioner assigned to the child.

**Denominator:** The eligible population.

**Data Source:** Encounter Data

See Appendix A for more detailed information on the methods for calculating this measure.

## Methods (3-6 years of age)

*Measure: The percentage of members who were three, four, five, or six during the reporting year, who were enrolled for at least 11 months with the plan during the measurement year, who were enrolled during the last month of the reporting year, and who received one or more well-child visit(s) with a primary care practitioner during the reporting year.*

**Numerator:** At least one well-child visit with a primary care practitioner during the reporting year. The primary care practitioner does not have to be the practitioner assigned to the child.

**Denominator:** The eligible population.

**Data Source:** Encounter Data

See Appendix A for more detailed information on the methods for calculating this measure.

## Methods (12-21 years of age)

*Measure: The percentage of enrolled members who were age 12 through 21 during the reporting year, who were enrolled for at least 11 months with the plan during the reporting year, who were enrolled during the last month of the reporting year, and who received at least one comprehensive well-care visit with a primary care practitioner during the reporting year.*

**Numerator:** At least one well-child visit with a primary care practitioner during the reporting year. The primary care practitioner does not have to be the practitioner assigned to the child.

**Denominator:** The eligible population.

**Data Source:** Encounter Data

See Appendix A for more detailed information on the methods for calculating this measure.


## Results

The percentage of members who received six or more well-child visits with a primary care practitioner during their first 15 months of life increased from 43% in CY 2004 to 46% in CY 2005 (See Graph G-1). Graph G-2 shows the percentage of children who received zero, one, two, three, four, five, or six or more well-child visits. The national average for the percentage of children who received six or more visits is 45%. The percentage of children who received no visits was lower in Ohio than nationally (2% versus 6%, respectively).

The percentage of members who were age three through six during CY 2005, and who received one or more well-child visit(s) with a primary care practitioner, remained fairly constant: 63% in CY 2004 and 62% in CY 2005. (Note Graph G-3) The Ohio Medicaid MCP average is at the national Medicaid average (62%).

The percentage of enrolled members who were age 12 through 21 during CY 2005, and who received at least one well-care visit with a primary care practitioner, decreased slightly from 37% in CY 2004 to 36% in CY 2004. (Note Graph G-4) The Ohio Medicaid MCP average is a little less than national Medicaid average (39%).


Graph G-1.



Results may vary among plans due to administrative problems in reporting and may not represent the clinical performance of the providers within the MCP.

Source of Data: Encounter Data and NCQA (Measurement Year 2004, 2005)


Graph G-2.



Results may vary among plans due to administrative problems in reporting and may not represent the clinical performance of the providers within the MCP.

Source of Data: Encounter Data and NCQA (Measurement Year 2004, 2005)


Graph G-3.



Results may vary among plans due to administrative problems in reporting and may not represent the clinical performance of the providers within the MCP.

Source of Data: Encounter Data and NCQA (Measurement Year 2004, 2005)

Graph G-4.



Results may vary among plans due to administrative problems in reporting and may not represent the clinical performance of the providers within the MCP.

Source of Data: Encounter Data and NCQA (Measurement Year 2004, 2005)

## Annual Dental Visit

(MCP Contract Measure)

### Purpose

Great progress has been made over the last 50 years in understanding and treating oral diseases such as dental caries (tooth decay) and periodontal (gum) diseases. However, dental caries continue to be the single most common chronic childhood disease (5 times more common than asthma and 7 times more common than hay fever). Over half of children aged 5-9 have at least one cavity or filling and that percentage increased to 78% by age 17. According to the Surgeon General:

There are striking disparities in dental disease by income. Poor children suffer twice as much dental caries as their more affluent peers, and their disease is more likely to be untreated. These poor/non-poor differences continue into adolescence. One out of four children in America is born into poverty, and children living below the poverty line (annual income of \$17,000 for a family of four) have more severe and untreated decay.<sup>11</sup>

Regular visits to the dentist provide access to early diagnosis and treatment and educate children about oral health.

### ODJFS Expectations

Managed care plans must meet a minimum performance standard for this measure for the CY 2005 report period, in accordance with the MCP provider agreement dated July 1, 2005, Appendix M, Performance Evaluation. The results for this measure are also used to determine if an MCP qualifies for financial incentives in accordance with Appendix O, Performance Incentives, of the Provider Agreement.

**Minimum Performance Standard:** The level of improvement must result in at least a 10% decrease in the difference between the target (60%) and the previous year's results.

## Methods

*Measure: The percentage of enrolled members ages 4 through 21 who were enrolled for at least 11 months with the plan during the reporting year, who were enrolled during the last month of the reporting year, and who had at least one dental visit during the reporting year.*

**Numerator:** One (or more) dental visits with a dental practitioner during the reporting year.

**Denominator:** The eligible population.


**Data Source:** Encounter Data

See Appendix A for more detailed information on the methods for calculating this measure.

## Results

The percentage of members who received at least one dental visit was 45% in CY 2004 and 46% in CY 2005. The average for the Medicaid serving plans in Ohio was higher than the national average (43%) – see Graph I-1.

Graph I-1.



Results may vary among plans due to administrative problems in reporting and may not represent the clinical performance of the providers within the MCP.

Source of Data: Encounter Data and NCQA (Measurement Year 2004, 2005)

## Lead Testing

(MCP Contract Measure)

### Purpose

Since Ohio is a highly industrialized state with older housing, the risk of lead exposure and lead poisoning for children in Ohio is higher than for children in states with newer housing. Lead poisoning in children can reduce IQ and cause learning disabilities. At higher exposures, lead can damage a child's kidneys and central nervous system and cause anemia, coma, convulsions, and even death.

Within the Ohio Medicaid program, blood lead screening is required as part of Healthchek (the Early and Periodic Screening and Diagnostic Testing (EPSDT) program). According to EPSDT standards, blood lead screening is required of all Medicaid children at ages one and two years.

### ODJFS Expectations

Managed care plans must meet a minimum performance standard for this measure for the CY 2005 report period, in accordance with the MCP provider agreement dated July 1, 2005, Appendix M, Performance Evaluation. The results for this measure will also be used to help determine if an MCP qualifies for financial incentives in accordance with Appendix O, Performance Incentives, of the Provider Agreement.

**Minimum Performance Standard:** The level of improvement must result in at least a 10% decrease in the difference between the target (80%) and the previous year's results.

## Methods (1 Year Olds)

*Measure: The percentage of enrolled members who turned 15 months old during the reporting year, who were enrolled in the MCP from 9 months through 15 months of age (allowing for a one month gap in MCP enrollment), who were enrolled in the MCP during their 15th month of life, and who received a lead screening test.*

**Numerator:** The number of children in the denominator who received a lead screening test.

**Denominator:** The number of enrolled members who turned 15 months old during the reporting year, who were enrolled in the MCP from 9 months through 15 months of age (allowing for a one month gap in MCP enrollment), and who were enrolled in the MCP during their 15th month of life.

**Data Source:** Encounter Data

See Appendix A for more detailed information on the methods for calculating this measure.

## Methods (2 Year Olds)

*Measure: The percentage of enrolled members who turned 27 months old during the reporting year, who were enrolled in the MCP from 21 months through 27 months of age (allowing for a one month gap in MCP enrollment), who were enrolled in the MCP during their 27th month of life, and who received a lead screening test.*

**Numerator:** The number of children in the denominator who received a lead screening test.

**Denominator:** The number of enrolled members who turned 27 months old during the reporting year, who were enrolled in the MCP from 21 months through 27 months of age (allowing for a one month gap in MCP enrollment), and who were enrolled in the MCP during their 27th month of life.


**Data Source:** Encounter Data

See Appendix A for more detailed information on the methods for calculating this measure.

**Results**

The percentage of enrolled members who turned 15 months old during the reporting year and who received a lead test between the ages of 9 months and the end of their 15 month of life was 43% in CY 2004 and increased to 46% in CY 2005. The percentage of enrolled members who turned 27 months old during the reporting year and who received a lead test between the ages of 21 months and the end of their 27 month of life was 24% in CY 2004 and increased to 27% in CY 2005 (Note Graph J-2).


**Graph J-1.**



Results may vary among plans due to administrative problems in reporting and may not represent the clinical performance of the providers within the MCP.

Source of Data: Encounter Data and NCQA (Measurement Year 2004, 2005)

Graph J-2.



Results may vary among plans due to administrative problems in reporting and may not represent the clinical performance of the providers within the MCP.

Source of Data: Encounter Data and NCQA (Measurement Year 2004, 2005)

## IV. CHRONIC CARE MEASURES

### Use of Appropriate Medication for People With Asthma

(MCP Contract Measure)

#### Purpose

Asthma is a chronic, inflammatory disease of the respiratory system. The symptoms of asthma are coughing, wheezing, chest tightness, and difficulty breathing. These symptoms are usually reversible, but can be severe. Anti-inflammatory medications such as inhaled corticosteroids and cromolyn sodium are the primary therapy for the chronic care of moderate and severe asthma. The medications are used to reverse and prevent airflow obstruction. Corticosteroids are currently the most effective anti-inflammatory drugs for the treatment of asthma.<sup>12</sup> Cromolyn sodium is a non-steroidal, inhaled anti-inflammatory drug. Without proper medication management and control of the factors which trigger attacks, patients may experience potentially life threatening attacks and have high rates of emergency room utilization.

#### ODJFS Expectations

Managed care plans must meet a minimum performance standard for this measure for the CY 2005 report period, in accordance with the MCP provider agreement dated July 1, 2005, Appendix M, Performance Evaluation. The results for this measure are also used to determine if an MCP qualifies for financial incentives in accordance with Appendix O, Performance Incentives, of the Provider Agreement.

**Minimum Performance Standard:** The level of improvement must result in at least a 10% decrease in the difference between the target (80%) and the previous year's results.

#### Methods

*Measure: The percentage of members ages 5 through 56 with persistent asthma who were enrolled for at least 11 months with the plan during the reporting year, who were enrolled at least 11 months during the year prior to the reporting year, who were enrolled during the last month of the reporting year, and who received prescribed medications acceptable as primary therapy for long-term control of asthma.*

**Numerator:** For each member in the denominator, those who had at least one dispensed prescription of the recommended medications during the reporting year. The NDC list provided on NCQA's Web site at <http://www.ncqa.org> is used to identify these medications.

**Denominator:** The eligible population.


Data Source: Encounter Data

See Appendix A for more detailed information on the methods for calculating this measure.

## Results

The percentage of members with persistent asthma who received prescribed medications acceptable as primary therapy for long-term control of asthma slightly decreased from 62% in CY 2004 to 61% in CY 2005. This rate is less than the national Medicaid average of 64%, indicating that there is room for improvement.

Graph K-1.



Results may vary among plans due to administrative problems in reporting and may not represent the clinical performance of the providers within the MCP.

Source of Data: Encounter Data and NCQA (Measurement Year 2004, 2005)

## Comprehensive Diabetes Care

### Purpose

From 1950 through 2003, diabetes has been one of the top ten leading causes of death in the United States.<sup>13</sup> Among U.S. adults ages 20 and over from 1999-2002, an estimated 9.4% have physician-diagnosed or undiagnosed diabetes. Individuals with diabetes have almost two times the risk of death, compared to someone without diabetes.<sup>14</sup> Many of the complications from diabetes, including blindness, nephropathy, and neuropathy, can be prevented if detected and addressed in the early stages. Since diabetes affects multiple organs and requires the involvement of a multidisciplinary team, the performance measure has multiple components. When taken together, the various components provide an overview of the care that is being provided to persons with diabetes.

**Minimum Performance Standard:** There is no performance standard for this measure.

### Methods

*Measure: The percentage of members with diabetes (Types 1 or 2) ages 18 through 75 who were enrolled for at least 11 months with the plan during the reporting year, who were enrolled during the last month of the reporting year, and who received each of the following: (1) Hemoglobin A1c (HbA1c) testing; (2) a retinal exam by an optometrist or ophthalmologist; (3) LDL-C screening; and (4) screening or treatment for nephropathy.*

**Numerator:** The number of members in the denominator who received each of the following: (1) HbA1c testing during the reporting year; (2) a retinal exam by an optometrist or ophthalmologist during the reporting year; (3) LDL-C screening during the reporting year or the year prior to the reporting year; and (4) screening or treatment for nephropathy.

**Denominator:** The number of members with diabetes (Types 1 or 2) ages 18 through 75 who were enrolled for at least 11 months with the plan during the reporting year and who were enrolled during the last month of the reporting year.


**Data Source:** Encounter Data

See Appendix A for more detailed information on the methods for calculating this measure.

## Results

As shown in Graph L-1, the percentage of members (ages 18-75) with diabetes mellitus who received HbA1c testing remained steady from CY 2004 to CY 2005 (63%). The percentage of diabetics who received an eye exam increased slightly from 29% in CY 2004 to 31% in CY 2005 (Note Graph L-2). LDL-C screening rates increased (see Graph L-3), going from 62% in CY 2004 to 65% in CY 2005. The percentage of diabetics who were monitored for nephropathy increased from 32.8% in CY 2004 to 34.2% in CY 2005 (Graph L-4).


Graph L-1.



Results may vary among plans due to administrative problems in reporting and may not represent the clinical performance of the providers within the MCP.

Source of Data: Encounter Data and NCQA (Measurement Year 2004, 2005)


Graph L-2.



Results may vary among plans due to administrative problems in reporting and may not represent the clinical performance of the providers within the MCP.

Source of Data: Encounter Data and NCQA (Measurement Year 2004, 2005)


Graph L-3.



Results may vary among plans due to administrative problems in reporting and may not represent the clinical performance of the providers within the MCP.

Source of Data: Encounter Data and NCQA (Measurement Year 2004, 2005)

Graph L-4.



Results may vary among plans due to administrative problems in reporting and may not represent the clinical performance of the providers within the MCP.

Source of Data: Encounter Data and NCQA (Measurement Year 2004, 2005)

## Appendix A

# ODJFS Methods for Clinical Performance Measures

## Covered Families & Children (CFC) Program

These methods are, for the most part, consistent with the HEDIS performance measurement methods, as outlined in NCQA HEDIS 2005 Technical Specifications manual. The main difference between the ODJFS methods and the HEDIS methods is that, in some cases, it has been necessary to include additional codes that are not listed in the HEDIS methods. Codes that are not listed in HEDIS, but have been added are identified with the symbol ‘+’.

The source of the data is as follows:

- (1) MCP submitted encounter data to obtain encounters.
- (2) ODJFS provider master file to identify primary care practitioners.
- (3) ODJFS recipient master file to obtain recipient demographic and eligibility information.

## Initiation of Prenatal Care

*The percentage of women who delivered (a) live birth(s) during the reporting year, who were enrolled in the MCP no more than 279 days but at least 43 days prior to delivery with no gaps in MCP enrollment, and who had their first prenatal visit within 42 days of enrollment or by the end of the first trimester for those women who enrolled in the MCP during the early stage of pregnancy.*

**Numerator:** One (or more) prenatal care visit(s) within 42 days of enrollment in the MCP or within the first trimester if the member enrolled more than 42 days prior to the end of the first trimester.

**Denominator:** The eligible population.

**Data Source:** Encounter Data

**Report Period:** January 1, 2005 - December 31, 2005

The last menstrual period (LMP) field is used to determine the end date of the first trimester. If no last menstrual period date is provided, as required, or the date is invalid, then the length of the pregnancy is set at 38.5 weeks except if an encounter is found for the newborn indicating a pre-term birth. The length of the pregnancy is set at 28 weeks where the diagnosis was 7650.x (Extreme immaturity). If there was a diagnosis of 7651.x (Other preterm infants) then the length of the pregnancy is set at 33 weeks.

If the LMP date is from 119 to 315 days before the date the recipient gave birth, then the LMP date is considered a valid date. The LMP date is obtained from encounter data.

<b>CODES USED TO IDENTIFY DELIVERIES<sup>I</sup></b>
--

ICD-9 Procedure Codes:<sup>II</sup>

- 72.x Forceps, vacuum, and breech delivery
- 73.51 Manually assisted delivery; Manual rotation of fetal head
- 73.59 Manually assisted delivery; Other
- 74.0 Cesarean section and removal of fetus; Classical cesarean section
- 74.1 Cesarean section and removal of fetus; Low cervical cesarean section
- 74.2 Cesarean section and removal of fetus; Extraperitoneal cesarean section
- 74.4 Cesarean section and removal of fetus; Cesarean section of other specified type
- 74.99 Cesarean section of unspecified type

ICD-9 Diagnosis Codes:<sup>III</sup>

- 650 Normal Delivery
- V27.0 Single liveborn
- V27.2 Twins, both liveborn
- V27.3 Twins, one liveborn and one stillborn
- V27.5 Other multiple births, all liveborn
- V27.6 Other multiple births, some liveborn

The following codes must have a 5th digit equal to 1 or 2:<sup>II</sup>

- 640-648; Complications mainly related to pregnancy
- 651-659; Normal delivery and other indications for care in pregnancy, labor, and delivery
- 660-669; Complications occurring mainly during the course of labor and delivery
- 670-676; Complications of the puerperium.

CPT Codes:<sup>II</sup>

- 59409 Vaginal delivery (with or without episiotomy and/or forceps)
- 59514 Cesarean delivery only
- 59612 Vaginal delivery only, after previous cesarean delivery (with or with our episiotomy and/or forceps)
- 59620 Cesarean delivery only, following attempted vaginal delivery after previous cesarean delivery

<sup>I</sup> An attempt will be made to match all mothers' delivery claims with a liveborn infant claim (see codes to Identify Liveborn Infants).

<sup>II</sup> These codes must have a matching liveborn infant/newborn claim in order to be identified as a 'Live Birth'.

<sup>III</sup> These codes will be included in the 'Live Birth' file with or without a match to a liveborn.

Births are included in the denominator only if the provider type (from the ODJFS provider master file) is 01 (General Hospital), 15 (Birthing Center), 71 (Nurse Midwife) or the provider type is 20 (Physician, Ind.), 21 (Physician, Group), 22 (Osteopath, Ind.), 23 (Osteopath, Group) with a specialty code of 01 (General Practice), 15 (Internal Medicine), 16 (Pediatrics), 51 (General Surgery), 53 (OB/GYN-MD), 60 (Emergency Medicine), or 71 (OB/GYN-DO).

**CODES TO IDENTIFY LIVEBORN INFANTS**ICD-9-CM Diagnosis Codes–

- V30 - Single liveborn
- V31 - Twin, mate liveborn
- V32 - Twin, mate stillborn
- V33 - Twin, unspecified
- V34 - Other multiple, mates all liveborn
- V35 - Other multiple, mates all stillborn
- V36 - Other multiple, mates live- and stillborn
- V37 - Other multiple, unspecified
- V39 - Unspecified

**Methods for Matching Infants and Mothers Encounters**

The infants and mothers encounters are matched using the following two methods:

- 1) Same last name, same three digit submitter number, and the infant's admission date is within 14 days before or 14 days after the mother's delivery stay; **OR**
- 2) Same address and zip code, same three digit submitter number, and the infant's admission date is within 14 days before or 14 days after the mother's delivery stay.

If a newborn encounter matches to more than one mother delivery encounter and, consequently, it is not possible to determine which mother the newborn is associated with, then the matched encounter will not be included in the 'Live Birth' file. However, it continues to be possible for the mother's encounter to be included in the 'Live Birth' file. If the mother's encounter contains one of the following diagnosis codes:

- 650 - Normal Delivery
- V27.0 - Single liveborn
- V27.2 - Twins, both liveborn
- V27.3 - Twins, one liveborn and one stillborn
- V27.5 - Other multiple birth, all liveborn
- V27.6 - Other multiple birth, some liveborn

**Prenatal Care Visit Codes**

HEDIS 2005 outlines four decision rules for identifying prenatal visits. The first decision rule includes using codes specific to antepartum care such as CPT-4 code 59425. The second rule requires a visit to a midwife or OB provider with procedure or diagnosis-based evidence of prenatal care. The third decision rule requires a visit to a family practitioner or other primary care provider with diagnostic and procedure-based evidence of prenatal care. The fourth decision rule uses CPT-4 codes in conjunction with a plan’s internal codes.

In an attempt to capture all prenatal visits, ODJFS used decision rule one and a modified version of decision rule two to select prenatal visits. Under the first ODJFS decision rule, a visit was selected if any of the codes listed below were present, the visit occurred not more than 44 weeks prior to delivery, and the visit date preceded the hospital admission date in which the baby was delivered. This latter requirement was imposed since some of the same codes cover antepartum care, intrapartum care, and postpartum care.

**Decision Rule 1:**

<u>CPT-4</u>	<u>Description</u>
59400	Routine obstetric care including antepartum care, vaginal delivery and postpartum care
59425	Antepartum care only; 4-6 visits
59426	Antepartum care, 7 or more visits
59510	Routine obstetric care including antepartum care, cesarean delivery, and postpartum care
59610	Routine obstetric care including antepartum care, vaginal delivery, and postpartum care, after previous cesarean delivery
59618	Routine obstetric care including antepartum care, vaginal delivery, and postpartum care following attempted vaginal delivery after previous cesarean delivery

The CPT codes listed above are global codes (i.e., more than one visit is billed under the same code) that are not reimbursed under the fee-for-service system. However, a number of MCPs submitted these codes and so they were included. It is not possible for ODJFS to determine the number of visits that occurred unless there is a separate date of service for each visit that is included in the global code. As a result, the only visits that were counted under these codes were those where there was a separate date of service. For example, if code 59425 was submitted and had one date of service then only one prenatal visit was counted. However, if this same code was submitted along with three dates of service for the MCP member, then three prenatal visits were counted.

Under the second ODJFS decision rule, a visit was selected if all of the following criteria were met and the date of the visit preceded the hospital admission date in which the baby was delivered:

**Decision Rule 2:**

CPT-4 = 99201-99205 (office visit) or 99211-99215 or Revenue Code 514 (OB/GYN Clinic)

**with either**

CPT-4= 76801 (ultrasound, pregnant uterus),  
76802 (ultrasound, each additional gestation),  
76805 (ultrasound, pregnant uterus),  
76810 (ultrasound, pregnant uterus, each additional gestation)  
76811 (ultrasound, pregnant uterus),  
76812 (ultrasound, each additional gestation),  
76815 (limited echography, pregnant uterus),  
76816 (follow-up or repeat echography, pregnant uterus),  
76817 (ultrasound, pregnant uterus),  
76818 (fetal biophysical profile),  
80055 (obstetric panel lab),  
86644 (CMV,IgM) and 86694 (herpes simplex) and 86762 (rubella)  
and 86777 (toxoplasma),  
86762 (rubella immunoassay) with 86900 (Blood Typing; ABO),  
86762 (rubella immunoassay) with 86901 (Blood Typing; RhD),

**OR**

ICD-9-CM = (640.0x-648.9x or 651.0x-659.9x) where x (fifth digit) = 3;  
V code = V22-V23 or V28; or Occurrence code=10.

Under decision rule two, HEDIS only includes the visits if they were made to a midwife or OB provider. At this time, this requirement will not be imposed to ensure that all visits are counted.

## Frequency of Ongoing Prenatal Care

*The percentage of Medicaid-enrolled women who had a live birth during the reporting year and who received less than 21%, 21% through 40%, 41% through 60%, 61% through 80%, or greater than or equal to 81% of the expected number of prenatal care visits, adjusted for gestational age and the month the member enrolled in the MCP.*

**Numerator:** Women who had an unduplicated count of less than 21%, 21% through 40%, 41% through 60%, 61% through 80%, or greater than or equal to 81% of the expected number of prenatal care visits, adjusted for gestational age and the month the member enrolled in the MCP.

**Denominator:** The number of Medicaid MCP members who had a live birth during the reporting year.

**Data Source:** Encounter Data

**Report Period:** January 1, 2005 -December 31, 2005

Prenatal care visits are selected using the same codes as outlined in the ‘Initiation of Prenatal Care’ measure. The ODJFS made adjustments for the length of gestation and the length of time that a member was in the MCP prior to giving birth. For example, a recipient who enrolled in the MCP during the first month of pregnancy and who had a pregnancy lasting 38 weeks would be expected to have 12 prenatal visits whereas a recipient who enrolled in the MCP during the fifth month of pregnancy with a pregnancy of 30 weeks would be expected to have only two prenatal visits. The ODJFS used the index (shown below) to determine the expected number of visits, which is based on recommendations from the American College of Obstetricians and Gynecologists (ACOG).

<b>Expected Number of Prenatal Visits for a Given Gestational Age and Month the Member Enrolled in the MCP</b>																	
Month of Pregnancy Member Enrolled in the MCP	Gestational Age in Weeks																
	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
9th	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	5
8th	-	-	-	-	-	-	1	1	1	2	3	4	5	6	7	8	9
7th	-	-	1	1	1	1	2	2	3	4	5	6	7	8	9	10	11
6th	1	1	1	1	2	2	3	3	4	5	6	7	8	9	10	11	12
5th	1	1	2	2	3	3	4	4	5	6	7	8	9	10	11	12	13
4th	3	3	4	4	5	5	6	6	7	8	9	10	11	12	13	14	15
3rd	4	4	5	5	6	6	7	7	8	9	10	11	12	13	14	15	16
2nd	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16	17
1st	6	6	7	7	8	8	9	9	10	11	12	13	14	15	16	17	18

For deliveries with a gestational age less than 28 weeks, the expected number of visits is calculated based on the month of pregnancy the member enrolled in the MCP and ACOG’s recommended schedule of visits (one visit every four weeks).

The last menstrual period field is used to help determine the ‘gestational age’. Gestational age is defined as the number of completed weeks that have elapsed between the first day of the last menstrual period and the date of delivery. If gestational age is calculated in fractions of a week, then the number is rounded down to the lower whole number.

## Cesarean Section Rate

*The percentage of women who had a live birth during the reporting year who delivered by a Cesarean Section.*

**Numerator:** Number of discharges for women who had a C-section resulting in a live birth during the measurement year.

**Denominator:** Number of discharges for women who had a delivery (vaginal or C-section) resulting in a live birth during the reporting year. Live births are identified using the same codes outlined in the ‘Initiation of Prenatal Care’ measure.

**Data Source:** Encounter Data

**Report Period:** January 1, 2005 -December 31, 2005

Codes to Identify C-Sections
------------------------------

<u>ICD-9-CM</u>
-----------------

74.0-74.2, 74.4 or 74.99
--------------------------

<u>CPT Codes</u>
------------------

59510, 59514, 59515, 59618, 59620, 59622
--

## Low Birth Weight Measure

*The percentage of women who gave birth to a low-birth weight newborn during the reporting year.*

**Numerator:** The number of births in the denominator with a birth weight less than or equal to 2,500 grams.

**Denominator:** The number of Medicaid MCP members who had a live birth during the reporting year and who had at least five months of continuous enrollment immediately prior to the birth. Live births are identified using the same codes outlined in the Initiation of Prenatal Care measure.

**Data Source:** Encounter Data, birth weight is obtained from condition code fields.

**Report Period:** January 1, 2005-December 31, 2005

## Very Low Birth Weight Measure

*The percentage of women who gave birth to a very low-birth weight newborn during the reporting year.*

**Numerator:** The number of births in the denominator with a birth weight less than or equal to 1,500 grams.

**Denominator:** The number of Medicaid MCP members who had a live birth during the reporting year and who had at least five months of continuous enrollment immediately prior to the birth. Live births are identified using the same codes outlined in the Initiation of Prenatal Care measure.

**Data Source:** Encounter Data, birth weight is obtained from condition code fields.

**Report Period:** January 1, 2005-December 31, 2005

## Postpartum Care

*The percentage of enrolled women who delivered (a) live birth(s) during the reporting year who were continuously enrolled for 56 days after delivery and who had a postpartum visit on or between 21 days and 56 days after delivery.*

**Numerator:** A postpartum visit on or between 21 and 56 days after delivery.

**Denominator:** The eligible population. Live births are identified using the same codes outlined in the 'Initiation of Prenatal Care' measure.

**Data Source:** Encounter Data

**Report Period:** January 1, 2005-December 31, 2005

**Codes to Identify Postpartum Visits**

ICD-9 Codes

91.46	Microscopic exam of specimen from female genital tract
V24.1	Lactating mother
V24.2	Routine postpartum follow-up
V25.1	Insertion of intrauterine contraceptive device
V72.3	Gynecological exam
V76.2	Special screening for malignant neoplasm (cervix)

Revenue Codes

923 (Pap Smear)

CPT-4

Description

57170	Diaphragm cervical cap fitting
58300	Insertion of intrauterine device
59400	Routine obstetric care including antepartum care, vaginal delivery, and postpartum care
59410	Vaginal delivery, including postpartum care
59430	Postpartum care only
59510	Routine obstetric care including antepartum care, cesarean delivery, and postpartum care
59515	Cesarean delivery only, including postpartum care
59610	Routine obstetric care including antepartum care, vaginal delivery, and postpartum care after previous cesarean delivery
59614	Vaginal delivery only, after previous cesarean delivery, including postpartum care
59618	Routine obstetric care including antepartum care, vaginal delivery, and postpartum care following attempted vaginal delivery after previous cesarean delivery
59622	Cesarean delivery only, following attempted vaginal delivery after previous cesarean delivery, including postpartum care
88141-88145	Cytopathology, cervical or vaginal
88147-88148	Cytopathology smears
88150-88155	Cytopathology slides
88164-88167	Cytopathology slides
88174-88175	Cytopathology, cervical or vaginal

## Well Child Visits in the First 15 Months of Life

*The percentage of enrolled members who turned 15 months old during the reporting year, who were enrolled in the MCP from the month after the month in which they were born through their 15 month of life (allowing for a one month gap in MCP enrollment), who were enrolled during their 15 month of life, and who received either zero, one, two, three, four, five, or six or more well-child visits with a primary care practitioner during their first 15 months of life.*

**Numerator:** Seven separate numerators are calculated, corresponding to the number of members who received: zero, one, two, three, four, five, and six or more well-child visits with a primary care practitioner during their first 15 months of life. A child is included in only one numerator (e.g., a child receiving six well child visits is not included in the rate for five, four, or fewer well child visits). The primary care practitioner does not have to be the practitioner assigned to the child.

**Denominator:** The eligible population.

**Data Source:** Encounter Data

**Report Period:** January 1, 2005-December 31, 2005

### Codes to Identify Well-Child Visits

#### CPT-4 Codes

- 99381 Initial preventive medicine - New Patient (Age Group Infant)
- 99382 Initial preventive medicine - New Patient (Age Group 1-4 year old)
- 99391 Periodic preventive medicine - Established Patient (Age Group Infant)
- 99392 Periodic preventive medicine - Established Patient (Age Group 1-4 year old)
- 99432 Other than Hospitals or Birthing Rooms (Age Group Newborn)

#### ICD-9-CM Codes

- V20.2 Routine Infant or Child Health Check
- V70.0 Routine general medical exam at a health care facility
- V70.3 Other Medical Examination for Administrative Purposes
- V70.5 Health examination of defined subpopulation
- V70.6 Health examination in population surveys
- V70.8 Other specified general medical examinations
- V70.9 Unspecified general medical examinations

The provider number currently given on the encounter data claim is incorrectly, in some cases, the provider number of the hospital where the physician gives services and is not the provider number of the physician who provided services. Therefore, it was not possible to match the PCPs listed in the Provider Verification System against the encounter data claims as a way of identifying visits that were made to PCPs. For this reason, it was necessary to use the ODJFS Provider Master File as the source of the PCP information. The following codes were used to accomplish this task:

**Codes to Identify Primary Care Practitioners**

**Provider Type**

- 01 (General Hospital)
- 04 (Outpatient Health Facility)
- 05 (Rural Health Facility)
- 09 (Maternal/Child Health Clinic - 9 mo.)
- 12 (Federally Qualified Health Center)
- 50 (Comprehensive Clinic)
- 52 (Public Health Dept. Clinic)
- 72 (Nurse, Practitioner)

or

**Physician Specialty Code**

- 01 (General Practice)
- 15 (Internal Medicine)
- 16 (Pediatrics)
- 18 (Preventive Medicine)
- 53 (Obstetrics & Gynecology)
- 71 (Obstetrics & Gynecology - Osteopath)

or

Provider Type of 20 (Physician, Individual), 21 (Physician, Group), 22 (Osteopath, Individual), or 23 (Osteopath, Group) where the specialty code is 99 (unspecified) or is not indicated.

If a provider was identified on the Provider Master File with any of the preceding codes, then they were recognized as a PCP.

## Well Child Visits in the Third, Fourth, Fifth, and Sixth Year of Life

*The percentage of members who were three, four, five, or six during the reporting year, who were enrolled for at least 11 months with the plan during the measurement year, who were enrolled during the last month of the reporting year, and who received one or more well-child visit(s) with a primary care practitioner during the reporting year.*

**Numerator:** At least one well-child visit with a primary care practitioner during the reporting year. The primary care practitioner does not have to be the practitioner assigned to the child.

**Denominator:** The eligible population.

**Data Source:** Encounter Data

**Report Period:** January 1, 2005-December 31, 2005

### Codes to Identify Well-Child Visits

#### CPT-4 Codes

- 99382 Initial preventive medicine - New patient (Age Group 1 through 4)
- 99383 Initial preventive medicine - New patient (Age Group 5 through 11)
- 99392 Periodic preventive medicine - Established Patient (Age Group 1 through 4)
- 99393 Periodic preventive medicine - Established Patient (Age Group 5 through 11)

#### ICD-9-CM Codes

- V20.2 Routine Infant or Child Health Check
- V70.0 Routine general medical exam at a health care facility
- V70.3 Other Medical Examination for Administrative Purposes
- V70.5 Health examination of defined subpopulation
- V70.6 Health examination in population surveys
- V70.8 Other specified general medical examinations
- V70.9 Unspecified general medical examinations

See method for identifying primary care practitioners under 'Well Child Visits in the First 15 Months of Life' performance measure.

## Adolescent Well-Care Visits

*The percentage of enrolled members who were age 12 through 21 during the reporting year, who were enrolled for at least 11 months with the plan during the reporting year, who were enrolled during the last month of the reporting year, and who received at least one comprehensive well-care visit with a primary care practitioner during the reporting year.*

**Numerator:** At least one well-child visit with a primary care practitioner during the reporting year. The primary care practitioner does not have to be the practitioner assigned to the member.

**Denominator:** The eligible population.

**Data Source:** Encounter Data

**Report Period:** January 1, 2005-December 31, 2005

### Codes to Identify Adolescent Well-Care Visits

#### CPT-4 Codes

- 99383 Initial preventive medicine - New patient (Age Group 5 through 11)
- 99384 Initial preventive medicine - New patient (Age Group 12 through 17)
- 99385 Initial preventive medicine - New patient (Age Group 18 through 39)
- 99393 Periodic preventive medicine - Established Patient (Age Group 5 through 11)
- 99394 Periodic preventive medicine - Established Patient (Age Group 12 through 17)
- 99395 Periodic preventive medicine - Established Patient (Age Group 18 through 39)

#### ICD-9-CM Codes

- V20.2 Routine Infant or Child Health Check
- V70.0 Routine General Medical Examination at a Health Care Facility (Health Checkup)
- V70.3 Other Medical Examination for Administrative Purposes
- V70.5 Health examination of defined subpopulation
- V70.6 Health examination in population surveys
- V70.8 Other specified general medical examinations
- V70.9 Unspecified general medical examinations

See method for identifying primary care practitioners under ‘Well Child Visits in the First 15 Months of Life’ performance measure.

**Annual Dental Visit:**

*The percentage of enrolled members ages 4 through 21 who were enrolled for at least 11 months with the plan during the reporting year, who were enrolled during the last month of the reporting year, and who had at least one dental visit during the reporting year.*

**Numerator:** One (or more) dental visits with a dental practitioner during the reporting year.

**Denominator:** The eligible population.

**Data Source:** Encounter Data

**Report Period:** January 1, 2005-December 31, 2005

Codes to Identify Annual Dental Visits		
CPT Codes	ICD-9-CM Codes	HCPCS Codes
70300, 70310, 70320, 70350, 70355	23, 24, 87.11, 87.12, 89.31, 93.55, 96.54, 97.22, 97.33-97.35, 99.97	D0120-D0999, D1110-D1550, D2110-D2999, D3110-D3999, D4210-D4999, D5110-D5899, D6010-D6199, D7110-D7999, D8010-D8999, D9110-D9999, T1015+ with a modifier of U2

+ Code not in HEDIS Methods.

## Lead Testing For 1 Year Olds

*The percentage of enrolled members who turned 15 months old during the reporting year, who were enrolled in the MCP from 9 months through 15 months of age (allowing for a one month gap in MCP enrollment), who were enrolled in the MCP during their 15th month of life, and who received a lead screening test.*

**Numerator:** The number of children in the denominator who received a lead screening test. CPT-4 code 83655 is used to identify that the member had a lead screening test.

**Denominator:** The number of enrolled members who turned 15 months old during the reporting year, who were enrolled in the MCP from 9 months through 15 months of age (allowing for a one month gap in MCP enrollment), and who were enrolled in the MCP during their 15th month of life.

**Data Source:** Encounter Data

**Report Period:** January 1, 2005-December 31, 2005

## Lead Testing For 2 Year Olds

*The percentage of enrolled members who turned 27 months old during the reporting year, who were enrolled in the MCP from 21 months through 27 months of age (allowing for a one month gap in MCP enrollment), who were enrolled in the MCP during their 27th month of life, and who received a lead screening test.*

**Numerator:** The number of children in the denominator who received a lead screening test. CPT-4 code 83655 is used to identify that the member had a lead screening test.

**Denominator:** The number of enrolled members who turned 27 months old during the reporting year, who were enrolled in the MCP from 21 months through 27 months of age (allowing for a one month gap in MCP enrollment), and who were enrolled in the MCP during their 27th month of life.

**Data Source:** Encounter Data

**Report Period:** January 1, 2005-December 31, 2005

## Use of Appropriate Medications for People with Asthma

*The percentage of members ages 5 through 56 with persistent asthma who were enrolled for at least 11 months with the plan during the reporting year and the last month of the reporting year, who were enrolled at least 11 months during the year prior to the reporting year, and who received prescribed medications acceptable as primary therapy for long-term control of asthma.*

**Members are identified as having persistent asthma by having ANY of the following in the year prior to the measurement year:**

1. at least four asthma medication dispensing events\* (i.e., an asthma medication was dispensed on four occasions)

**OR**

2. at least one Emergency Department (ED) visit based on the visit codes below with asthma (ICD-9 code 493) as the principal diagnosis

**OR**

3. at least one hospitalization based on the visits codes below with asthma (ICD-9 code 493) as the principal diagnosis

**OR**

4. at least four outpatient asthma visits based on the visit codes below with asthma (ICD-9 code 493) as one of the listed diagnoses AND at least two asthma medication dispensing events.\*

*\* Note: A dispensing event is defined as one prescription of an amount lasting 30 days or less. Two different prescriptions dispensed on the same day are counted as two different dispensing events. To calculate dispensing events for prescriptions lasting longer than 30 days, ODJFS divided the drug quantity by 30 and rounded up to convert. For example, a 100-day prescription is equal to 4 dispensing events ( $100/30=3.33$ , rounded up to 4).*

**Numerator:** For each member in the denominator, those who had at least one dispensed prescription for inhaled corticosteroids, nedocromil, cromolyn sodium, leukotriene modifiers, or methylxanthines in the reporting year. The NDC list provided on NCQA's Web site at [http://www.ncqa.org/Programs/HEDIS/hedis\\_2005\\_volume\\_2\\_technical\\_sp.htm](http://www.ncqa.org/Programs/HEDIS/hedis_2005_volume_2_technical_sp.htm) is used to identify these medications.

**Denominator:** The eligible population.

**Data Source:** Encounter Data

**Report Period:** January 1, 2005-December 31, 2005

**Codes to Identify ED and Inpatient Asthma Encounters**

<b>Description</b>	<b>CPT Codes</b>	<b>UB-92 Revenue Codes</b>
Acute Inpatient	99221-99223, 99231-99233, 99238-99239, 99251-99255, 99261-99263, 99291-99292, 99356, 99357	10X-16X, 20X-22X, 72X, 80X, 987
Emergency Department (ED) services	99281-99285, 99288	450, 451, 452, 459, 981
Outpatient Visit	99201-99205, 99211-99215, 99217-99220, 99241-99245, 99271-99275	456, 510, 515, 516, 517, 520, 521, 523, 526, 76X, 770, 779, 982, 983, 988

Exclusions: Members who were prescribed monotherapy of leukotriene modifiers and who do not have a diagnosis of asthma are excluded from the denominator.

## Comprehensive Diabetes Care

*The percentage of members with diabetes (Types 1 or 2) ages 18 through 75 who were enrolled for at least 11 months with the plan during the reporting year, who were enrolled during the last month of the reporting year, and who received each of the following: (1) Hemoglobin A1c (HbA1c) testing; (2) a retinal exam by an optometrist or ophthalmologist; (3) LDL-C screening; and (4) screening or treatment for nephropathy. Individual rates are also calculated.*

**Numerator:** The number of members in the denominator who received each of the following: (1) HbA1c testing during the reporting year; (2) a retinal exam by an optometrist or ophthalmologist during the reporting year; (3) LDL-C screening during the reporting year or the year prior to the reporting year; and (4) screening or treatment for nephropathy.

**Denominator:** The number of members with diabetes (Types 1 or 2) ages 18 through 75 who were enrolled for at least 11 months with the plan during the reporting year and who were enrolled during the last month of the reporting year.

**Data Source:** Encounter Data

**Report Period:** January 1, 2005-December 31, 2005

Two methods are provided to identify diabetic members - pharmacy encounter data and non-pharmacy encounter data. Both methods are used to identify the eligible population. However, a member only needs to be identified in one method to be included in the measure. Members may be identified as having diabetes during the reporting year or the year prior to the reporting year.

**Pharmacy Encounter Data:** Those who were dispensed insulin and/or oral hypoglycemics/antihyperglycemics on an ambulatory basis during the reporting year or the year prior to the reporting year. A list of these medications and the corresponding NDC codes can be found at <http://www.ncqa.org/Programs/HEDIS/2005/Volume2/NDC/License/index.htm>.

**Medical Encounter Data:** Those who had two face-to face encounters with different dates of service in an ambulatory setting or non-acute setting or one face-to-face encounter in an acute inpatient or emergency department (ED) setting during the reporting year or the year prior to the reporting year with a diagnosis (principal or secondary) of diabetes.

The following codes are used to identify ambulatory or non-acute inpatient and acute inpatient or ED encounters:

Codes to Identify Diabetics Using Encounter Data			
Description	ICD-9-CM Codes	UB-92 Revenue Codes	CPT Codes
Diabetes Diagnosis	250, 357.2, 362.0, 366.41, 648.0		
Outpatient/non-acute inpatient		19X, 456, 49X-53X, 55X-59X, 65X, 66X, 76X, 77X, 82X-85X, 88X, 92X, 94X, 96X, 972-979, 982-986, 988, 989	92002-92014, 99201- 99205, 99211-99215, 99217-99220, 99241- 99245, 99271-99275, 99289-99290, 99301- 99303, 99311-99313, 99321-99323, 99331- 99333, 99341-99355, 99381-99387, 99391- 99397, 99401-99404, 99411, 99412, 99420- 99429, 99499
Acute inpatient/ED		10X-16X, 20X-22X, 450, 451, 452, 459, 72X, 80X, 981, 987	99221-99223, 99231- 99233, 99238-99239, 99251-99255, 99261- 99263, 99281-99288, 99291-99292, 99356- 99357

**Exclusions: Members with steroid induced or gestational diabetes are excluded.**

Codes to Identify Steroid Induced and Gestational Diabetes	
Description	ICD-9-CM Codes
Polycystic Ovaries	256.4
Steroid Induced	251.8, 962.0
Gestational Diabetes	648.8

**Numerator(s):**

1. **HBA1c Testing:** One (or more) HBA1c test(s) conducted during the reporting year identified through encounter data. CPT code of 83036 (hemoglobin, glycated) is used to identify the test.

2. **Eye Exam:** An eye screening for diabetic retinal disease during the reporting year by an eye care professional (optometrist or ophthalmologist).

Codes to Identify Eye Exams*	
CPT Codes	ICD-9-CM Codes
67101, 67105, 67107-67108, 67110, 67112, 67141, 67145, 67208, 67210, 67218, 67227, 67228, 92002, 92004, 92012, 92014, 92018, 92019, 92225, 92226, 92230, 92235, 92240, 92250, 92260, 92287, 99203, 99204, 99205, 99213, 99214, 99215, 99242-99245	14.1-14.5, 14.9, 95.02-95.04, 95.11, 95.12, 95.16

\* These eye exams by eye care professionals are a proxy for dilated eye examinations because administrative claims alone cannot determine that a dilated exam was performed.

Codes to Identify Eye Care Professionals		
Provider Type	OR	Specialty Code
‘35’ (Optometrist, Individual)		‘54’ (Ophthalmology) ‘72’ (Ophthalmology, Otology, Laryngology)
‘55’ (Professional School Clinic - Optometry)		
‘61’ (Optometrist, Group)		

The provider type and specialty code information is obtained from the ODJFS provider master file.

3. **LDL-C Screening:** An LDL-C test done during the reporting year or the year prior to the reporting year.

**Codes to Identify LDL-C Screening**

**CPT Codes**

80061, 83715, 83716, 83721

4. **Monitoring for Diabetic Nephropathy:** Screening or treatment for nephropathy. This measure is intended to assess whether diabetic patients are being monitored for nephropathy. The following are counted toward the numerator:

- those patients who have been screened for microalbuminuria during the reporting year.
- those patients who already have evidence of nephropathy, as demonstrated by evidence of medical attention for nephropathy during the reporting year or the year prior to the reporting year.

**Codes to Identify Microalbuminuria Test**

**CPT Codes**

82042, 82043, 82044, 84155\*, 84156, 84160\*, 84165\*

\* Codes must be accompanied by CPT 81050 to indicate the test was urinalysis.

**Codes to Identify Diabetic Nephropathy**

Description	CPT Codes	ICD-9-CM Codes	Revenue Codes
Evidence of diagnosis and/or treatment of nephropathy	36800, 36810, 36815, 36820, 36821, 50300, 50320, 50340, 50360, 50365, 50370, 50380, 90920, 90921, 90924, 90925, 90935, 90937, 90945, 90947, 90989, 90993, 90997, 90999, 99512	39.27, 39.42, 39.43, 39.53, 39.93-39.95, 54.98, 55.4-55.6, 250.4, 403, 404, 405.01, 405.11, 405.91, 581.81, 582.9, 583.81, 584-586, 588, 753.0, 753.1, 791.0, V42.0, V45.1, V56	800-804, 809, 820-825, 829-835, 839-845, 849-855, 859-882, 889

## Appendix B

### Citations

1. Martin JA, Hamilton BE, Sutton PD, et al. Births: Final data for 2003. National vital statistics reports; vol 54 no 2. Hyattsville, MD: National Center for Health Statistics. 2005. Available at: [http://www.cdc.gov/nchs/data/nvsr/nvsr54/nvsr54\\_02.pdf](http://www.cdc.gov/nchs/data/nvsr/nvsr54/nvsr54_02.pdf).
2. Siu A et al. *Choosing Quality of Care Measures*, pg. 7; 1992.
3. McLaughlin F, Altemeier W, Christensen, M, et al. Randomized trial of comprehensive care for low-income women: Effect of infant birth weight. *Pediatrics* 89:128-132; 1992.
4. U.S. Public Health Service, Expert Panel on the Content of Prenatal Care. *Caring for Our Future: The Content of Prenatal Care*. Washington, DC: U.S. Department of Health and Human Services; 1989.
5. U.S. Department of Health and Human Services. *Healthy People 2010*. 2nd ed. With Understanding and Improving Health and Objectives for Improving Health. Volume 2, Chapter 16. Washington, DC: U.S. Government Printing Office, November 2000.
6. Centers for Disease Control and Prevention, National Center for Health Statistics, National Vital Statistics System, 2004 Preliminary Birth Data: Maternal and Infant Health.
7. American Academy of Pediatrics ; American College of Obstetricians and Gynecologists, *Guidelines for Perinatal Care*; c2002.
8. *Standards for Obstetric-Gynecologic Services*, Seventh Edition, published by the American College of Obstetricians and Gynecologists, Washington, DC; 1989.
9. American Academy of Pediatrics. *Recommendations for Preventive Health Care*. Committee on Practice and Ambulatory Medicine. **Pediatrics**, Vol. 105, No. 3: March 3, 2000, pp. 645-646.
10. Green M, Palfrey JS, eds. 2002. *Bright Futures: Guidelines for Health Supervision of Infants, Children, and Adolescents* (2nd ed.,rev.). Arlington, VA: National Center for Education in Maternal and Child Health.
11. U.S. Department of Health and Human Services. *National Call to Action to Promote Oral Health*. Rockville, MD: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Institute of Dental and Craniofacial Research. NIH Publication No. 03-5303, Spring 2003.
12. National Heart, Lung, and Blood Institute, National Institutes of Health, U.S. Department of Health and Human Services, *NAEPP Expert Panel Report: Guidelines for the Diagnosis and Management of Asthma—Update on Selected Topics 2002*, June 2003.

13. National Center for Health Statistics. Health, United States, 2005. With Chartbook on Trends in the Health of Americans. Hyattsville, Maryland: 2005
  
14. National Institute of Diabetes and Digestive and Kidney Diseases. National Diabetes Statistics fact sheet: general information and national estimates on diabetes in the United States, 2005. Bethesda, MD: U.S. Department of Health and Human Services, National Institute of Health, 2005.

## Appendix C

---

### **Medicaid Managed Care Plan Final Results Covered Families & Children (CFC) Program Clinical Performance Measurements**

---

**Calendar Year 2005**

Shading Identifies Contract Measures

White Letters Identify New Contract Measures

## STATEWIDE Medicaid MCP Results CFC Clinical Performance Measurement Calendar Year 2005 Results

MCP Target <sup>1</sup> = 80%	Frequency of Ongoing Prenatal Care (Percent of Expected Visits Received) Adjusted Length of Pregnancy & Length of Time Enrolled During Pregnancy												
	CY 04						CY 05						
	81% or more	61-80%	41-60%	21-40%	< 21%	Total	81% or more	61-80%	41-60%	21-40%	< 21%	Total	
<b>RESULTS</b>													
Numerator	9,973	2,955	1,787	1,004	1,390	17,109	11,437	Diff. from 04	2,754	1,755	983	1,501	18,430
Denominator	17,109	17,109	17,109	17,109	17,109		18,430		18,430	18,430	18,430	18,430	
Percentage	58.3%	17.3%	10.4%	5.9%	8.1%	100.0%	62.1%	3.8%	14.9%	9.5%	5.3%	8.1%	100.0%
MCP Standard													
Statewide MCP Avg.	58.3%	17.3%	10.4%	5.9%	8.1%	100.0%	62.1%		14.9%	9.5%	5.3%	8.1%	100.0%

<sup>1</sup> At least 80% of the recipients should have received 81% or more of their expected number of visits.

MCP Targets Initiation=90% Postpartum=80%	Initiation of Prenatal Care			Cesarean Section Rate			Low Birth Weight			Very Low Birth Weight			Postpartum Visits (21-56 Days)		
	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04
<b>RESULTS</b>															
Numerator	6,342	6,374		3,949	4,502		752	822		194	173		8,550	9,040	
Denominator	7,390	7,471		17,109	18,430		7,721	8,166		7,721	8,166		16,198	17,358	
Percentage	85.8%	85.3%	-0.5%	23.1%	24.4%	1.3%	9.7%	10.1%	0.3%	2.5%	2.1%	-0.4%	52.8%	52.1%	-0.7%
MCP Standard															
Statewide MCP Avg.	85.8%	85.3%		23.1%	24.4%		9.7%	10.1%		2.5%	2.1%		52.8%	52.1%	

Shading Identifies Contract Measures

White Letters Identify New Contract Measures

## STATEWIDE Medicaid MCP Results CFC Clinical Performance Measurement Calendar Year 2005 Results

MCP Target = 80%	Well-Child Visits in the First 15 Months of Life														
	CY 04							CY 05							
	6 or more visits	5 visits	4 visits	3 visits	2 visits	1 visit	No visits	6 or more visits	5 visits	4 visits	3 visits	2 visits	1 visit	No visits	
<b>RESULTS</b>															
Numerator	4,513	2,281	1,472	1,018	644	355	327	5,939	Diff from 04	2,645	1,782	1,082	675	385	302
Denominator	10,610	10,610	10,610	10,610	10,610	10,610	10,610	12,810	from 04	12,810	12,810	12,810	12,810	12,810	12,810
Percentage	42.5%	21.5%	13.9%	9.6%	6.1%	3.3%	3.1%	46.4%	3.8%	20.6%	13.9%	8.4%	5.3%	3.0%	2.4%
MCP Standard															
Statewide MCP Avg.	42.5%	21.5%	13.9%	9.6%	6.1%	3.3%	3.1%	46.4%		20.6%	13.9%	8.4%	5.3%	3.0%	2.4%

MCP Targets Well-Child, Asthma=80% Dental=60%	Well-Child Visits in the 3rd, 4th, 5th, and 6th Years of Life			Adolescent Well-Child Visits Ages 12-21 Years			Asthmatic Medication Management			Annual Dental Visit			
			Diff From 04			Diff From 04	Received Medication		Diff From 04	ER Visit or Hospital Admission		Children Aged 4-21 Who Received a Visit	
	CY04	CY05		CY04	CY05		CY04	CY05		CY04	CY05	CY04	CY05
<b>RESULTS</b>													
Numerator	37,161	38,209		29,636	30,393		5,409	6,147		2,476	2,537	84,385	90,881
Denominator	59,439	61,597		80,781	84,664		8,698	10,040		8,698	10,040	188,791	196,681
Percentage	62.5%	62.0%	-0.5%	36.7%	35.9%	-0.8%	62.2%	61.2%	-1.0%	28.5%	25.3%	44.7%	46.2%
MCP Standard													
Statewide MCP Avg.	62.5%	62.0%		36.7%	35.9%		62.2%	61.2%		28.5%	25.3%	44.7%	46.2%

Shading Identifies  
Contract Measures

White Letters Identify New  
Contract Measures

## STATEWIDE Medicaid MCP Results CFC Clinical Performance Measurement Calendar Year 2005 Results

	Received Lead Testing					
MCP target=80%	1 Year Olds			2 Year Olds		
RESULTS	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04
Numerator	8,020	9,335		4,249	4,475	
Denominator	18,575	20,166		17,388	16,754	
Percentage	43.2%	46.3%	3.1%	24.4%	26.7%	2.3%
MCP Standard						
Statewide MCP Avg.	43.2%	46.3%		24.4%	26.7%	

	Comprehensive Diabetes Care														
	Received HBA1c Testing			Received Eye Exam			Received LDL-C Screening			Were Monitored for Nephropathy			Received All		
RESULTS	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04
Numerator	1,918	2,147		873	1,049		1,873	2,220		993	1,160		273	374	
Denominator	3,031	3,396		3,031	3,396		3,031	3,396		3,031	3,396		3,031	3,396	
Percentage	63.3%	63.2%	-0.1%	28.8%	30.9%	2.1%	61.8%	65.4%	3.6%	32.8%	34.2%	1.4%	9.0%	11.0%	2.0%
MCP Standard															
Statewide MCP Avg.	63.3%	63.2%		28.8%	30.9%		61.8%	65.4%		32.8%	34.2%		9.0%	11.0%	

Shading Identifies Contract Measures

White Letters Identify New Contract Measures

## CareSource Medicaid MCP Results CFC Clinical Performance Measurement Calendar Year 2005 Results

MCP Target <sup>1</sup> = 80%	Frequency of Ongoing Prenatal Care (Percent of Expected Visits Received) Adjusted Length of Pregnancy & Length of Time Enrolled During Pregnancy													
	CY 04						CY 05							
	81% or more	61-80%	41-60%	21-40%	< 21%	Total	81% or more	61-80%	41-60%	21-40%	< 21%	Total		
<b>RESULTS</b>														
Numerator	7,651	2,402	1,499	813	1,138	13,503	9,041	Diff from 04	2,139	1,381	745	1,221	14,527	
Denominator	13,503	13,503	13,503	13,503	13,503		14,527		14,527	14,527	14,527	14,527		
Percentage	56.7%	17.8%	11.1%	6.0%	8.4%	100.0%	62.2%	5.6%	14.7%	9.5%	5.1%	8.4%	100.0%	
MCP Standard							Increase by:		2.3%					
Statewide MCP Avg.	58.3%	17.3%	10.4%	5.9%	8.1%	100.0%	62.1%		14.9%	9.5%	5.3%	8.1%	100.0%	

<sup>1</sup> At least 80% of the recipients should have received 81% or more of their expected number of visits.

MCP Targets Initiation=90% Postpartum=80%	Initiation of Prenatal Care			Cesarean Section Rate			Low Birth Weight			Very Low Birth Weight			Postpartum Visits (21-56 Days)		
	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04
<b>RESULTS</b>															
Numerator	5,078	5,030		3,116	3,587		567	639		104	142		6,686	7,147	
Denominator	5,931	5,922		13,503	14,527		5,980	6,094		5,980	6,094		12,715	13,605	
Percentage	85.6%	84.9%	-0.7%	23.1%	24.7%	1.6%	9.5%	10.5%	1.0%	1.7%	2.3%	0.6%	52.6%	52.5%	-0.1%
MCP Standard	Increase by:		0.4%										Increase by:		1.4%
Statewide MCP Avg.	85.8%	85.3%		23.1%	24.4%		9.7%	10.1%		2.5%	2.1%		52.8%	52.1%	

Shading Identifies Contract Measures

White Letters Identify New Contract Measures

## CareSource Medicaid MCP Results CFC Clinical Performance Measurement Calendar Year 2005 Results

MCP Target = 80%	Well-Child Visits in the First 15 Months of Life														
	CY 04							CY 05							
	6 or more visits	5 visits	4 visits	3 visits	2 visits	1 visit	No visits	6 or more visits	5 visits	4 visits	3 visits	2 visits	1 visit	No visits	
<b>RESULTS</b>															
<b>Numerator</b>	3,150	1,697	1,132	807	508	290	274	4,337	Diff. from 04	2,022	1,419	905	576	341	263
<b>Denominator</b>	7,858	7,858	7,858	7,858	7,858	7,858	7,858	9,863		9,863	9,863	9,863	9,863	9,863	9,863
<b>Percentage</b>	40.1%	21.6%	14.4%	10.3%	6.5%	3.7%	3.5%	44.0%		20.5%	14.4%	9.2%	5.8%	3.5%	2.7%
<b>MCP Standard</b>								Increase by:	4.0%						
<b>Statewide MCP Avg.</b>	42.5%	21.5%	13.9%	9.6%	6.1%	3.3%	3.1%	46.4%		20.6%	13.9%	8.4%	5.3%	3.0%	2.4%

MCP Targets Well-Child, Asthma=80% Dental=60%	Well-Child Visits in the 3rd, 4th, 5th, and 6th Years of Life			Adolescent Well-Child Visits Ages 12-21 Years			Asthmatic Medication Management			Annual Dental Visit				
							Received Medication			ER Visit or Hospital Admission		Children Aged 4-21 Who Received a Visit		
	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	CY04	CY05	Diff From 04
<b>RESULTS</b>														
<b>Numerator</b>	27,441	28,695		21,405	22,239		3,725	4,432		1,669	1,833	65,453	71,796	
<b>Denominator</b>	45,198	47,381		61,848	65,185		6,052	7,287		6,052	7,287	144,078	151,361	
<b>Percentage</b>	60.7%	60.6%	-0.2%	34.6%	34.1%	-0.5%	61.5%	60.8%	-0.7%	27.6%	25.2%	45.4%	47.4%	2.0%
<b>MCP Standard</b>	Increase by:		1.9%	Increase by:		4.5%	Increase by:		1.8%			Increase by:		1.5%
<b>Statewide MCP Avg.</b>	62.5%	62.0%		36.7%	35.9%		62.2%	61.2%		28.5%	25.3%	44.7%	46.2%	

Shading Identifies Contract Measures

White Letters Identify New Contract Measures

## CareSource Medicaid MCP Results CFC Clinical Performance Measurement Calendar Year 2005 Results

Received Lead Testing						
MCP target=80%	1 Year Olds			2 Year Olds		
RESULTS	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04
Numerator	6,329	7,481		3,292	3,465	
Denominator	14,481	15,856		13,373	13,091	
Percentage	43.7%	47.2%	3.5%	24.6%	26.5%	1.9%
MCP Standard	Increase by:		3.6%	Increase by:		5.5%
Statewide MCP Avg.	43.2%	46.3%		24.4%	26.7%	

Comprehensive Diabetes Care															
	Received HBA1c Testing			Received Eye Exam			Received LDL-C Screening			Were Monitored for Nephropathy			Received All		
RESULTS	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04
Numerator	1,451	1,639		630	761		1,427	1,695		739	880		179	254	
Denominator	2,304	2,594		2,304	2,594		2,304	2,594		2,304	2,594		2,304	2,594	
Percentage	63.0%	63.2%	0.2%	27.3%	29.3%	2.0%	61.9%	65.3%	3.4%	32.1%	33.9%	1.8%	7.8%	9.8%	2.0%
MCP Standard															
Statewide MCP Avg.	63.3%	63.2%		28.8%	30.9%		61.8%	65.4%		32.8%	34.2%		9.0%	11.0%	

**Paramount**  
**Medicaid MCP Results**  
**CFC Clinical Performance Measurement**  
**Calendar Year 2005 Results**

Shading Identifies Contract Measures

White Letters Identify New Contract Measures

MCP Target <sup>1</sup> = 80%	Frequency of Ongoing Prenatal Care (Percent of Expected Visits Received) Adjusted Length of Pregnancy & Length of Time Enrolled During Pregnancy												
	CY 04						CY 05						
	81% or more	61-80%	41-60%	21-40%	< 21%	Total	81% or more	61-80%	41-60%	21-40%	< 21%	Total	
<b>RESULTS</b>													
Numerator	1,155	192	97	53	102	1,599	1,259	Diff. from 04	204	95	42	100	1,700
Denominator	1,599	1,599	1,599	1,599	1,599		1,700		1,700	1,700	1,700	1,700	
Percentage	72.2%	12.0%	6.1%	3.3%	6.4%	100.0%	74.1%	1.8%	12.0%	5.6%	2.5%	5.9%	100.0%
MCP Standard							Increase by:	0.8%					
Statewide MCP Avg.	58.3%	17.3%	10.4%	5.9%	8.1%	100.0%	62.1%		14.9%	9.5%	5.3%	8.1%	100.0%

<sup>1</sup> At least 80% of the recipients should have received 81% or more of their expected number of visits.

MCP Targets Initiation=90% Postpartum=80%	Initiation of Prenatal Care			Cesarean Section Rate			Low Birth Weight			Very Low Birth Weight			Postpartum Visits (21-56 Days)		
RESULTS	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04
Numerator	665	672		370	418		78	68		8	9		847	881	
Denominator	759	754		1,599	1,700		777	904		777	904		1,543	1,638	
Percentage	87.6%	89.1%	1.5%	23.1%	24.6%	1.4%	10.0%	7.5%	-2.5%	1.0%	1.0%	0.0%	54.9%	53.8%	-1.1%
MCP Standard	Increase by:		0.2%										Increase by:		1.3%
Statewide MCP Avg.	85.8%	85.3%		23.1%	24.4%		9.7%	10.1%		2.5%	2.1%		52.8%	52.1%	

Shading Identifies Contract Measures

White Letters Identify New Contract Measures

## Paramount Medicaid MCP Results CFC Clinical Performance Measurement Calendar Year 2005 Results

MCP Target = 80%	Well-Child Visits in the First 15 Months of Life														
	CY 04							CY 05							
	6 or more visits	5 visits	4 visits	3 visits	2 visits	1 visit	No visits	6 or more visits	5 visits	4 visits	3 visits	2 visits	1 visit	No visits	
<b>RESULTS</b>															
Numerator	618	154	99	63	44	15	11	796	Diff. from 04	201	140	64	34	13	16
Denominator	1,004	1,004	1,004	1,004	1,004	1,004	1,004	1,264	1,264	1,264	1,264	1,264	1,264	1,264	1,264
Percentage	61.6%	15.3%	9.9%	6.3%	4.4%	1.5%	1.1%	63.0%	1.4%	15.9%	11.1%	5.1%	2.7%	1.0%	1.3%
MCP Standard								Increase by:	1.8%						
Statewide MCP Avg.	42.5%	21.5%	13.9%	9.6%	6.1%	3.3%	3.1%	46.4%		20.6%	13.9%	8.4%	5.3%	3.0%	2.4%

MCP Targets Well-Child, Asthma=80% Dental=60%	Well-Child Visits in the 3rd, 4th, 5th, and 6th Years of Life			Adolescent Well-Child Visits Ages 12-21 Years			Asthmatic Medication Management			Annual Dental Visit				
							Received Medication			ER Visit or Hospital Admission		Children Aged 4-21 Who Received a Visit		
	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	CY04	CY05	Diff From 04
<b>RESULTS</b>														
Numerator	3,039	3,300		2,124	2,273		529	606		229	240	7,231	8,391	
Denominator	4,624	5,285		5,747	6,728		806	908		806	908	13,817	15,972	
Percentage	65.7%	62.4%	-3.3%	37.0%	33.8%	-3.2%	65.6%	66.7%	1.1%	28.4%	26.4%	52.3%	52.5%	0.2%
MCP Standard	Increase by:		1.4%	Increase by:		4.3%	Increase by:		1.4%			Increase by:		0.8%
Statewide MCP Avg.	62.5%	62.0%		36.7%	35.9%		62.2%	61.2%		28.5%	25.3%	44.7%	46.2%	

Shading Identifies Contract Measures

White Letters Identify New Contract Measures

## Paramount Medicaid MCP Results CFC Clinical Performance Measurement Calendar Year 2005 Results

Received Lead Testing						
MCP target=80%	1 Year Olds			2 Year Olds		
RESULTS	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04
Numerator	471	700		236	298	
Denominator	1,501	1,877		1,455	1,451	
Percentage	31.4%	37.3%	5.9%	16.2%	20.5%	4.3%
MCP Standard	Increase by:		4.9%	Increase by:		6.4%
Statewide MCP Avg.	43.2%	46.3%		24.4%	26.7%	

Comprehensive Diabetes Care															
RESULTS	Received HBA1c Testing			Received Eye Exam			Received LDL-C Screening			Were Monitored for Nephropathy			Received All		
	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04
Numerator	176	190		110	121		183	218		119	122		45	55	
Denominator	282	331		282	331		282	331		282	331		282	331	
Percentage	62.4%	57.4%	-5.0%	39.0%	36.6%	-2.5%	64.9%	65.9%	1.0%	42.2%	36.9%	-5.3%	16.0%	16.6%	0.7%
MCP Standard															
Statewide MCP Avg.	63.3%	63.2%		28.8%	30.9%		61.8%	65.4%		32.8%	34.2%		9.0%	11.0%	

Shading Identifies Contract Measures

White Letters Identify New Contract Measures

## Anthem Medicaid MCP Results CFC Clinical Performance Measurement Calendar Year 2005 Results

MCP Target <sup>1</sup> = 80%	Frequency of Ongoing Prenatal Care (Percent of Expected Visits Received) Adjusted Length of Pregnancy & Length of Time Enrolled During Pregnancy													
	CY 04						CY 05							
	81% or more	61-80%	41-60%	21-40%	< 21%	Total	81% or more	61-80%	41-60%	21-40%	< 21%	Total		
<b>RESULTS</b>														
Numerator	1,167	361	191	138	150	2,007	1,137	Diff. from 04	411	279	196	180	2,203	
Denominator	2,007	2,007	2,007	2,007	2,007	2,007	2,203		2,203	2,203	2,203	2,203	2,203	
Percentage	58.1%	18.0%	9.5%	6.9%	7.5%	100.0%	51.6%	-6.5%	18.7%	12.7%	8.9%	8.2%	100.0%	
MCP Standard							Increase by: 2.2%							
Statewide MCP Avg.	58.3%	17.3%	10.4%	5.9%	8.1%	100.0%	62.1%		14.9%	9.5%	5.3%	8.1%	100.0%	

<sup>1</sup> At least 80% of the recipients should have received 81% or more of their expected number of visits.

MCP Targets Initiation=90% Postpartum=80%	Initiation of Prenatal Care			Cesarean Section Rate			Low Birth Weight			Very Low Birth Weight			Postpartum Visits (21-56 Days)		
	RESULTS	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05
Numerator	599	672		463	497		107	115		82	22		1,017	1,012	
Denominator	700	795		2,007	2,203		964	1,168		964	1,168		1,940	2,115	
Percentage	85.6%	84.5%	-1.0%	23.1%	22.6%	-0.5%	11.1%	9.8%	-1.3%	8.5%	1.9%	-6.6%	52.4%	47.8%	-4.6%
MCP Standard	Increase by:		0.4%										Increase by:		1.4%
Statewide MCP Avg.	85.8%	85.3%		23.1%	24.4%		9.7%	10.1%		2.5%	2.1%		52.8%	52.1%	

Shading Identifies Contract Measures

White Letters Identify New Contract Measures

## Anthem Medicaid MCP Results CFC Clinical Performance Measurement Calendar Year 2005 Results

MCP Target = 80%	Well-Child Visits in the First 15 Months of Life														
	CY 04							CY 05							
	6 or more visits	5 visits	4 visits	3 visits	2 visits	1 visit	No visits	6 or more visits	5 visits	4 visits	3 visits	2 visits	1 visit	No visits	
<b>RESULTS</b>															
Numerator	745	430	241	148	92	50	42	806	Diff. from 04	422	223	113	65	31	23
Denominator	1,748	1,748	1,748	1,748	1,748	1,748	1,748	1,683		1,683	1,683	1,683	1,683	1,683	1,683
Percentage	42.6%	24.6%	13.8%	8.5%	5.3%	2.9%	2.4%	47.9%	5.3%	25.1%	13.3%	6.7%	3.9%	1.8%	1.4%
MCP Standard								Increase by:	3.7%						
Statewide MCP Avg.	42.5%	21.5%	13.9%	9.6%	6.1%	3.3%	3.1%	46.4%		20.6%	13.9%	8.4%	5.3%	3.0%	2.4%

MCP Targets Well-Child, Asthma=80% Dental=60%	Well-Child Visits in the 3rd, 4th, 5th, and 6th Years of Life			Adolescent Well-Child Visits Ages 12-21 Years			Asthmatic Medication Management			Annual Dental Visit				
							Received Medication			ER Visit or Hospital Admission		Children Aged 4-21 Who Received a Visit		
	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	CY04	CY05	Diff From 04
<b>RESULTS</b>														
Numerator	6,681	6,214		6,107	5,881		1,155	1,109		578	464	11,701	10,694	
Denominator	9,617	8,931		13,186	12,751		1,840	1,845		1,840	1,845	30,896	29,348	
Percentage	69.5%	69.6%	0.1%	46.3%	46.1%	-0.2%	62.8%	60.1%	-2.7%	31.4%	25.1%	37.9%	36.4%	-1.4%
MCP Standard	Increase by:		1.1%	Increase by:		3.4%	Increase by:		1.7%			Increase by:		2.2%
Statewide MCP Avg.	62.5%	62.0%		36.7%	35.9%		62.2%	61.2%		28.5%	25.3%	44.7%	46.2%	

**Anthem**  
**Medicaid MCP Results**  
**CFC Clinical Performance Measurement**  
**Calendar Year 2005 Results**

Shading Identifies  
Contract Measures

White Letters Identify New  
Contract Measures

Received Lead Testing						
MCP target=80%	1 Year Olds			2 Year Olds		
RESULTS	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04
Numerator	1,220	1,154		721	712	
Denominator	2,593	2,433		2,560	2,212	
Percentage	47.0%	47.4%	0.4%	28.2%	32.2%	4.0%
MCP Standard	Increase by:		3.3%	Increase by:		5.2%
Statewide MCP Avg.	43.2%	46.3%		24.4%	26.7%	

Comprehensive Diabetes Care															
RESULTS	Received HBA1c Testing			Received Eye Exam			Received LDL-C Screening			Were Monitored for Nephropathy			Received All		
	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04	CY04	CY05	Diff From 04
Numerator	291	318		133	167		263	307		135	158		49	65	
Denominator	445	471		445	471		445	471		445	471		445	471	
Percentage	65.4%	67.5%	2.1%	29.9%	35.5%	5.6%	59.1%	65.2%	6.1%	30.3%	33.5%	3.2%	11.0%	13.8%	2.8%
MCP Standard															
Statewide MCP Avg.	63.3%	63.2%		28.8%	30.9%		61.8%	65.4%		32.8%	34.2%		9.0%	11.0%	